

### BEST MK II Super PC and XT

# Compatibility



#### The BEST 256K Mark II

As described above with 256K memory (using 41256 chips), Two 360K DS, DD disk drives, RS232 and parallel port, Real Time Clock, 7 slots, Phoenix BIOS, Colour Video and Disk Controller Cards, Keyboards and much, much more.

\$1759

#### The BEST 512K Mark II

As 256K Mark II but with 512K on board

\$1949

#### Look what you get as standard! • Uses 8088 microprocessor.

- New Feature, 256K RAM as standard.
- New Feature. Comes with the latest 41256 RAM chips.
- Expandable up to 512K and more on main board using 41256 RAM chips.
- New Feature, 7 expansion slots, each being identical for the user to upgrade as required.
- New Feature. Fitted with 150W power supply so system can be upgraded to a hard disk without changing power supply.
- New Feature. Flip-Top case.
   DMA controller. Three of the DMA channels are available to
- New Feature. Even most basic versions come with Parallel and Serial Ports and Real Time Clock.
- Half watt speaker.
- Pre-socketed for optional coprocessors such as the 8087 math processor.
- Keyboard Interface compatible with IBM compatible keyboards through a 5-pin DIN connector.
- Three ROM sockets are available to the user, one generally
- holding the Phoenix BIOS. New Feature. Reset switch.
- Timer/Counter used by the system for Real Time Clock, time base and for tone generation.
- Complete with the Phoenix BIOS, identical to that used by many of the large US companies manufacturing IBM compatible computers.
- Comes with two Slimline DS, DD 5¼" 360K Disk Drives.
- Colour Video (RGB and composite) and Disk Controller cards
- 230V models available.
- 300 Day warranty.

Tape Drive option backup suitable for all systems .....\$Call

IBM is registered trademark of IBM Canada Ltd.

#### The BEST 10 Meg/512K Mark II

As 256K Mark II but with 10 Meg Hard Drive and 512K on board. (Supplied with one Floppy Drive. For second drive add \$2895

#### The BEST 20 Meg/512K Mark II

As 256K Mark II but with 20 Meg Hard Drive with 512K on board. (Supplied with one Floppy Drive. For second drive add \$200). \$3395

See our 24-page Colour Catalogue in centre of this magazine If it is missing or you require another copy, call or write

The BEST

10 Meg Hard

Drive

Mark II

As 256K Mark II but

**Drive (Supplied with** 

one Floppy Drive. For

\$2695

with 10 Meg Hard

second drive add

\$200).

The Best 256K PENTARAM **BEST SELLER** 




\$359.00 with 256K RAM, Real Time Clock Parallel, serial and Game Port (512K now available)

FLOPPY CONTROLLER BOARD AND OPTIONS



\$129.00 With Real Time Clock and Serial Port only \$189.00

EPROM Programmer \$99.00 (with ZIF Socket Adapter \$159.00) Parallel/Game Port \$79.00 (cables Extra) REST 512K RAM BOARD



SPECIAL: \$365.00! with 512K. With 64K \$179.00

**Colour Graphics Video Board** 



\$179.00 (Composite and RGB Output)

Quantity, Students and Teacher discount's available.

XCELTRO

Exceltronix Computer Division Computers at unbeatable prices! (416) 921-8941, 319 College St., Toronto, Ontario

217 Bank Street, Ottawa (613) 230-9000

M5T 152 1-800-268-3798 Order line only

Circle No. 3 on Reader Service Card

# SURPLUSTRONICS

we will not be undersold



All you need extra is a keyboard, video board and monitor. 8088 Motherboard only with 64K, fully assembled and tested, no Bios (one blank 2764). Expandable to 1Meg on-board memory. Flow soldered. Provision for 8087.....\$299.00



#### PERIPHERAL CARDS FOR YOUR IBM AND COMPATIBLE COMPUTER

COMPATIBLE COMPUTER
Colour Video Board \$159.00
Composite video or RGB Video
Floppy Controller \$119.00
Floppy Controller with RS232 \$149.00
Floppy Controller w. clock/RS232 \$159.00
Parallel and Game Port Card \$59.00
Cable and connector extra.
Peripheral Interface Card \$139.00
Includes two serial ports, parallel port, game port
and provision for (but not including) real time clock.
Clock/Calendar Option\$29.00
With battery backup.
256K Multifunction Board
Includes: Serial port, parallel port, game port, provi-
sion for optional real time clock/calendar and
socketed for up to 256K RAM.
With 64K RAM \$175.00
512K Board.Socketed for 512K including:
64K RAM \$169.00
IBM Compatible Disk Drives \$185.00
Brand New, fresh from factory. Shugart SA455 40 track,
double sided, double density Slimline. We have ordered 10,000 from Shugart - that is why we can pass the savings
on to you.
IBM Compatible Keyboards
Keytronics programmable (no case)
Maxiswitch \$129.00 Cherry \$129.00
Case - High Ovality
Hinged for easy access, can be supplied with plain back or for 5
or 8 slots. Please specify\$574.95
Above case with power supply and fan. For Apple compatible (75W)
For IBM compatible (150W)
PERIPHERAL CARDS FOR YOUR
APPLE & COMPATIBLE
Assembled, flow-soldered/cleaned and 100% tested
16K RAM Card \$49.95
80x24 video card. \$69.95 Z80A Card. \$47.00
Parallel Printer Card (cables extra) \$49.95
128K RAM Card with 64K
128K RAM Card with 128K
EPROM Programmer with Software
(programs 2716, 2732, 2732A, 2764)
8" Floppy Controller

Modem Autoanswer/autodial, touch tone or pulse dial. Plugs right

Case with numeric keyboard .......\$129.00

Mail Orders add \$5.00 minimum for shipping & handling. Ontario residents add 7% P.S.T. Visa, Mastercard and American Express cards accepted: send card number, expiry date, name of bank and signature. Send certified cheque or money order, do not send cash. All prices on this page are final sale. No warranty, No returns, No refunds but HUGE savings. Warranties available at extra cost.

Surplustronics, 310 College Street, Toronto, Ontario, M5T 1S3

More lines to serve you better

(416) 960-1350



At a time when technical innovation is so abundant it sometimes causes a yawn, Computron is proud to introduce the Kaypro 16 to Canada.

Kaypro 16 has features even the most blasé will sit up and notice. The Kaypro 16 is totally IBM-compatible. It actually enjoys the so-called "Killer" software others choke on. And, the Kaypro 16 can safely boast the lowest price of all competitive systems on the Canadian market today.

If that's not enough, count the standard features:

- •10 Mb hard disk plus 360K floppy
- •256K Bytes, expandable to 640K Bytes without further memory board purchases
- •Serial and parallel ports
- •Built-in monochrome graphics screen with RGB and composite video interfaces built-in for use with an external colour monitor

Totally IBM-compatible keyboard

•Comprehensive name-brand software including MS-DOS 2.11, GW-Basic<sup>™</sup>, WordStar<sup>™</sup>, MailMerge<sup>™</sup>, CalcStar<sup>™</sup>, InfoStar +<sup>™</sup> (DataStar<sup>™</sup>, ReportStar, FormSort), StarBurst<sup>™</sup> and MITE<sup>™</sup> Communications – all with full interactive tutorials.

Now, you ask, what does all this cost? Just \$5195 or less.

Call or write today for a dealer near you and see for yourself why Kaypro 16 is a "Killer."

**TORONTO:** 55 Torbay Road Unit #2, Markham, Ontario L3R 1G7 (416) 477-0828

**HEAD OFFICE:** 17507-107 Avenue Edmonton, Alberta T5S 1E5 (403) 489-8400 Telex: 037-42881

Circle No. 53 on Reader Service Card

Computron

Published by Moorshead Publications Suite 601, 25 Overlea Blvd. Toronto, Ont. M4H 1B1 (416) 423-3262

> EDITOR Steve Rimmer

ASSISTANT EDITOR John Rudzinski

DIRECTOR OF PRODUCTION Erik Blomkwist

> CREATIVE MANAGER Ann Rodrigues

PRODUCTION
Douglas Goddard
Naznin Sunderji

CIRCULATION MANAGER Lisa Salvatori

ADVERTISING DIRECTOR Rick May Montreal (514) 735-5191 Vancouver (604) 688-5914

Publisher: H.W. Moorshead; Executive Vice-President: V.K. Marskell; General Manager: S. Harrison; Controller: B. Shankman; Accounts: P. Dunphy; Reader Services: C. Wyatt, M. Greenan, H. Brooks, R. Cree; Advertising Services: D. Whitehead

©Moorshead Publications Ltd. NEWSSTAND DISTRIBUTION Master Media, Oakville, Ont.

PRINTED BY: Heritage Press Ltd., Mississauga

SUBSCRIPTIONS \$22.95 (12 issues) \$37.95 (24 issues) Published 12 times a year

For US rates add \$3 per year. Other countries add \$5 a year.

Moorshead Publications also publish Electronics Today, Computers in Education and Software Now!

#### **POSTAL INFORMATION**


Second Class Mail Registration No. 5946. Mailing address for subscription orders, undeliverable copies and change of address notice is:

Computing Now!, Suite 601, 25 Overlea Blvd., Toronto, Ontario, M4H 1B1

ABC

Printed in Canada ISSN 0823-6437

A Byte of Apple Assembly	8
Survey of Systems	14



Shades for the PC	52
Built in Canada	58
Apple Assemblers	65

### Sectors

**Index to Volume Two** 

Computer Press	Advertising63
Next Month	Almost Free PC Software Volume 264
Almost Free PC Software Volume 317	Consulting
Apple DOS Software	Technical Writing64
Apple ZCPR2	Subscribe71
Intuit	Product Mart
Almost Free PC Software 255	Ad Index

70

# Looking for a product that combines display and multifunction on one PC board?



### Don't give up. Persyst.

Introducing Color Combo and Mono Combo, a new breed of multifunction. You'd expect any multifunction board to pack memory, clock and I/O functions into one slot. Now you can expect more... the function of a SixPak™ plus monochrome or color on a single board, in a single slot

Our new Color Combo and Mono Combo Cards are the only ones combining an IBM compatible monochrome or color display adapter with a parallel printer port, serial port, up to 384K of socketed RAM, RAM-Disk emulation, print spooling, and an optional clock/calendar. All on one board.

Advanced technology saves us space and saves you slots. Thanks to state-of-the-art custom VLSI circuitry, we were able to shrink the size of our color and monochrome display adapters. This gave us the space to put all the functions your PC needs onto one circuit board.

And, since you get everything you need on one board, you save expansion slots. So why fill up the slots in your PC, XT, AT or PC compatible with boards you don't need.

One board or two: It's that simple.

QUADRAM SOLUTION	AST SOLUTION	PERSYST SOLUTION
1. Quadboard  + 2. Monochrome or Color Adapter	SixPakPlus     +     Monochrome or Color Adapter	1. Mono or Color Combo Card
2 Boards/2 Slots	2 Boards/2 Slots	1 Board/1 Slot

And, our one board is fully IBM compatible. That means you can run all of your favorite software and use standard IBM or IBM compatible color or monochrome monitors. What could be simpler!

Persyst quality backed by a two year

Persyst quality backed by a two year warranty. We go to great lengths to insure reliable performance and top quality.

Every Persyst board goes through one of the most stringent testing and quality assurance programs in the industry. So we give you one of the best warranties in the business: a full two years on every Persyst board.

Persyst products are manufactured by Emulex Corporation, an industry leader in high performance controllers, communication products and packaged subsystems for micros to super minis.

For more information call or write us today. Persyst Products, Emulex Corporation, 5945 Airport Road, Suite 288, Mississauga, Ontario, Canada L4V 1R9 Tele: (416) 637-1211, Twx: 610-492-4242.

In Canada call: (416) 673-1211



IBM PC, XT, AT are registered trademarks of International Business Machines Corporation. SixPak and SixPakPlus are registered trademarks of AST Research Inc. Quadram Solution is a registered trademark of Quadram.

Circle No. 8 on Reader Service Card



# A Byte of Apple

If you park yourself in front of an Apple Assembly for a while and start blasting away at Assembly the foundation of

the foundation of its bits and bytes

you will, in time...

having done
enough coffee
and questionable
substances... meet
the assembly
language swamp
dragon. It's not
a pleasant experience.
Here's a vorple sword
to fend it off with.



#### by Steve Rimmer

If I was going to be stranded in a deserted subdivision with only a computer for company I'd surely want an Apple. IBMs are great for doing business stuff on, CP/M based systems are actually useful... but Apples are funky and weird and a blast to meddle with.

The "operating system" of the Apple ][+, such as it is, consists of a very bizarre fusion of the system's on board firmware and DOS, which kind of hooks its way into Applesoft and the F8 ROM and a few other unusual bits of code in there and begins to think about treachery. Unlike as in the case of the more sophisticated operating systems, DOS isn't particularly structured and rarely makes immediate sense when you start trying to work with it

Also unlike as in the case of more powerful computers, an Apple running under DOS has a pretty bleak selection of programming tools. There are those two threadbare trolls, Applesoft and Integer BASIC... the relative disadvantages of programming in BASIC probably need not be ennumerated here. There's Ap-

ple PASCAL, which is great
if you like PASCAL
and if
all of

your

users happen

have

Beyond

this, for

to

it.

intended



the most part, there is nothing but the inky blackness of the great cosmic void, at the very far end of which there lurks the assembly language swamp dragon, fuming and snorting virtual fire.

The assembly language swamp dragon is one of the most unpleasant manifestations of uncool life forms around. It's eleven feet long from the tip of its venomous tail to the nose of any of its three heads. It has a revolting disposition. It eats over a dozen cats a day, which is its only positive quality. It hates anything that moves or thinks.

Due to a marriage of the assembly language swamp dragon and the 6502 microprocessor ... a union made in Taiwan ... assembly language programming on the Apple is a bit of pig's pith helmet. A lot of the really nice things that, say the Z80, lets you do with your eyes closed are impossible on a fruit. Most

of the rest of the reasonably useful stuff is seethingly difficult. It's not that hard to write little drivers which are called from BASIC and other minutea of code for the Apple, but getting together really slick looking applications entirely in assembler is a bit of a party. Keeping them from looking like they could have been written better in BASIC with the computer switched off goes beyond the boundaries of a mere party into a full blown circus.

In this feature we are going to look at a few routines and other related tricks to make assembly language on an Apple a bit more manageable. While these bits may not banish the swamp dragon entirely, they should keep him partially doused.

#### **Hot Stacks**

With DOS up and running on a fruit there is actually a tremendous number of useful little things floating around up in high memory. While it would be wildly untrue to say that they are in any logical order up there, they do land in more or less the same places each time you boot the computer. As such, we can make use of them from other programs.


As DOS is, itself, a program, it is reasonable to assume that many of the things one wants to do in a program are already being done by DOS.

The following header is a good start for any assembler program. It has the advantage that is doesn't generate any code of its own... but it does give you easy access to a whole raft of useful DOS routines.

#### INTRINSIC DOS ROUTINES

SETINV EQU \$FE80 SETNORM EQU \$FE84 CRLF EQU \$FD8E PUTCH EQU \$FDED **HEXBYTE** \$FDDA HEXWORD EQU \$F941 SPACE \$F94A

SET INVERSE MODE
SET NORMAL MODE
SEND NEW LINE TO TUBE
SEND CHR IN A TO TUBE
PRINT A AS HEX
PRINT A & X AS HEX
SEND STRING OF SPACES X



BEEP	EQU	SFBE4	TOOT THE SPEAKER
GETCH	EQU	\$FD0C	GET ONE CHARACTER
GETS	EQU	\$FD6A	GET A STRING FROM CON-
			SOLE
SAVER	EQU	SFF4A	SAVE ALL REGISTERS
RESTR	EQU	\$FF3F	RESTORE ALL REGISTERS
GOTOXY	EQU	\$FC22	POSITION CURSOR
CLRSCRN	EQU	\$FC58	;CLEAR TUBE
DELAY	EQU	\$FCA8	;WAIT
;		400	CIPPLICE PROVING
CR	EQU	\$8D	;CARRIAGE RETURN
RESHNDL	EQU	\$03F2	RESET VECTOR LOCATION
WHEEL	EQU	\$52	;A USEFUL PAGE ZERO SPOT
STROBE	EQU	\$C010	;KEYBOARD STROBE
KEYBRD	EQU	\$C000	;KEYBOARD PORT
POINT	EQU	\$28	POINTER TO CURSOR LINE
HORZON	EQU	\$24	POINTER TO CURSOR

Having told the assembler what these labels represent, we can call the routines in DOS as if they were subroutines of the program we're writing.

The functions of some of the routines are fairly easy to understand. For example, doing

#### ISB SETINV

will cause everything printed thereafter to come up in inverse video. You can call SETNORM to return the fruit to its normal screen mode.

The CRLF routine prints a new line on the screen when it's called.

If you load a character into the accumulator and

#### JSR PUTCH

it'll be spewed out on the screen. If you'd called HEXBYTE instead it would be printed as a hex number instead of a single character. HEXWORD does A and X as a four digit... sixteen bit... word.

The SPACE routine blasts out a string of spaces equal in length to the value in X. GETCH waits for a keyboard character and returns it in A. GETS accepts a string of characters from the keyboard, stashing them in the BASIC input buffer in low memory. The buffer runs from \$200 to \$2FF. It behaves a lot like the BASIC INPUT.

The SAVER and RESTR calls respectively stash all the 6502 registers in memory and suck them back out again. This is extremely useful when you want to call a subroutine but not trash the current register contents.

Calling CLRSCRN clears the screen. The DELAY call waits for a time determined by the contents of the accumulator. Delay loops are very useful in some sorts of programming... this one, however, doesn't exactly contort itself to be applicable to anything. The delay time for a given value in the accumulator can be figured as 1.0227 \* ((26 + (27 \* Å) (5 \* (N/<math>)2)))/2) microseconds. It's a serious trip.

The remainder of the equates in the example I've stashed in here are ones which we'll be using for routines in a couple of minutes. The RESHNDLE label is particularly useful, as it allows one to return to BASIC even if one isn't in complete control of one's stack.

Alternately, it can keep users of one's program from getting back to BASIC at all.

The RESHNDLE location is a vector which the Apple jumps to when you hit control reset. If you write a program and want to return to BASIC when it's done you would normally do a final RTS instruction which would ideally pop the calling location of BASIC from the 6502's stack and zap you back to the tender mercies of Applesoft. This isn't always practical, for a number of reasons

You can, in these cases, do what the reset key does by replacing the final RTS with

#### JMP (RESHNDLE)

hich will get you back to Applesoft.

You can, on the other hand, make the reset key do something else. If, for example, you wanted to make sure that the reset key didn't do anything final to your program, you could put a different address in RESHNDLE. For example, put the address ERROR in it, where ERROR is the start of a routine like this one.

#### JSR ILPRT ASC 'STOP HITTING THE RESET KEY, YOU WOMBAT' DFB 0 JMP MAINMENU

This may not seem entirely fathomable yet... it will in a minute... but it obviously prints an error message if the reset key is pressed. As such, your program can retain control of the computer even if someone tries to reset it.

#### Not Enough Bits

Printing strings with a 6502 is a tedious undertaking. The 6502 lacks any general purpose sixteen bit registers, and, as such, one must fiddle with two of the eight bit ones to point to the string.

There is one sixteen bit register which you can use, however, although few programmers ever want to deal with it. The program counter can address any location in memory.

This is a routine which prints an in line string. If you call it... in the way I did in the reset handle a few seconds ago... and then place a string after it terminated with a zero it will print the string to the tube and return to execute the instruction immediately after the zero byte.

This is a bit of a sky wire act, to be sure. However, it works exceedingly well and makes printing messages from an assembly language program considerably easier than most of the normal tecniques allow for. It also serves to imbed a lot of text in one's code at odd places, which makes the resulting code very difficult indeed to disassemble.

ILPRT	PLA STA PLA	WHEEL	GET THE LOW ORDER BYTE SAVE IT IN THE WHEEL GET THE HIGH ORDER BYTE
	STA	WHEEL+1	AND STASH THAT ONE
	INC	WHEEL	POINT PAST THE DUMMY
	BNE	NOINCA	BY DOING A SIXTEEN BIT
	INC	WHEEL+	;INCREMENT
NOINCA	LDY	#\$00	NULL OUT THE OFFSET
LLP	LDA	(WHEEL), Y	GET A BYTE
	CPM	#\$00	;ARE WE AT THE END?
	BEQ	ILEND	;IF SO, SCOOT
	JSR	PUTCH	OTHERWISE, PRINT THE BYTE
	INC	WHEEL	;AND DO A SIXTEEN BIT
	BNE	NOINC	;INCREMENT OF
	INC	WHEEL+1	;THE WHEEL
NOINC	JMP	LLP	;AND GO AGAIN
ILEND	LDA	WHEEL+1	;PUSH THE POINTER
	PHA		;BACK ON THE STACK
	LDA	WHEEL	TO SERVE AS
	PHA		A RETURN ADDRESS
	RTS		

This code is highly strange.

When you call a subroutine... execute a JSR... the address of the next instruction the 6502 is to execute... minus one, as it turns out... is pushed onto the stack. Since the 6502 has an eight bit stack it's pushed up there one byte at a time.

In the case of calling ILPRT here, of course, the byte after the call is the first byte of the string. ILPRT can locate this by pulling the return address off the stack and incrementing it by one. If we stash this somewhere in page zero... the location I've called WHEEL... we can read the bytes from the string using zero page addressing and incrementing the WHEEL. When the end of the string is encountered the contents of WHEEL can get heaved back up on the stack... they point to the next executable instruc-

### A Byte of Apple Assembly

tion, and the 6502 will be quite happy regarding them as a return address when ILPRT executes an RTS.

Aside from being rather elegant and slick, ILPRT makes writing large programs a great deal easier.

Here's a longer bit of code.

j	MENUR	JSR JSR JSR JSR JSR JSR JSR ASC DFB LDA CMP BNE JSR JSR JSR JSR JSR JSR JSR JSR	CLRSCRN HOME SETNORM PAD ILPRT 'MAIN MENU CR.CR.CR.C MENULN #\$01 NOTONE SETINV PAD ILPRT 'OPTION 1' 0 PAD CRLF SETNORM	
	NOTTWO	LDA CMP BNE JSR NOP JSR JSR ASC DFB JSR JSR JSR	MENULN #802 NOTTWO SETINV PAD ILPRT 'OPTION 2' 0 PAD CRLF SETNORM	
	NOTTRE	LDA CMP BNE JSR NOP JSR JSR ASC DFB JSR JSR JSR	MENULN #\$03 NOTTRE SETINV PAD ILPRT 'OPTION3' 0 PAD CRLF SETNORM	
	GETOPT	JSR JSR CMP BEQ CMP BEQ CMP BEQ JSR JMP	HOME GETCH #\$8D EMENU #\$88 INCMENU #\$95 DECMENU BEEP GETOPT	;PUT CURSOR IN CORNER ;GET A CHARACTER ;IF, CR, QUIT ; ;IF UP ARROW ;INCREMENT ;IF DOWN ARROW ;DECREMENT ;BAD OPTION ;GO AGAIN
	EMENU	JSR RTS	CLRSCRN	
	INCMENU INCM1	LDA CMP BMI JSR JMP INC	MENULN #\$03 INCM1 BEEP GETOPT MENULN	SEE IF WE'RE AT UPPER OPTION IF SO, DON'T INCREMENT IT ELSE, BUMP IT UP
1	DECMENU	IMP LDA CMP	MENULN #\$02	

DECMI

DECM1	JSR JMP DEC JMP	BEEP GETOPT MENULN MENUR	
PAD	LDX JSR RTS	#\$09 SPACE	;PAD OUT LINE
HOME	LDA STA STA JSR RTS	#\$00 \$24 \$25 GOTOXY	;HOME CURSOR
MENULN	DFB	1	

This block of code handles a really slick looking menu. It will print up all the options on the screen with one of them in a reversed out bar. The cursor mover keys move the bar... hitting return selects whatever the bar is pointing to. You can add as many options as you want to this thing... up to the limit of the screen.

Unlike simply printing a list and selecting a number from it, this thing looks very professional and serious. It also allows one to set it up to be really convenient. As the bar will land on whatever entry is indicated by the byte at MENULN, you can have it default to the most convenient option by loading the appropriate value into this space.


Having returned, the value that has been selected by the menu is returned in MENULN.

#### Watch the Spinning Cursor

Finally, let's have a look at something that really looks strange on the tube. This is an example of a "live" cursor routine.

As you get into programming in assembly language you will find that in most cases you can create a fairly reasonable cursor by simply printing a flashing space at the appropriate spot on the screen. This is cool, of course, but the flashing space is really handled in hardware. It will usually keep flashing even if your program hangs like a heathen.

This is a communictions terminal routine which uses a live cursor. It looks like a spinning bar. Aside from looking inutterably slick and being fun to watch as it goes spinning across the glass, it tells you that your program is still active.



# Designed to meet your personal Computer...

MICROPROCESSOR

STATIC RAM

STATIC RAM

PLEXI DOME

PLEXI DOME

AUDIO

TRANSPARENT

PLEXI DOME

AUDIO

TRANSDUCER

GECHARGEABLE

GELL CELL

BAT TIERY

TRANSPARENT

PLEXI DOME

TRANSPARENT

TRANSPARENT

PLEXI DOME

TRANSPARENT

TRAN

TRANSDUCERS

One of the most unique computer peripherals available, Ernie will provide you with hours of entertainment while teaching you about the most significant technology to emerge from the computer revolution ... Robotics.

Ernie sports a very impressive technical pedigree. Standard features include: Sonar obstacle detection, musical capabilities and variable speed, bidirectional drive motors. Ernie is fully programmable on your Apple, Radio Shack or Commodore personal computer. In fact, our optional "Ernies" Mother" control language is so simple and so much fun to use that we can't think of a better way to introduce young children to computer programming.

Ernie is constructed from the highest quality parts, and comes protected against defects in workmanship and materials for a full ninety days.

You and your friends will enjoy hour after hour of robotic entertainment. Order Ernie today by mailing the attached order form.

MICROHMEGA Electronics

918 16 Ave. N. W., Calgary, Alberta, Canada T2M 0K3

Tele. (403) 289-6264

Emile/

MICROHMEGA Electronics

918 16 Ave. N.W., Calgary, Alberta Canada T2M 0K3

MY COMPUTER WOULD LIKE TO MEET ERNIE.

I HAVE AN APPLE RADIO SHACK

- ☐ COMMODORE 64
  ☐ Please ship Ernie assembled and tested ......\$389.00
- ☐ Please ship the Ernie parts kit ......\$296.00
- Please ship Ernie's Mother 5<sup>1</sup>/<sub>4</sub> Floppy disk .. \$19.95

NAME \_\_\_\_\_\_ or Cassette .... \$15.95

ADDRESS \_\_\_\_\_\_ PROV. \_\_\_\_\_\_

POSTAL CODE \_\_\_\_\_ TELE. \_\_\_\_

☐ Cheque ☐ VISA ☐ Master Charge

Card # \_\_\_\_\_ Expiry Date \_\_\_\_

(Plus \$6.00 shipping and handling.) (Allow 2-4 week delivery)

Please send me more information about Ernie and

"Ernie's Mother" for robotics and computer programming.

Circle No. 37 on Reader Service Card.

### A Byte of Apple Assembly

		ar na anu	
TERM	JSR JSR	CLRSCRN SETINV	CLEAR THE GLASS SET INVERSE MODE
	JSR	ILPRT	;AND SAY
	ASC	TERMIN OF	LINE — HIT CONTROL E TO EXIT
	DFB	CR.CR.0	
	JSR JSR	SETNORM	:UNDO INVERSE VIDEO :GOBBLE PORT GARBAGE
	JSR	INDAT	
TERM1	JSR CMP	FETCH #\$80	GET A CHARACTER :IF INVALID
	BMI	TERM2	GET A REMOTE CHARACTER
	AND	#\$7F #\$05	:MAST PARITY :SEE IF CTRL E TO EXIT
	BEQ	TERMRTS	
	JSR LDA	OUTDAT STROBE	SEND IT OUT :AND RESET THE STROBE
TERM2	JSR	INCTRL	GET SERIAL STATUS
	JSR JSR	ANDRCV	:MASK IT :SEE IF IT'S SET
	BNE	TERM1	BACK TO KEYBOARD IF NOT
	JSR ISR	CUROFF	;KILL CURSOR ;GET DATA
	AND	#\$7F	:MASK IT
	ADC ISR	#\$7F CONVIN	:ADD OFFSET :CONVERT CASE
	CMP	#\$8A	IGNORE LINE FEEDS
	BEQ ISR	NOLF PUTCH	SHOW IT ON TUBE
NOLF	JSR	CURON	RESTART CURSOR
	JMP	TERM1	;AND LOOP
TERMRTS	RTS		
CONVIN	CMP	#\$E1	CHECK FOR
	BCC	NOCON1 #\$FB	:LOWER CASE AND :CONVERT
	BCS	NOCONI	
NOCONI	EOR	#\$20 #\$89	CHECK FOR TABS
	BNE	NOTAB	AND EXPAND TO
	LDX JSR	#\$4 SPACE	FOUR SPACES (CHEAP AND NASTY)
NOTAB	RTS		
CURON	LDA	CURSTH	DO FAKE CURSOR
CURTBL	JMP DFB	SHOWIT	\$21, \$21, \$2F, \$2F, \$2D, \$2D,
CONIBL	DFB		\$21, \$21, \$21, \$21, \$20, \$20, \$5C, \$5C
CCNT	DFB DFB	0	
CURSTH	DFB	0	
FETCH	INC BNE	CCNT NOCHNG	BUMP COUNT AND IT CARRIER
	INC	CIDX	BUMP INDEX
No. 5	LDA AND	CIDZ #\$07	:MASK LOWER THREE :BYTE AND
	TAX		POINT INTO TABLE
	LDA ADC	CURTBL,X #\$80	GET CURSOR ADD FUDGE FACTOR
	LDY	HORZON	GET POINTER TO SCREEN
	STA STA	(POINT), Y CURSTH	:DO CURSOR :AND SAVE IT
NOCHNG	LDA	KEYBRD	GET KEYBOARD VALUE
1 A SECTION	RTS		





This one is a bit strange too. To begin with, it's a skeletal program... you will have to write the routines INCTRL, INDAT and OUTDAT... to get the serial status, get the serial data and send serial data out respectively... for your serial card.

The weird bit about this code is the cursor handling. Unlike as in the case of, say, a Commodore 64, the Apple's screen RAM is not contiguous. The locations on the screen don't map neatly onto a block of RAM. However, you can point to the memory location the cursor is supposed to be in by doing

#### LDY HORZON STA (POINT).Y

In this case, we not only want to be able to place a character where the cursor is supposed to be... we want the little troll to keep changing. The bytes in CURTBL are characters which, when printed one after another, look like a spinning bar. The lower three bits of CIDX serve as a pointer into the table. Every time the terminal routine calls this code the counter is incremented and, when it overflows, CIDX gets bumped.

Each character is repeated twice in the table to slow down the apparent speed of the rotation. It looks slicker this way.

This thing can be lifted and used in quite a number of other applications, of course. You can even hook it into DOS to have it replace the DOS cursor if you want to.

#### **Fruit Pies**

While fairly limited as processor architectures go, the 6502 can be a lot of fun to toodle on. If you can get over its burning desire to keep everything in two hundred and fifty-six byte pages it can be almost manageable.

Many of the restrictions on 6502 programming, however, lurk in the heads of programmers. If you threaten it enough it can be made to do some pretty amazing things.

You'll never divorce it from the swamp dragon, though. As microprocessors go it's ancient, and it probably feels it has earned the right to be cantankerous.

CNI

# COMPUTER PRESS

### **Industry Notes**

COMPUTING NOW! — Numerous things happen in spring after a long winter's sleep, and the computer industry seems to be waking up from a small hibernation.

• Commodore Business Machines have announced two new micros... the Commodore 128 and a portable computer. The C128 is a low-profile machine with a number of surprises. The C128 has three modes: A C64 emulation mode, an expanded mode with extended BASIC commands and 119.5K available to BASIC programmers, and a CP/M mode. The computer has a 40 or 80 column

The XE line of computers is said to be 100 per cent compatible with the older 600XL and 800XL computers. The 65XE, with 64K of memory, replaces the 16K 600XL. Optionally, one might choose the 65XEP, a portable version of the 65XE with a built-in colour monitor and three and one-half inch disk drive. The 130XE replaces the 64K 800XL, and is laden with 128K of memory.

If the specifications of the new Ataris don't intrigue you, the projected prices (in American dollars) may: \$100.00 for the 65XE, \$400.00 for the 65XEP, \$200.00 for the 130XE, \$400.00 for the 130ST and \$600.00 for the 520ST



capability, an up to 640 by 200 pixels display, a machine language monitor and, with the new 1571 disk drives, can write more to a disk — faster — than a C64. The second entry... the portable computer... has an 80 by 16 LCD display, 32K of RAM, dedicated cursor keys, an integrated modem and integrated software.

Note that these products... at press time... haven't yet been shipped. Somewhere in this column is a photo of the Commodore MAX, which was announced alongside the C64, but didn't quite make it to dealer shelves.

• Recently announced... again, meaning not being shipped as of this issue's press time... computers from Atari may upset the accepted 'natural order' of things. Aside from the replacements to the 600XL and the 800XL computers... the 65XE and the 130XE computers, respectively... Atari has announced the ST line of microcomputers. These are neat. Using a 68000 microprocessor, the 130ST... with 128K RAM... or the 530ST... with 512K RAM... are expected to feature Digital Research's Mac lookalike GEM (an acronym for Graphics Environment Manager) as an operating system, three and one-half inch disk drives, a mouse, colour resolution up to 640 by 200 pixels, a built-in hard disk controller and more.

 News from Apple Computer Incorporated in Cupertino includes Steve Wozniak leaving the company... again. The Apple II Division crew disagreed with management's heavy emphasis on the Macintosh line, so the Woz split with a friend to work on a project involving video continued on page 72



### Next Month In Computing Now!

#### PC Special

The interest in the IBM PC... and in its legion of camp followers and hangers on ... seems to remain unquenched, even as lesser systems with inferior promotional budgets fall to the vultures and chip gremlins. In the next edition of Computing Now! we'll be looking at another blue '75 Chevy pickup truck full of applications and features for the ubiquitous PC. Among the things we have in the works are:

**Vector Interrupts:** A look at how to manipulate the interupt vector table in low memory and write resident interupt handlers for the system. It sounds technical as hell, but, having gotten through it you'll be able to make your computer dance. None of this break dancing, either . . . it'll do Swan Lake on stilts.

Survey of Popular Slot Stuffers: There are about a quintillion things available to fit in the slots of a PC, and most of them are dull beyond any previous conception of the notion of dullness. A few, however, shine like lighthouses in January. We'll be checking out the brightest bulbs next time 'round'

Mass Backup Devices: Business users who begin to grok the ultimate volitility of spinning magnetic media often get a little paranoid over the thought of all sorts of irreplaceable data whirring about on their hard drives looking for dust. There is, however, an alternative approach to archiving your bytes. Next month we'll have a look at the details of high speed streamer tape backup.

#### A Better Morse Trap

Plug this thing into your Apple, dust off the short wave radio and you'll be able to check out data from the sky. Through the use of software which would have to come down several notches just to be brilliant this thing translates the dits and dahs into something not unlike English. It's facinating wrinkle to telecommunications.


#### WordStar Printer Patcher

Word processors are all in the mind if you can't make them print anything. WordStar is a bit further into the cranial vacuum than most, as it has to be severely patched to make it worthy of most printers. Patching WordStar . . . in the normal course of existance . . . requires the use of a debugger, hexidecimal numbers and other low level nasties. In the next edition of Computing Now! we'll be having a shot at a much more user friendly patching program for this popular package.

All of these features are in an advanced state of preparation, but we reserve the right to change the final content of the issue. This disclaimer will self destruct in five



The more things change, the more they stay the same. A standard run-in to a microcomputer marketplace that, besides witnessing the death of old systems and the birth of the new hasn't really been disrupted with anything violently different since we last had a good look at it six months ago in the September 1984 issue of CN!. This is not to say there haven't been changes... prices, for the most part, have dropped dramatically even though the Canadian dollar has accompanied the fall. While the vast majority of new entries are predictably IBM PC compatibles and clones, this new breed has shaken some of the restrictions that were inherent in earlier models. Power supplies tend to be beefier, as most purchasers plan to upgrade their systems with power-hungry hard drives. Standard RAM configurations have increased due in part to a fall in RAM market prices, as well as 256K bit chips paving the way for systems with up to 640K on-board. Where some manufacturers are concerned with making everything old new again, others are coming up with silicon brainstorms that may eventually throw a wrench into the MS-DOS compatibility machinery. Commodore Business Machines and the new Atari Corporation have, at press time, announced and shown new computers that cover the low-end eight bit to the high end 32 bit markets. Pricing for these yet unshipped models is remarkably low, and some of the specifications are quite attractive. Whether you're upgrading, looking for a first system or you simply enjoy comparing specifications, we present our spring survey.





#### APC

Operating System: MS-DOS Processor(s): 8086 RAM: 128K Printer I/O: Serial and parallel

One or two 8" floppy Disk Drives Inc: Screen Format: Graphics: 640x480 Sound: Yes Colour:

Keyboard: Detached

Software Included: MS-DOS, dBASE II, WordStar, more Primary Market: Business

NEC Manufacturer:

Available From: Microcomputers of Canada Suggested Retail: \$4195.00 l drive with monochrome

#### Aftek PC/PC+

Operating System: MS-DOS 8088 Processor(s): RAM: 128K Printer I/O: One parallel Disk Drives Inc: One 360K 5 1/4" floppy; PC + has two

Screen Format: 80x25 Graphics: Optional card Sound:

Colour: Optional Detachable Keyboard: Software Included: Operating system Primary Market: Business

Manufacturer: Aftek Business Machines, Inc. Available From: Local dealers \$1895.00 (PC); \$2103.00 (PC+) Suggested Retail:

#### Aftek XL/DL

Operating System: MS-DOS 8088 RAM: 256K Printer I/O:

One parallel, one serial Disk Drives Inc:

One 360K 5 1/4" floppy, one 10Mb HD; DL has tape backup

Screen Format: 80x25

Graphics: Optional card Sound: Optional Colour: Keyboard: Detachable Software Included: Operating system Primary Market:

Aftek Business Machines, Inc. Manufacturer: Available From:

Local dealers \$3523.00 (XL): \$4700.00 (DL) Suggested Retail:

#### Apple //c

Operating System: BASIC, ProDOS, DOS 3.3 Processor(s): 65C02

RAM: 128K Printer I/O: Serial

One SSSD 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x24 280/560x192 pixels

Graphics: Sound: Yes Colour: Keyboard: Integrated

Four disk introduction, system utilities Software Included:

Primary Market: Home Manufacturer:

Apple Computer Available From Local dealers \$1795.00 Suggested Retail:



#### Apple //e

Operating System: BASIC; DOS optional 6502A Processor(s): RAM: 64K; 128K optional Printer I/O: Optional serial or parallel Disk Drives Inc: Optional 40x24: Optional 80x24 280/560x192 pixels Screen Format: Graphics:

Sound: Colour: Yes Keyboard: Integrated

Software Included: BASIC; ProDOS with drive purchase Primary Market:

Business and home Apple Computer Incorporated Manufacturer:

Available From: Local dealers Suggested Retail: \$1395.00



#### **Apple Macintosh**

Operating System: Macintosh Operating System 68000 Processor(s):

128K or 512K RAM: Printer I/O: Serial Disk Drives Inc: One 3 1/2" drive standard Screen Format: Variable

Graphics: 512x342 pixels Sound: Yes Colour: No Keyboard: Detachable

Software Included: Primary Market: Manufacturer: Available From: Suggested Retail:

Graphics and word processing Home, business, educational Apple Computer Corp. Apple Canada \$3295.00; 512K version retails for

\$4095 00

#### **Apple Macintosh XL**

Operating System: Integrated icon software Processor(s): 68000 512K

Printer I/O: 2 serial, 1 parallel

Disk Drives Inc: One 3 1/2" floppy, one 10 mb hard disk

Screen Format: Variable Graphics: 720x360 pixels Sound: Colour: No

Keyboard: Detachable Software Included: N/A Primary Market: Busines Manufacturer: Apple Computer Available From: Local Dealers Suggested Retail: \$6595.00

#### Apricot F1

Operating System: MS-DOS Processor(s): 8086 RAM: 256K Printer I/O: One serial, one parallel One 720K 3 1/2" floppy 40/80x25 Disk Drives Inc: Screen Format: Graphics: 640x256 Sound: Yes

Colour: Keyboard: Detachable Software Included: Operating systems, Personal BASIC, Dr. LOGO, more

Primary Market: Applied Computer Techniques, Britain Available From: Suggested Retail:

Western Cash Register \$2755 (includes 800x400 monochrome monitor)

#### **Apricot PC**

Operating System: MS-DOS, CP/M 86, Concurrent CP/M 8086; 8089 (I/O) RAM:

256K

Printer I/O: One parallel, one serial Disk Drives Inc: Two 315K 3 1/2" floppy, or two 720K

3 1/2" floppy Screen Format: 80x25 Graphics: 800x400 Sound: Yes Colour: Optional Keyboard: Detachable

Software Included: Operating systems, BASICs, Super-Writer, Calc, more

Business

Primary Market: Manufacturer: Available From Suggested Retail:

Applied Computer Techniques, Britain Western Cash Register \$3250.00 (315K drives); \$3620.00

(720K drives)

#### **Apricot Portable**

Operating System: MS-DOS 8086 (5 MHz) Processor(s): RAM: Printer I/O:

256K; 128K colour RAM One serial, one parallel One 720K 3 1/2" floppy 40/80x25 LCD; optional RGB monitor Disk Drives Inc:

Screen Format: Graphics: 640x200 pixels

Sound: Colour: Yes Keyboard: Detachable

Software Included: Operating system, voice recognition, more

Primary Market: Business, home

Manufacturer: Available From: Applied Computer Techniques, Britain Western Cash Register

Suggested Retail:

#### **Apricot Xi**

Operating System: MS-DOS, CP/M 86, Concurrent CP/M Processor(s): RAM: 8086; 8089 (I/O) 256K

Printer I/O: One parallel, one serial Disk Drives Inc One 720K 3 1/2" floppy and one 10Mb

HD 80x25 Screen Format: Graphics: 800x400 Sound: Colour: Optional Keyboard: Detachable

Software Included: Same as Apricot PC Primary Market: Business Manufacturer:

Applied Computer Techniques, Britain Available From Western Cash Register Suggested Retail: \$6045.00 (includes 800x400

monochrome monitor)



#### Associate

Operating System: CP/M or MS-DOS, CP/M-86 Z80A or optional 8088 Processor(s): RAM: 128K 3 serial, one IEEE, optional parallel Two 360K 5 1/4" floppy Printer I/O: Disk Drives Inc: Screen Format: 80/132x25 Graphics: 32 characters

Sound: Colour Yes Keyboard: Integrated

Software Included: Microplan, Spellbinder, acc pak Primary Market: Business

Associate Datacalc Technology Available From: Suggested Retail: \$4495.00

#### Associate +/+10

Processor(s): RAM:

Operating System: CP/M; MS-DOS or CP/M-86 optional Z80A; 8088 optional

128K

erial, one IEEE, optional parallel Three s Printer I/O: Two 760K 5 1/4" floppy; +10 model has one floppy with 10 Mb HD Disk Drives Inc:


Screen Format: 80/135x25 32 characters in ROM Graphics:

Sound: Colour: Yes Keyboard: Integrated

Software Included: MicroPlan, Spellbinder, acc pak

Primary Market: Manufacturer: Available From: Suggested Retail: Business Associate

Datacalc Technology \$5495.00 (+); \$7495.00 (+10)



#### Atari 600XL

Operating System: BASIC 6502 Processor(s): RAM: 16K Printer I/O: Parallel

Disk Drives Inc: Optional disk drive or recorder

Screen Format: 40x24 Graphics: 320x192 pixels Sound: Colour: Yes Keyboard: Software Included: Primary Market: BASIC Home Manufacturer: Local dealers Available From: Suggested Retail: \$99.99

#### Atari 800 XL

Operating System: Processor(s): 6502 RAM: 64K Printer I/O: Serial Disk Drives Inc: Optional Screen Format: Graphics: 280x192 pixels Sound: Yes Colour: Keyboard: Integrated Software Included: BASIC Primary Market: Home or Business Manufacturer: Atari Available From: Local dealers

#### Suggested Retail: **BBC Micro**

Operating System: Proprietary 6502 (Optional Z80B or second 6502) Processor(s): RAM:

32K Printer I/O: One serial, one parallel Disk Drives Inc: Optional

\$199.99

Screen Format: 20/40/80x25 Graphics: 320/640 x 200 Sound: Yes Colour:

Keyboard: Software Included: Integrated Word Processor, BASIC, Music, Speech

Educational, home Acorn Computers Corporation Primary Market: Manufacturer: Available From: Acorn Computers Corporation \$1295.00

Suggested Retail:

#### BEST Mark II

Operating System: MS-DOS or CP/M-86 optional 8088 Processor(s): RAM: 256K or 512K Printer I/O: Serial and parallel

Disk Drives Inc: Two DD DS floppy Screen Format: 80x24 Graphics: 640x200 pixels Sound: Colour: Yes Yes Keyboard: Software Included: Phoenix BIOS Primary Market: Business

Manufacturer: Multiflex Available From: Suggested Retail: \$1759.00; 512K Mark II is \$1949.00

#### Bondwell 12/14

Operating System: CP/M 3.0

Processor(s): Z80 RAM: 64K; 128K (Bondwell 14) N/A

Printer I/O: Two 360K 5 1/4" floppy Disk Drives Inc: Screen Format: 80x25

160x75 Graphics: Sound: Yes Colour: No Detachable Keyboard:

Software Included: WordStar, CalcStar, MailMerge,

DataStar, more Business Primary Market: Manufacturer: Bondwell Computer Available From: Spectravideo Canada

Suggested Retail: \$1995.00; \$2695.00 (Bondwell 14)

#### **CBM 8296**

Operating System: CBM BASIC 4.0 6502 Processor(s):

Printer I/O-IEEE-488 eight-bit user bus Optional single or dual 5 1/4" floppy Disk Drives Inc: Screen Format: 80x25

N/A Graphics: Sound: Colour: No Detachable Keyboard: Software Included: BASIC, Execu-Desk

Primary Market: Business Manufacturer: Commodore Business Machines

Available From: Local dealers Suggested Retail:

#### Canon AS-100

Operating System: CP/M or DOS 8088 Processor(s): RAM: 128K

Printer I/O Optional serial or parallel Optional 5 1/4" or 8" floppy or 5" hard Disk Drives Inc:

Screen Format: 80x25 640x400 pixels Graphics: No Colour: Optional

Detachable Keyboard: Software Included: 2 BASICs Primary Market: Business Manufacturer: Canon Available From: Office Equipment Suggested Retail: \$3525.00

#### Chameleon Plus

Operating System: DOS 1.25 or CP/M 80 Processor(s): RAM: 780 and 8088 256K; expandable to 640K Serial and parallel Two DS DD 5 1/4" floppy Printer I/O: Disk Drives Inc: Screen Format: 320/640x200 pixels Graphics: Yes Sound: Colour: Yes

Keyboard: Detachable Software Included: WordStar, SuperCalc 3, Condor I, much more

Primary Market: Business Manufacturer: Golden Maple Leaf Available From: \$3495.00; Other configurations Suggested Retail:

available

#### Coleco Adam

Manufacturer:

Operating System: SmartBASIC Z80A Processor(s): RAM: 80K Printer I/O: Daisywheel printer included Disk Drives Inc: Digital cassette (50 ips.) Screen Format: 36x25 Graphics: N/A Sound: Colour: Yes

Yes Keyboard: Software Included: SmartWriter SmartBASIC game Primary Market: Home or business

Coleco Local dealers Available From: Suggested Retail:



#### Columbia NPC 1600-1

Operating System: CP/M-86 and MS-DOS Processor(s): 8088 RAM: 128K Printer I/O:

Two serial, one parallel Dual 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x24 320/640x200 pixels Graphics: Sound: Yes

Colour: Yes Detachable Keyboard: Software Included: Primary Market:

Manufacturer: Available From Suggested Retail:

Two operating systems, Perfect software Business Columbia Data Systems

Peripherals Plus \$3399.00



#### Columbia VP

Operating System: CP/M 86, MS-DOS Processor(s): RAM: 8088 128K

Printer I/O: Serial, parallel and seven exp. slots Disk Drives Inc: Two half-height 5 1/4" DS DD Screen Format: 40/80x25

Graphics: 640x200 pixels Sound. Yes Colour: No Keyboard:

Software Included: Perfect series, Fast Graphics Primary Market: Business

Manufacturer: Columbia Data Systems Available From: Peripherals Plus Suggested Retail:



#### Commodore 64

Available From:

Suggested Retail:

Operating System: BASIC Processor(s): 6510 64K RAM: Printer I/O: Serial Disk Drives Inc: Optional 5 1/4" drive Screen Format: 40x25 320x200 pixels Graphics: Sound: Colour: Yes Integrated Keyboard: Software Included: BASIC Primary Market: Home Manufacturer: Commodore

Local retailers

\$249.95



### Almost Free Software for the IBM PC Volume 3

Without software even the slickest computer is nothing for more than a foot stool for dwarfs. With the high cost and general funkiness of commercial software being what it is you may be a bit loath to go pop for the expensive stuff. We can relate to this.

No one with any measureable amount of sense enjoys buying a pig in a poke for six hundred dollars knowing full well that its previous owner may not have been able to successfully identify which was the pig.

Almost Free software does away with a lot of the bad vibes inherent in buying software. It offers a rich variety of applications, it's devoid of copy protection and licencing agreements and it's so cheap that if even one of its applications proves useful to you it's well worth the twenty bucks.

This disk consists of some of the finest stuff we could find. We sorted through about four megabytes of software to compile it and, even if you were to allow for the countless hours it would take you to find it all and two keyboards with their control, alternate and delete keys worn clear through, it would cost you more than twenty bills in disks to duplicate.

#### included on the disk are:

**FIXWS.** WordStar, the etherial Martian of word processors, has a propensity of leaving odd bits set in its files. This makes them look remarkably like high tech confetti if you type them or otherwise try to stick 'em in other applications. This program effectively turns them back into ASCII.

**WRT.** DOS 2.0 allows for each file to have a read only flag . . . although it lacks a way of manipulating them. This pair of utilities allows you to set and unset this flag, protecting important files from accidental erasure.

**BROWSE.** If you type a text file chances are that the part you want to see will scroll past you before you have a chance to see it, and you'll have to type it several times as a result. BROWSE allows you to scroll in both directions, much as you might if you were using a word processor.

CAT. If the DIR display is too dull for your tastes you obviously need CAT, which will tell you everything you could possibly want to know about the files on your disks.

CGCLOCK This is a simple little program which displays the running time in the upper right hand corner of your screen. However, it has lots of display options and works with the colour graphics card.

CURSOR. This program makes the cursor big. It's pointless, but it's only twenty four bytes long.

**CMP.** This program does a very elaborate comparison of two files and reports their differences. It can for example, spot corrupted files, and has a multitude of uses when dealing with files created by redirection.

**JUMPJOE.** A bit like Miner 2049'er, this game is certain to damage your mind. You get to be the janitor of a space station. Deal with berserk robots and other weirdnesses. It's a hoot.

**CASTLE.** This is unquestionably the best public domain we've ever come across . . . when we got it productive work stopped here for about two days. Wander around a deserted castle collecting treasures . . . but mind you don't get killed by the nasties. A solution is included should frustration set in.

78INT. This is a small BASIC program to calculate interest using the rule of seventy eight.

**MOON.** One of the nicest lunar lander games we've come across, this little beast uses high resolution colour graphics and decent sound effects to hurl you to your doom in style.

PERCHT. This is another serious BASIC program, this time to print Pert charts.

**DATNOIDS.** As games go, this one is highly strange. In fact, mere words don't serve to describe it . . you'll have to try it for yourself.

**NUKE-NY.** This is one of the nastiest bits of software we've ever seen. It produces a full colour high resolution simulation of a nuclear attack on New York city. It's just the thing to give to paranoid people you don't like very much.

**NUDE.** Yes, it's a bit exploitive and probably in questionable taste, but it's just so well done. This program uses high resolution graphics to draw this chick with great . . . huge . . . pixels.

Also included on the disk is an extensive READ ME file which contains documentation for the programs.

The third volume of Almost Free PC Software is available on a double sided disk in your choice of ten attractive colours  $\dots$  all of which are black  $\dots$  for a mere

#### \$19.95\*

# Almost Free PC Software #3 Moorshead Publications 25 Overlea Boulevard, Suite 601 Toronto, Ontario M4H 1B1

If you just can't wait for the mail... nobody lives forever... we'll be happy to take your order by phone at 1-416-423-3262 during business hours. Have your Mastercard, VISA or American Express card ready.

 $^{6}$ This software is also available on two single sided disks for \$24.95

Fine Print: all of the software on the Almost Free PC Software disk volume three has been obtained from public access bulletin boards, and is believed to be in the public domain. Some of it is "freeware", and contains requests for contributions to its authors. This is between you and your conscience... hit RETURN and they usually an away.

they usually go away.

The cost of this package defers our cost in collecting, patching and handling this software, plus the cost of the disk and postage.

We have worked extremely hard to ensure that the programs on this disk will work properly on all PC compatibles. However, it's possible that your system may not be entirely compatible with those of the authors of these programs.

Moorshead Publications warrants that this software will be readable when you get it. If it is not, we will replace your disk. While we have made every effort to ensure that these programs will run properly, we are unable to assist you in adapting them for your applications.

#### Commodore 16

Operating System: BASIC Processor(s): RAM: 8501 16K Printer I/O: Serial

Optional 5 1/4" SSSD floppy Disk Drives Inc:

Screen Format: 320x192 pixels Graphics: Sound: Yes Colour: Yes Keyboard: Integrated Software Included: BASIC Primary Market: Home Commodore Manufacturer: Available From: Local retailers Suggested Retail: \$149.95



#### Commodore 4032

Operating System: BASIC Processor(s): RAM: 6502 32K Printer I/O: IEEE, parallel Disk Drives Inc: Optional Screen Format: 40x24

Graphics: 128 characters in ROM

Sound: No Colour: Keyboard: Integrated Software Included: BASIC Primary Market: Education

Commodore Business Machines Manufacturer:

Available From: Local dealers Suggested Retail: \$1095.00

#### Commodore +4

Operating System: BASIC Processor(s): 8501 RAM: 64K Printer I/O: Serial

Disk Drives Inc: Optional 5 1/4" SSSD floppy Screen Format: 40x25

320x192 pixels Graphics: Sound: Yes Colour: Keyboard: Integrated

Software Included: BASIC, word processor, spreadsheet, filer

Primary Market: Home Manufacturer: Commodore Available From: Local retailers Suggested Retail:

#### Commodore 8096

Operating System: BASIC 6502 and 6809 Processor(s): RAM: 96K Printer I/O: Serial and IEEE Disk Drives Inc: Optional Screen Format: 80x25 128 characters in ROM Graphics:

Sound: Colour: Keyboard: Integrated Software Included: Primary Market: Business Manufacturer: Commodore Available From: Local dealers \$1695.00 Suggested Retail:



#### Commodore 8032

Operating System: BASIC Processor(s): RAM: 32K Printer I/O: Parallel and IEEE Disk Drives Inc: Screen Format: Optional 80x25 128 characters Graphics: Sound: Colour: Keyboard: Integrated Software Included: BASIC Primary Market: Educational Manufacturer: Commodore

Available From: Suggested Retail:



#### Commodore Executive 64

Operating System: PET BASIC Processor(s): RAM: 6510 64K Printer I/O: Serial and IEEE One 5 1/4" drive 40x25 Disk Drives Inc: Screen Format: Graphics: 320x200 pixels Sound: Yes Colour: Yes Keyboard: Detachable Software Included: BASIC Primary Market: Business Manufacturer Commodore Available From: Local dealers Suggested Retail: \$1499.95

#### Commodore SuperPET

Operating System: microBASIC Processor(s): microBASIC 6502 & 6809 RAM: 96K Printer I/O: Serial and IEEE Disk Drives Inc: Optional Screen Format: 80x25 Graphics: 128 characters Sound: Colour: No Keyboard: Integrated Waterloo APL/BASIC/COBOL/FOR-TRAN/PASCAL Software Included:

Primary Market: Education Manufacturer: Commodore Available From: Local dealers Suggested Retail: \$1795.00

#### Compaq Deskpro Model 1

Operating System: MS-DOS Processor(s): 8086 RAM: 128K Printer I/O: One parallel One 360K 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25

320/640x200 Graphics: Sound: Colour: Yes Keyboard: Detachable Software Included: MS-DOS Primary Market: Business

Compaq Computer Corporation Manufacturer: Available From: Micro-Lewis \$3360.00

#### Compaq Deskpro Model 2

Suggested Retail:

Operating System: MS-DOS Processor(s): 8086 RAM: 256K One parallel Printer I/O: Two 360K 5 1/4" floppy Disk Drives Inc: 40/80x25 Screen Format:

Graphics: 320/640x200 Sound: Yes Keyboard: Software Included: Detachable MS-DOS Primary Market: Business

Compag Computer Corporation Manufacturer:

Available From Suggested Retail: \$4110.00

#### Compaq Deskpro Model 3

Operating System: MS-DOS Processor(s): RAM: 8086 256K

Disk Drives Inc:

Printer I/O: One parallel, one asynch. communica-

tions One 360K 5 1/4" floppy, one 10Mb

HD Screen Format: 40/80x25

320/640x200 Graphics: Sound: Colour: Yes Keyboard: Software Included: Primary Market: MS-DOS Business

Compaq Computer Corporation

Available From: Micro-Lewis Suggested Retail: \$7110.00

#### Compaq Deskpro Model 4

Operating System: MS-DOS Processor(s): RAM: 8086 640K

Printer I/O: One parallel, one asynch. communica-

tions

One 360K 5 1/4" floppy, one 10Mb Disk Drives Inc:

HD, one 10Mb backup Screen Format: 40/80x25 320/640x200 Graphics: Sound: Yes Colour: Yes

Keyboard: Software Included: Primary Market: MS-DOS Business

Compag Computer Corporation

Manufacturer: Available From: Micro-Lewis Suggested Retail: \$10410.00

#### Compaq Plus

Operating System: MS-DOS 8088 Processor(s): RAM. 256K Printer I/O: One parallel

Disk Drives Inc: One 5 1/4" 360K floppy, one 10Mb

HD

Screen Format: 40/80x25 Graphics: 320/640x200 Sound: Yes Colour: Keyboard: Detachable

Software Included: MS-DOS, Microsoft BASIC

Primary Market: Business Compag Computer Corporation Manufacturer: Available From: Micro-Lewis

Suggested Retail: \$7495.00



SSDD - \$15.00/box DSDD - \$20.00/box

(Minimum purchase - 5 Delivery extra.)

# Switch

to the highest quality, lowest priced brand name diskettes available in Canada.

Q. Who has switched?

A. Professional and educational institutions, national accounting firms, major engineering firms, software houses and computer retailers.



**Programmers Guild Products Ltd.,** 255 ManuLife Place, 10180 - 101 St., Edmonton, Alberta T5J 3S4 Phone: (403) 428-6229







Take advantage of this special volume purchase and load up your drives with the lowest priced diskettes in Canada.

\*Minimum purchase - 100. Delivery extra.





Marketed by: Programmers Guild Products Ltd. 255 ManuLife Place, 10180 - 101 St., Edmonton, Alberta Phone: (403) 428-6229

#### Compag Portable

Operating System: MS-DOS Processor(s): RAM: 8088 256K Printer I/O: One parallel

One or two 5 1/4" 360K floppy Disk Drives Inc: 40/80x24 Screen Format:

320/640x200 Graphics: Sound: Yes Colour: Keyboard: Detachable

MS-DOS, Microsoft BASIC Software Included:

Primary Market: Business

Compag Computer Corporation Manufacturer: Available From

\$3745.00 (one drive); \$4495.00 (two Suggested Retail: drives)

#### Corona PC

Operating System: MS-DOS Processor(s): RAM: 8088 256K Printer I/O: Serial and parallel Disk Drives Inc: Two DSDD floppy Screen Format: 80x24 Graphics: 640x325 pixels

Sound: Yes Optional Colour: Keyboard: Detachable

Multimate 3.26, MS-DOS 2.0 Software Included: Business

Primary Market: Manufacturer: Corona Available From:

Scarsdale Computers \$3990.00; hard disk version \$5995.00 Suggested Retail:



#### Corona Portable

Operating System: MS-DOS Processor(s): 8088 RAM: 256K

Serial and parallel; four exp. slots Two DD DD floppy Printer I/O:

Disk Drives Inc: Screen Format: 80x24 640x325 pixels Graphics: Sound: Colour: No Detachable Keyboard:

Software Included: MS-DOS 2.0, Multimate 3.26

Primary Market: Business Manufacturer: Available From: Scaredale Suggested Retail: \$3990.00



#### **DEC Decmate II**

Operating System: Proprietary DOS Processor(s): RAM: 12 bit 6120 96K Printer I/O: Serial Disk Drives Inc: Two 5 1/4" floppy Screen Format: 80/132x24 Graphics: N/A Sound: No Colour: Optional Keyboard: Detachable Software Included: WPS, CP/M

Primary Market: Business Digital Equipment Manufacturer: Available From: Local Dealers Suggested Retail: \$3956.00

#### **DEC Decmate III**

Operating System: Proprietary DOS Processor(s): 12 bit 6120 RAM: 96K Printer I/O: Serial

Disk Drives Inc: Two 400K 5 1/4" floppy Screen Format: 80/132x24 N/A Graphics:

Sound: Colour: Optional Detachable Keyboard: Software Included: Word processor, CP/M Primary Market: Business

Manufacturer: Digital Equipment Available From Local dealers \$3985.00 Suggested Retail:

#### **DEC Rainbow 100**

Operating System: CP/M-86 or MS-DOS Z80 and 8088 Processor(s): RAM: 128K Printer I/O: Serial

Disk Drives Inc: One drive accommodating two 5 1/4"

disks 80/132x24 Screen Format:

Graphics: Optional; 800x240 pixels

Sound: No Colour: Optional; Keyboard: Detachable

Choice of CP/M-86 or MS-DOS Software Included:

Primary Market: Business Digital Equipment Manufacturer: Available From: Local Dealers Suggested Retail: \$3572.00

#### DEC Rainbow 100+

Operating System: CP/M-86/80 or MS-DOS Z80 and 8088 Processor(s):

128K Printer I/O: Serial

Disk Drives Inc: One dual-diskette drive, one 10 Mb HD

80/132x24 Screen Format: Optional; 800x240 pixels Graphics:

Sound: No Colour: Optional: Keyboard: Detachable

Choice of CP/M-86 or MS-DOS Software Included:

Primary Market: Business Manufacturer: Digital Equipment Available From: Local dealers Suggested Retail: \$6380.00

#### Direct IPC-FM

Operating System: MS-DOS Processor(s): RAM: 8088 256K

Printer I/O: Two serial, one parallel Two 360K 5-1/4" floppy Disk Drives Inc.

Screen Format: 40/80x25 Graphics: 320/640x200 Sound: Yes Colour: Keyboard: Detachable

Software Included: MS-DOS 2.0, GWBASIC Primary Market: Manufacturer: Direct Incorporated

Available From: Datamex Suggested Retail: 4240.00 including monitor

#### Data General /One

Operating System: MS-DOS or CP/M 86 Processor(s): 80C88 RAM: 128K Printer I/O-Two seria Disk Drives Inc: One 720K 3 1/2" floppy; optional 3 1/2" or 5 1/4" floppy

Screen Format: 80x25 Graphics: 640x256 Sound: Colour: No Keyboard:

BIOS in ROM, built-in programs, MS-DOS Software Included:

Primary Market: Business Nippon Data General Manufacturer: Available From: Data General (Canada) Inc Suggested Retail: \$4462.00

Data-2000

Operating System: Proprietary Proprietary 4-bit CPU 2K CMOS Processor(s): RAM: N/A

Printer I/O: N/A Disk Drives Inc: Screen Format: 10x4

Graphics: 10 graphics characters in ROM

Sound: Yes Colour: No

Keyboard: Separate from watch

Software Included: N/A

Primary Market: Business, students Hattori-Seiko Company Ltd. Manufacturer: Available From SC Time Canada

Suggested Retail:

\$200.00 with keyboard and batteries

#### Datapoint Vista PC

Operating System: MS-DOS Processor(s): RAM. 256K

Printer I/O: Two serial, one parallel Two 640K 5 1/4" floppy or one 640K floppy with 10 Mb HD 80x25 Disk Drives Inc:

Screen Format: Graphics: 720x348 Sound: Yes Colour: Keyboard: Software Included: Detachable

CTOS, MS-DOS, GWBASIC Business

Primary Market: Manufacturer: Available From:

Suggested Retail:

Convergent Technologies Datapoint Corporation \$6795.00 (with colour monitor); \$10560.00 (HD model)

#### Durango Poppy

MS-DOS, Concurrent CP/M Operating System: 80186; optional 80286 Processor(s): RAM:

Two serial, one parallel One 819K floppy, one 10 Mb HD Printer I/O: Disk Drives Inc:

Screen Format: 80x25 Graphics: No Sound: Yes

Colour: No Keyboard: Detachable Software Included: MS-DOS Primary Market: Business Molecular Computer Manufacturer:

Norango Computer Systems Inc. Available From

Suggested Retail: \$7500.00



#### **Durango Poppy II**

Operating System: XENIX, MS-DOS, Concurrent CP/M, CP/M-86, OS/5, DX85M

Processor(s) 80186 and 80286 RAM: 640K Printer I/O:

Two serial, one parallel One 819K floppy, one 20 Mb HD (optional 40 Mb HD) Disk Drives Inc:

Screen Format: 80x25

Graphics: No Sound: Yes Colour: No Keyboard: Detachable Software Included: XENIX Primary Market: Business

Manufacturer: Molecular Computer Available From: Norango Computer Systems Inc. \$15,300.00

Suggested Retail:

# LL THE BEST PRICES

#### HOME COMPUTERS



AST RESEARC	Н
Six Pak Plusfrom	\$399.00
Combo Plus IIfrom	\$449.00
Mega Plusfrom	
I/O Plusfrrom	\$219.00
HERCULES	
Graphics Card	\$525.00
Color Card	\$319.00
QUADRAM	
Quadlink 64K	\$729.00
Quadboard II as low as	
Quad 512 Plusas low as .	\$396.00
Quadcolor I	
Chronograph	\$139.00
Parallel Interface Board	\$139.00
64K RAM Chip Kits	\$ 49.00
PARADISE	
Multi-Display Card	\$449.00
Modular Graphics Card	
TANDON DISK DE	
TN100-2 5-1/4" 320K	\$239.00



#### Call for new low pricing

850 Interface
1010 Recorder
1020 Color Printer
1025 Dot Matrix Printer \$299.00
1027 Letter Quality Printer\$429.00
1030 Direct Connect
Modem\$116.00
1050 Disk Drive
64K Memory Module (600) \$149.00
CX 30 Paddles
CX 40 Joystick \$ 12.00

### (\*commodore Call for CBM 4 plus

SX-64 Portable	.\$899.00
Commodore 64	.\$295.00
C1541 Disk Drive	
C1530 Data Set	
C1520 Color Printer/Plotters	
MPS801 Dot Matrix Printer	
MPS802 Dot Matrix Printer	
C1702 Color Monitor	
Joystick	.\$ 7.99
C1660300 Baud Modem	
Paddles	.\$ 18.99
Simons Basic	
MCS801 Color Printer	
DPS1101 Daisy Printer	
Di Stilli Daisy Fillitei	. \$735.00
Magic Voice Speech Module	.\$ 85.00
Desk Organizer w/Lock	\$ 69.00
VIDTEX Telecommunications	
	\$ 32.99
MED DICK DRIVES	

MSD DISK DRIVES	
MSD1Single Disk Drive\$429.00 MSD2Double Disk Drive\$749.00	

ONTARIO/QUEBEC

1-800-268-3974

Framework	
dBASEII	\$275.00
dBASE III	\$599.00
Friday	\$279.00
CONTINENTAL SOFTW	ARE
1st Class Mail/Form Letter	. \$105.00
Home Accountant Plus	. \$125.00
IUS	
EasyWriter II	. \$299.00
Easy Speller	. \$165.00
Easy Filer	
LOTUS	
Symphony	. \$719.00
Lotus 123	.\$429.00
MAI	
MAI	CALL
MICROMIM	
R:Base 4000	.\$379.00
MICROPRO	
Wordstar Professional Pack	.\$498.00
MICROSOFT	
Multiplan	.\$204.00
MICROSTUFF	
Crosstalk XVI	.\$155.00
MULTIMATE INT.	
Multimate	\$155.00

### **ATARI**

Open Access.....

### CALL WHILE SUPPLIES LAST

SPI

VISICORP Visicalc IV .....

\$299 00

.\$279.00

Sr Sr M M Sr Cl

### 600XL, 800XL, 1200XL

\$110.00
\$ 85.00
\$ 73.00
\$118.00
\$179.00
. \$175.00
\$590.00
\$795.00
\$349.00
\$559.00
\$429.00
\$ 99.00
AL
\$ 61.99
.\$CALL
· TONEL
CALL

#### APPLE/FRANKLIN DISK DRIVES MICRO SCI

A2 A20															
				R	A	V	N	A	1						
Elite 1 Elite 2 Elite 3	 												.\$56	9.0	00
													. 402		~

#### Paper Clip w/Spell Pack . . . \$ 89.95 The Consultant DBMS . . . \$ 99.99 80 Col Display. \$159.99

5.00 9.00 9.00 7.00
9.00
9.00
9.00
7 00
7.00
5.00
9.00
5.00
9.00
8 00
9.00
9.00
ALL
9.00
9.00
9.00
0.00
9.00
9.00
5.00
ALL
5.00
5.00 ALL
ALL
ALL
MLL
9.00
9.00

ANCHOR

AAIOM	MANNESMAN TALLY
00 Atari Inter Printer	160L \$885.00 180L \$1,099.00 Spirit 80 \$385.00
BMC	OKIMATE 10
etter Qualtity \$899.00	82, 83, 84, 92, 93, 2350, 2410 CALL
0 Dot Matrix\$395.00	OLYMPIA
с. ітон	Compact 2
lla Banana	Compact R0       \$729.00         ESW 3000       \$2,049.00         Needlepoint       \$489.00
Son of Starwriter 18cps \$849.00	PANASONIC
Dot Matrix         CALL           40 Starwriter         \$1,499.00           55 Pinwriter         \$1,999.00	KXP 1090 \$359.00 KXP 1091 \$459.00 KXP 1092 \$659.00
COMREX	KXP 1093
Writer II Letter Qual\$649.00	SMITH CORONA
DAISYWRITER	TP-1000
DIABLO \$1,449.00	SILVER REED
etter Quality\$1,449.00 Letter Quality\$2,675.00	500 Letter Quality
EPSON	STAR
0, RX-80FT, RX-100CALL	Gemini 10X/I \$389.00 Gemini 15X/I \$589.00 Serial Board \$115.00 Radix 10/I \$849.00 Radix 15/I \$1,027.00
JUKI	1340\$1,169.00
\$649.00 \$1,249.00	1351\$1,979.00

#### MODEMS

olksmodem	J-Cat	\$149.00
Mark VII (A Ans/A Dial) \$149.00	Cat	\$199.00
Mark XII (1200 Baud)\$399.00	Smart Cat 103	\$269.00
Volt Power Supply \$ 14.99	Smart Cat 103/212	
HAYES	AutoCat	
	212 AutoCat	
martmodem 300 \$344.00	Apple Cat II	
martmodem 1200 \$749.00	1200 Hayes Compatible	\$516.00
martmodem 1200B \$649.00	1200b Hayes Compatible	
1icromodem Ile \$412.00	Smart Cat Plus	
ficromodem 100 \$459.00		
mart Com II	ZENITH	
Chronograph	ZT-1	\$519.00
	ZT-10	
KENSINGTON	ZT-11	
ortable Modem		

#### MONITORS

AMDEK	SAKATA
300 Green\$199.00	SC-100 Color Composit
300 Amber	SG-1000 Green
310 Amber IBM \$249.00	SA-1000 Amber
300 Color/Audio \$399.00	TAXAN
500 Color/Comp/RGB/VCR \$639.00	
	TAA1212" Amber
BMC	TAG1212" Green
1202 12" Green	TAG121IBM Greeen
1201 Plus Hi-res 12" Green \$149.00	TAA122IBM Amber
9191 Plus	TAC210RGB/Colour
GORILLA	TAC400Med Res RGB
	TAC415Hi-Res RGB
12" Green\$139.00	TAC420Hi-Res RGB (IBM)
12" Amber	USI
NAP	
10" Amber 8440.00	Pi 19" Green
12" Amber	Pi 212" Green
NEC	Pi 312" Amber
1260 Green \$ 99.00	Pi 49" Amber
1205 Amber	1400 Color
1215 Composite	QUADRAM
1216 12" RGB TTL\$649.00	Quadchrome 8400 Color
1460 14" RGB\$459.00	
	ZENITH
PRINCETON GRAPHICS	ZVM 122 Amber

MAX-12 Amber ......\$304.00

00 Color Composit	
000 Green	
000 Amber	\$169.00
TAXAN	
12 12" Ambor	*100.00

NOVATION

SA-1000 Alliber
TAXAN
TAA1212" Amber \$199.00
TAG1212" Green \$189.00
TAG121IBM Greeen\$209.00
TAA122IBM Amber\$219.00
TAC210RGB/Colour\$399.00
TAC400Med Res RGB \$489.00
TAC415Hi-Res RGB \$669.00
TAC420Hi-Res RGB (IBM) \$719.00
USI
Pi 19" Green
Pi 212" Green
Pi 312" Amber \$195.00
Pi 49" Amber
1400 Color \$419.00
QUADRAM

1400 Color
QUADRAM
Quadchrome 8400 Color\$
7ENITH

Quadenrome 8400 Color	.\$749.00
ZENITH	
ZVM 122 Amber	.\$135.00
ZVM 123 Green	.\$130.00
ZVM 124-IBM Amber	.\$229.00
7VM 135 RGR/Color	ee00 00



TELEX 06-218960

TELEX 06-218960

(All equipment under full warranty in Canada.)
Price subject to change without notice.
(All orders Shipped within 48 hrs, upon payment.)

Dealer Enquiries Invited

**OTHER PROVINCES** 1-800-268-4559

Circle No. 23 on Reader Service Card

**TORONTO** 828-0866



Write or telephone for our FREE catalog

To order: Send money order, certified cheque, personal cheques must clear our bank, VISA or MASTERCARD. (Include card # and expiry date & signature) Add 5% for shipping and handling. Minimum \$5.00 per order.

Ontario residents add 7% P.S.T.

Computer Mail Order Canada 2505 Dunwin Drive, Unit 3 ● Mississauga, Ontario L5L 1T1



ECS1-PC

Operating System: MS-DOS Processor(s): 8088 RAM: 64K

Printer I/O: Optional serial or parallel One 360K 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25 Graphics: 320/640x200

Sound: Colour: Yes Keyboard: Detachable Software Included: N/A Primary Market: Busine Manufacturer: N/A

Electronic Control Systems Available From

Suggested Retail: \$1295.00

**ECS4 System** 

Operating System: BASIC, DOS 3.3 6502, Z80 Processor(s): RAM. 64K

Printer I/O: Optional parallel or serial One 143K 5 1/4" floppy Disk Drives Inc: Screen Format: 40x24

Graphics: 280x192 Sound: Yes Colour: Yes Keyboard: Detachable BASIC in ROM Software Included: Primary Market: Business, home N/A

Manufacturer: Available From: Electronic Control Systems

Suggested Retail:

**ECS6** Portable

Operating System: BASIC, DOS 3.3 or CP/M

Processor(s): 6502, Z80 RAM: 64K

Optional parallel or serial One 143K 5 1/4" floppy Printer I/O: Disk Drives Inc: Screen Format: 40x24 (9" amber monitor)

Graphics: 280x192 Sound: Yes Colour: Keyboard: Detachable Software Included: BASIC in ROM Primary Market: Business, home Manufacturer: N/A

Available From Electronic Control Systems

Suggested Retail: \$1195.00

Eagle PC +I/PC +II

Operating System: MS-DOS 2.1, CP/M-86, GWBASIC Processor(s): RAM: 256K (up to 640K on-board) Printer I/O:

Two serial, one parallel One 5 1/4" floppy; PC +II has two Disk Drives Inc: Screen Format: 40/80x25

Graphics: Optional card... 640x200 pixels Sound:

Colour: Optional Keyboard: Software Included: MS-DOS BASICA Primary Market: Business Eagle Computers Manufacturer:

DataTech Systems Ltd., Leading Source \$2875.00 (PC +I), \$3180.00 (PC +II) Available From: Suggested Retail:

Eagle PC +XL

Operating System: MS-DOS, CP/M 86, GWBASIC Processor(s): 8088 RAM.

256K (up to 640K on-board) Printer I/O: Two serial, one parallel One 5 1/4" floppy, one 10mb HD Disk Drives Inc:

Screen Format: 40/80x25 Graphics: Optional 640x200 Sound: Colour: Optional Keyboard: Software Included: MS-DOS, BASIC Primary Market: Business

Manufacturer: Available From: DataTech Systems Ltd., Leading Source Suggested Retail:

Eagle Spirit II

Operating System: MS-DOS, CP/M-86, GWBASIC 8088 Processor(s): 256K (up to 640K on-board) RAM: Printer I/O: Two serial, one parallel Two 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25 640x200 pixels Graphics:

Sound: Colour Keyboard: Detachable Software Included: MS-DOS 2.1, BASICA Primary Market: Business Eagle Computers Manufacturer:

Available From: DataTech Systems Ltd., Leading Source \$3335.00

Suggested Retail:

Eagle Spirit XL

Operating System: MS-DOS, CP/M 86, GWBASIC Processor(s): 8088

RAM: 256K (up to 640K on-board) Printer I/O: Two serial, one parallel Two 5 1/4" floppy, one 10 Mb HD Disk Drives Inc:

Screen Format: 40/80x25 Graphics: 640x200 Colour Yes Keyboard: Detachable

Software Included: MS-DOS 2.1, BASICA Primary Market: Manufacturer: Eagle Computers

Available From: DataTech Systems Ltd., Leading Source

Suggested Retail: \$5170.00

**Eagle Turbo GT** 

Operating System: MS-DOS

Processor(s): RAM: 8086 (8 MHz-4.77 MHz switchable) 512K

Printer I/O: One parallel Disk Drives Inc: One 5 1/4" floppy, one 32 Mb HD Screen Format:

80x25 Graphics: 640x200 (optional) Sound: Colour: Optional Keyboard: Software Included: Detachable BASICA, MS-DOS

Primary Market: Manufacturer: Eagle Computer Available From: Datatech Systems Limited

Suggested Retail: \$8540.00

Eagle Turbo XL

Operating System:

Processor(s): 8086 (8 MHz-4.77 MHz switchable) RAM: 256K Printer I/O-

Disk Drives Inc: One 5 1/4" floppy, one 10 Mb hard Screen Format: 40/80x25 Graphics: Optional... 640x200 pixels

Sound: Colour: Optional Keyboard: Detachable

Software Included: Primary Market: BASICA, MS-DOS Business Manufacturer: Eagle Computer Available From: Datatech Systems Ltd., Leading Source

Suggested Retail: \$5475.00 Epson Geneva

Operating System: CP/M 2.2 Z80 RAM: 64K

Printer I/O: Thermal printer port Cassette, optional 3 1/2" floppy 80x8 LCD Disk Drives Inc:

Screen Format: Graphics: Yes Sound. Yes Colour: No

Keyboard: Software Included: Portable WordStar, spreadsheet,

scheduler Primary Market: Business Manufacturer: Epson Available From: Epson Canada Suggested Retail: \$1499.00

Epson HX 20 Operating System: BASIC

Processor(s): RAM: 6301 16K Printer I/O: Serial and parallel Micro cassette 20x4 LCD Disk Drives Inc: Screen Format: Graphics: 120x32 pixels Sound: Yes Colour: No Integrated Keyboard:

Software Included: SkiWriter Primary Market: Business Manufacturer: Epson Available From: Epson Canada Suggested Retail: \$1099.00



Epson QX-10

Operating System: Valdocs 7.80A Processor(s): RAM: 256K

Printer I/O: Serial and parallel Two DS DD 5 1/4" floppy Disk Drives Inc: Screen Format: 80x25 Graphics: 640x400 pixels

Sound: Colour: No Keyboard: Detachable Software Included:

Indexer, word processor, mail system, more

Primary Market: Business Manufacturer: Available From: Epson Capada Suggested Retail: \$2995.00

Ericsson PC

Operating System: MS-DOS Processor(s): 8088 RAM: 256K

Printer I/O: One serial, one parallel Two 360K 5 1/4" floppy Disk Drives Inc:

Screen Format: 640x400 monochrome Graphics: Sound:

Colour: Optional Keyboard: Detachable

Software Included: MS-DOS, GWBASIC, Diagnostics,

tutorial Primary Market:

Business Manufacturer: Ävailable From: Ericsson Communications Inc.

Local dealers Suggested Retail:

\$4800.00 including amber monitor



#### **Executive BEST Mark II**

Operating System: MS-DOS, CP/M 86 (optional)

Processor(s): 8088 RAM:

512K Printer I/O:

Disk Drives Inc:

One serial, one parallel One 360K 5 1/4" floppy, one 20 Mb

Screen Format: 40/80x25 Graphics: 320/640x200 Sound:

Colour: Yes Keyboard: Detachable

Software Included: Phoenix BIOS in ROM

Primary Market: Business Manufacturer: Multiflex Available From: Exceltronia Suggested Retail: \$3395.00

#### Expander

Operating System: CP/M Processor(s): RAM: 64K

Printer I/O: Serial and parallel 5 1/4" or 8" floppy Disk Drives Inc: Screen Format: 80x24

Graphics: 80x72 pixels with colour Sound: Yes Colour:

Yes; 256 c Keyboard: Integrated Software Included: CP/M Primary Market: Business

Manufacturer: California Computer Systems Available From Orion Electronic Supplies

Suggested Retail:

#### GRiD Compass

Operating System: GRiD-OS 8086 and 8087 Processor(s):

256K RAM, 384K bubble memory RAM: Printer I/O: IEEE, two serial; 1200/300 baud

Disk Drives Inc: Optional floppy or hard disks

Up to 80x24 Screen Format: Graphics: 320x240 pixels

Yes Sound: Colour:

Keyboard: Integrated Software Included:

GRiDPlan/Write/Print/Plot/File Primary Market: Business GRiD Systems Corporation Manufacturer:

Available From Suggested Retail: \$6295.00

#### Genesys

Operating System: Processor(s):

RAM: Printer I/O: Disk Drives Inc: Screen Format:

Graphics: Sound: Yes Colour: Keyboard: Detachable Software Included:

Primary Market: Manufacturer: Available From: Suggested Retail:

MS-DOS, PC-DOS

One parallel

40/80x25 320/640x200

BIOS in ROM Business

Computech Micro Design Computech Micro Design \$1995.00 (base price)



#### HP 150 Touchscreen

Operating System: MS-DOS, HP Touch Processor(s):

8088

RAM: 256K

Printer I/O: Two serial, one IEEE-488 Twin 710K 3 1/2" drives or single with Disk Drives Inc:

15Mb HD Screen Format: 80x24 Graphics: 512x390 pixels Sound: No

Colour: No Keyboard: Software Included: Detachable MS-DOS, P.A.M. Primary Market: Business Manufacturer: Hewlett Packard

Available From: Local HP dealers Suggested Retail: \$6043.00; 15 Mb HD model is

\$9507.00

#### **HP Intregal Personal Computer**

Operating System: HP-UX (UNIX) 68000 Processor(s):

RAM: Printer I/O: Built-in printer; one serial, one parallel,

more Disk Drives Inc: One 3 1/2" 710K floppy Screen Format: 80x31 electrolumines

Graphics: 512x255 Sound: Yes Colour: No Keyboard:

HP-UX, Hewlett-Packard Windows, Software Included:

P.A.M. Primary Market:

Hewlett-Packard Limited Manufacturer: Local HP dealers Available From: \$8823.00

Suggested Retail:

#### HP Series 200 Model 16

Operating System: BASIC Processor(s): RAM: 68000 512K

Printer I/O: Serial and IEEE Disk Drives Inc: Dual 720K 3 1/2" floppy Screen Format: 80x25

Graphics: 300x400 pixels Sound: No Colour: No Keyboard: Software Included: Detachable BASIC

Primary Market: Business Manufacturer: Hewlett Packard Available From: Local HP dealers \$9075.00 Suggested Retail:

#### HS-151

Operating System: MS-DOS 8088 Processor(s): RAM: 128K

Printer I/O: Two serial, one parallel, IBM compatible

slots Disk Drives Inc. One or two 5 1/4" DS DD floppy Screen Format: 80x25

Graphics: 640x200 pixels Sound: Yes Colour:

Keyboard: Software Included: Detachable MS-DOS, diagnostic software

Primary Market: Manufacturer: Available From: Suggested Retail:

Business/hobbyist Heath/Zenith

Heathkit Electronics Centre Kits: \$2399.00 (one drive), \$2799.00

#### HS-161

Operating System: MS-DOS Processor(s): RAM: 128K

Printer I/O: Two serial, one parallel Disk Drives Inc: Screen Format: One or two 5 1/4" floppy 80x25

Graphics: 640x200 Sound: Yes Colour: Yes Detachable Keyboard:

Software Included: MS-DOS, diagnostic software Business, hobbyist Primary Market: Manufacturer: Heathkit/Zenith Available From:

Heathkit/Zenith Suggested Retail: \$2599.00 (one drive), \$2999.00 (two)



#### Heath ET-100

Operating System: Assembler, editor and debugger 8088

Processor(s): RAM: 16K

Printer I/O: One serial, one programmable parallel Disk Drives Inc: Cassette based; disk upgrade available

Screen Format: 40x20 or 80x24 Graphics: 33 graphic characters Sound: Yes

Colour: Optional Keyboard: Software Included: Detachable

CP/M assembler, editor and debugger

Primary Market: Hobbyist and education Manufacturer: Heathkit

Available From: Heathkit Suggested Retail: Kit - \$1499.95

#### Heath H-101

Operating System: Processor(s): RAM:

8088 and 8085 192K Printer I/O: Two serial and one parallel One DS DD 5 1/4" floppy Disk Drives Inc:

Screen Format: 80x24 Graphics: 640x225 pixels Sound: Colour:

Optional Keyboard: Integrated Software Included: CP/M or ZDOS Primary Market: Business Manufacturer:

Available From: Heathkit Suggested Retail: \$2999.00; \$3199.00 with integrated



#### IBM PC

PC DOS, UCSD p-System and Operating System:

CP/M-86 Processor(s): 8088 RAM: 256K Printer I/O: Expansion slots

Disk Drives Inc: One or two 360K 5 1/4" floppy Screen Format 80x25 Graphics: 640x200 pixels

Sound: Colour: Optional Keyboard: Software Included: Operating systems Primary Market: Business

Manufacturer: Available From: Suggested Retail: International Business Machines

Local dealers \$3069.00; \$3725.00 (two drives)

#### IBM PC/AT

Operating System: MS-DOS Processor(s): RAM: 80286

256K; 512K enhanced version Printer I/O: One serial, one parallel (enhanced) Disk Drives Inc: One 1.2Mb floppy; same, with 20Mb HD (enhanced)

Screen Format 40/80x25 Graphics: 320/640x200 Sound: Yes Colour: Optional Keyboard: Detachable Software Included: Software in ROM Primary Market: Business

Manufacturer: International Business Machines Corp. Available From:

Local IBM dealers \$6149.00; \$8195.00 enhanced Suggested Retail:

#### IBM PC/XT

Operating System: PC-DOS, UCSD p-System, CP/M-86 8088 Processor(s):

256K RAM: Printer I/O: Expansion slots Disk Drives Inc:

One 5 1/4" floppy, one 10 Mb hard drive

Screen Format: 80x25 Graphics: 640x200 pixels Sound: Yes Colour: Optional Keyboard: Detachable Software Included: Operating systems Primary Market:

International Business Machines Manufacturer:

Available From: Local Dealers Suggested Retail: \$6760.00



#### IBM PCir

Operating System: DOS 2.1 (enhanced model), Cassette

BASIC 8088 Processor(s):

RAM: 64K: 128K enhanced

Printer I/O: Serial

Optional floppy; One 320K floppy Disk Drives Inc:

(enhanced) 40/80x24 Screen Format: 320/640x200

Graphics: Sound: Yes Colour: Yes Detached Keyboard:

Software Included: BASIC; DOS 2.1 (enhanced model)

Primary Market: Home

International Business Machines Manufacturer:

Available From:

Local Dealers \$998.00: \$1569.00 enhanced Suggested Retail:

#### **IBM** Portable

Operating System: MS-DOS, PC-DOS 8088 Processor(s): RAM: 256K

Printer I/O: Five expansion slots One or two 5 1/4" DS DD floppy 40/80x25 Disk Drives Inc:

Screen Format: Graphics: 650x200 pixels Sound: Yes Colour: No Keyboard: Detachable Software Included: Operating systems

Primary Market: International Business Machines Manufacturer: Available From:

\$3995.00 (one drive); \$4649.00 (two) Suggested Retail:

#### **ISM Express**

Operating System: MS-DOS 8088 Processor(s): RAM: 128K

Two serial, two parallel Two 360K 5 1/4" floppy Printer I/O: Disk Drives Inc: Screen Format: 40/80/132x25

320/640x200 Graphics: Sound: Colour: Yes Keyboard: Detachable

MS-DOS, GWBASIC Software Included: Primary Market:

Business ISM Integrated Systems Marketing Manufacturer: Available From: Norango Computer Systems Inc. Suggested Retail: \$4200.00 (includes 9" colour monitor)

#### ITT Xtra

ITT DOS 2.11 Operating System: 8088 RAM: 128K or 256K Printer I/O: Disk Drives Inc: One 360K 5 1/4" floppy 80x25 Screen Format:

N/A

Graphics: N/A Sound: Yes N/A Colour: Keyboard: Detachable Software Included: N/A Primary Market: Manufacturer: ITT Corporation ComputerLand Available From:

Suggested Retail:



Infinity 8800

Suggested Retail:

Operating System: BASIC 6502 and Z80 Processor(s): RAM: 48K or 64K Printer I/O: Optional serial or parallel Optional slim-line 5 1/4" floppy Disk Drives Inc: Screen Format: 40x24

280x192 pixels Graphics: Sound: Yes Colour: Yes Keyboard: Integrated Software Included: BASIC Primary Market: Business/home Manufacturer: Infinite Canada Inc. Available From: Infinite Canada Inc.



\$529.00; \$569.00 (64K)

ILS XT Operating System: Processor(s): 8088 RAM: 64K Printer I/O: Eight slots Disk Drives Inc: N/A 80x24 Screen Format: Graphics: N/A Sound: Colour: Keyboard: Software Included: Primary Market:

Manufacturer:

Available From:

Yes N/A Detachable BIOS in ROM II.S Electronics Suggested Retail: \$1499.00

#### Kaypro 10

Operating System: Processor(s): RAM: Z80A 64K

Printer I/O: Two serial, one parallel One 5 1/4" floppy, one 10 mb HD Disk Drives Inc:

80x24 Screen Format: Graphics: 160x100 Sound: No Colour: Keyboard: Detachable

CP/M, WordStar, Word Plus, Software Included:

Microplan, more Primary Market: Business Manufacturer: Kaypro

Available From: Computron \$4095.00; \$4695.00 with Juki printer Suggested Retail:

#### Kaypro 16

Operating System: MS-DOS 8088 Processor(s): RAM: 256K

One serial, one parallel Printer I/O:

One 5 1/4" 360K floppy, one 10Mb Disk Drives Inc:

HD 80x25 Screen Format: Graphics: N/A Sound: Yes Colour: Yes Detachable Keyboard:

Software Included: MITE, WordStar, InfoStar+, MS-DOS, GWBASIC, more

Primary Market Business

Manufacturer: Kaypro Available From: Computron \$5195.00 Suggested Retail:



#### Kaypro II

**Operating System:** CP/M Z80A Processor(s): RAM: 64K

Printer I/O: Two serial and parallel One 390K 5 1/4" floppy Disk Drives Inc: Screen Format: 80x24

Graphics: No Sound: No Colour: No Keyboard: Detachable MBASIC, WordStar Software Included: Primary Market: Business Kaypro Available From:

Computron \$1695.00; \$2395.00 with Juki printer Suggested Retail: and Type-It

#### Kaypro IIx

Operating System: CP/M Z80A Processor(s): 64K

RAM: Printer I/O: Two serial, one parallel Disk Drives Inc: Two 5 1/4" 390K floppy


Screen Format: 80x24 Graphics: N/A Sound: No Colour: Keyboard:

As with Kaypro II, but much more

Software Included: Primary Market: Business Manufacturer: Available From: Suggested Retail:

Computron \$2395.00; \$3095.00 with Juki printer

and software



# Our competition is as bad as its seams.

The other guys just can't get it together. Their seams, that is.

All these floppy disk makers seal their edges just here and there. Leaving most of each edge unsealed. And unprotected.

That's not just unseemly.

That's dangerous. Because a sloppy floppy can snag on the drive head of your computer. and lose the data that took you hours-or days-to enter.

There is, however, an un-sloppy alternative.

Memorex® flex disks.

We seal every inch of every edge with Solid Seam Bonding. A special process we developed to help Memorex disks resist puckering, bulging and warping. Resist all the things that can jam your disk drive and lose your data.

Why make a disk this good? Because inside is a storage media so good that we certify it to be 100% error free.

The choice is yours. You can be safe and secure with Memorex. Or you can come apart at the seams.

For more information on the full line of Memorex quality computer media products, including computer tape, call toll-free: 1-800-268-9896

#### MEMOREX CANADA


A Division of Burroughs Memorex Inc. 7050 WOODBINE AVENUE, MARKHAM, ONTARIO L3R 4G8



**Dealer Inquiries Invited** 

Memorex is a registered trademark of Memorex Corporation. Memorex has the edge is a trademark of Memorex Corporation ©1984 Memorex Corporation.

Circle No. 22 on Reader Service Card



#### Kaypro IIx (replaces 4)

Operating System: CP/M Processor(s): RAM: Z80A 64K

Two serial and parallel Printer I/O: Disk Drives Inc: Two 5 1/4" DS DD Screen Format: 80x24

Graphics: No Sound: Colour: No Keyboard: Detachable

Software Included: CP/M 2.2, M/C/SBASIC, WordStar, Word Plus, more

Primary Market: Business Manufacturer: Available From: Kaypro Computron Suggested Retail: \$2895.00

#### Kaypro IIx Plus 88

Operating System: CP/M, MS-DOS Z80A, 8088 Processor(s): RAM: Printer I/O:

One parallel, two serial Two 360K 5 1/4" floppy Disk Drives Inc: Screen Format: 80x24

Graphics: Optional Sound: Colour: No Keyboard: Detachable Software Included: Same as Kaypro II Primary Market: Business Manufacturer: Kaypro Available From: Computron Suggested Retail: \$3595.00

#### Loaded BEST Mark II

Operating System: MS-DOS, CP/M 86 (optional) Processor(s): 8088

RAM: 256K (Super Loaded has 512K) Printer I/O:

One serial, one parallel One 360K 5 1/4" floppy, one 10 Mb Disk Drives Inc: HD 40/80x25 Screen Format:

Graphics: 320/640x200 Sound: Yes Colour: Yes Detachable Keyboard:

Software Included: Phoenix BIOS in ROM Primary Market: Business

Manufacturer: Multifley Available From: Exceltronix

Suggested Retail: \$2695.00; Super Loaded \$2895.00

#### MPF I

Operating System: N/A Z80 Processor(s): RAM: 2K

Printer I/O: One parallel, breadboard Disk Drives Inc: Cassette driven

Screen Format: Graphics: 6x1 LED N/A Sound: N/A Colour: N/A Integrated Keyboard: Software Included: N/A

Primary Market: Schools, engineering

Manufacturer: MultiTech Tithes Business Systems (Canada) Inc. Available From: Suggested Retail:

#### MPF II

Operating System: BASIC 6502 RAM. 64K Printer I/O: One parallel Disk Drives Inc: Optional 40x24 Screen Format: Graphics: 280x192 pixels Sound: Yes Colour: Yes Integrated Keyboard: Software Included: BASIC Primary Market:

Multitech Ind. Corp. Tithes Business Systems (Canada) Inc. Manufacturer: Available From: Suggested Retail: \$179.00 including keyboard, CPU and power

#### MPF III

Operating System: BASIC Processor(s): RAM: 6502. Z80 64K Printer I/O: One parallel Disk Drives Inc: Screen Format: One 5 1/4" floppy 40/80x24 Graphics: 280x192 pixels Sound: Colour: Yes Keyboard: Detachable Software Included: BASIC Primary Market: Business or home

Manufacturer: Multitech Available From Tithes Business Systems (Canada) Inc. Suggested Retail: \$1250.00 (including monochrome

monitor)

#### MPF-PC, PC/XT

Operating System: MS-DOS, Concurrent CP/M-86 8088

RAM: 256K, PC/XT has 384K One serial, one parallel Two 360K 5 1/4" floppy; PC/XT has Printer I/O: Disk Drives Inc:

one, and 10 Mb HD Screen Format: 40/80x25 (amber monitor included)

320/640x200 Graphics: Sound: Colour: Yes Detachable Keyboard:

Software Included: MS-DOS. Concurrent CP/M-86. T-Maker

Primary Market: Business Manufacturer: Multitech

Available From: Tithes Business Systems (Canada), Inc. Suggested Retail: \$2499.00 (PC); \$4199.00 (PC/XT)

#### Memotech MTX 512

Operating System: BASIC

Z80A and TI9928A (graphics) Processor(s): RAM: 64K

Printer I/O: Two parallel; optional twin serial Disk Drives Inc: Cassette based; optional single or twin 5

1/4" floppy 32/40x24 Screen Format: Graphics: 256x192 Sound: Yes Colour Keyboard: Integrated

BASIC, Noddy, Graphics, Assembler, Software Included:

Front Panel Primary Market: Home

Memotech Limited, Britain Available From: Electronic Distributors Inc. Suggested Retail: \$945.00 (base system)

#### Morrow Micro Decision MD3

Operating System: CP/M 2.2 Processor(s): 780 RAM: 64K Printer I/O: Two serial Disk Drives Inc: 720K floppy disk Screen Format: 80x24 Graphics: N/A Sound: Yes Keyboard: Detachable

Software Included: Word processor, speller, spreadsheet,

Primary Market: Business Manufacturer: Morrow Available From: SGV Suggested Retail: \$2995.00



Morrow Pivot

Operating System: MS-DOS Processor(s): 80086 RAM: 256K

Printer I/O: One parallel, one serial, one RJ11C (phone)

Two 360K 5 1/4" floppy Disk Drives Inc: Screen Format: 80x16 LCD Graphics: Yes Sound: Colour: No Keyboard: Integrated

Software Included: MS-DOS, New Word, telecom program

in ROM Primary Market: Business Manufacturer: Available From: Morrow SGV Suggested Retail: \$4340.00

#### Multiflex

Operating System: CP/M Processor(s): RAM: 7.80A 64K

Printer I/O: One parallel, 2 optional serial

One 5 1/4" floppy Disk Drives Inc: 80x24 Screen Format:

Graphics: 50 graphics characters Sound: No

Colour: No Keyboard: Purchased separately

Software Included: CP/M

Primary Market: Hobbyist Multiflex Manufacturer: Available From: Exceltronix

\$1195.00; \$995.00 kit Suggested Retail:



Operating System: CP/M Processor(s): RAM: 780 64K Printer I/O:

Serial and parallel Disk Drives Inc: Two floppy or one floppy, one hard

Screen Format: 80x24 Graphics: 640x400 pixels Sound: No Colour: Optional Keyboard: Detachable

Software Included: BASIC, financial and word processor Primary Market:

Manufacturer: NCR Available From: SGV Marketing Suggested Retail:

\$3895.00 (0102); \$6895.00 (0103); \$4495.00

#### **NEC PC 8801**

Operating System: BASIC PD780C-1; Z80 compatible RAM. 64K Printer I/O: Parallel and serial 5 1/4" or 8" floppy 80x25

Disk Drives Inc: Screen Format: Graphics: 640x200 pixels Sound: No Colour: Optional Detachable

Keyboard: Software Included: Two BASICs, WordStar, CP/M, more Primary Market: NEC

Manufacturer: Available From: Microcomputers of Canada Suggested Retail: \$1995.00, \$2495.00 (51/4" drive, monitor); \$3195.00 (8" drive)



#### NEC PC-8201

Operating System: Proprietary Processor(s): 80C85 RAM. 16K Printer I/O: Parallel Disk Drives Inc: 40x8 LCD Screen Format Graphics: Block Sound: Colour: No Keyboard: Integrated Software Included: Textfiles, Telecom Primary Market: Business

Available From Microcomputers of Canada

NEC

Suggested Retail: \$499.95

Manufacturer:



#### Nelma Persona

Operating System: CP/M Processor(s): RAM: 7.80A 64K

Printer I/O: Two serial and one parallel Disk Drives Inc: Two 5 1/4" floppy Screen Format: 80x24

Graphics: Optional Sound: No Colour: Keyboard: Detachable Software Included:

WordStar, CalcStar, comm. software Business Nelma Data Corporation

Primary Market: Manufacturer: Available From:

Nelma Data Corporation

Suggested Retail: \$1895.00 for single sided, single densi-

#### Kanto

MS-DOS, PC-DOS Operating System: Processor(s): RAM: 8088 56K Printer I/O: One parallel, two serial Disk Drives Inc: Two 360K floppy 40/80x25 Screen Format:

Graphics: 320/640x200 Sound: Yes Colour: Yes Keyboard: Software Included: Detachable BIOS in ROM Primary Market:

Micro Computers of Canada Manufacturer: Available From: Micro Computers of Canada

Suggested Retail: \$2495.00



#### Olivetti M10 Portable

Operating System: Processor(s): RAM: 8-32K Printer I/O: Serial and parallel Disk Drives Inc: Screen Format: Graphics: Yes

N/A 40x8 Sound: Yes Colour: No Keyboard: Software Included: BASIC, Text Processing, Telcom, more Primary Market: Business, education

Manufacturer: Available From: Olivetti branches and dealers

Suggested Retail:

\$499.00 (8K)





#### Olivetti M21 Portable

Operating System: MS-DOS Processor(s): RAM: 8086 256K Printer I/O: Serial and parallel, 7 exp. slots Two-half-heights 5-1/4" floppy Disk Drives Inc: Screen Format: 80x25 Graphics: 320/640x200/400

Sound: Yes Colour: Yes Keyboard:

Software Included:

Detachable MS-DOS, GWBASIC, tutorial, diagnostics Business

Primary Market: Manufacturer: Available From:

Suggested Retail:

Olivetti Olivetti branches and dealers \$4225.00

#### Olivetti M24

Operating System: MS-DOS Processor(s): RAM: 8086 256K Printer I/O: Serial and parallel, 7 exp. slots Disk Drives Inc: Screen Format: 80x25 Graphics: 320/640x200/400 Sound:

Colour: Software Included:

Primary Market: Business

Manufacturer: Available From: Suggested Retail: two half-height 5 1/4" floppy

Yes Yes

Detachable MS-DOS, GWBASIC, tutorial diagnostics

Olivetti Olivetti branches and dealers

\$4140.00 Optional 10 Mb HD



#### Olympia People

Operating System: CP/M and MS-DOS 8086 RAM: 128K Printer I/O: Serial and parallel Disk Drives Inc: Two floppy drives Screen Format: 80x25 Graphics: 600x485 pixels Sound: Colour:

Keyboard: Software Included: Detachable WordStar, SuperCalc, dBASE II Primary Market: Home or business

Manufacturer: Olympia International Available From: Olympia Business Machines Canada

Suggested Retail: \$4950.00

#### Orion 0412

Operating System: Processor(s): RAM: 780A 64K

Printer I/O: Serial; two expansion ports Disk Drives Inc: Two 5 1/4" floppy

Screen Format:

Graphics: Optional card; 1024x678 pixels B&W Sound:

Colour: Optional c Keyboard: Detachable Software Included: Primary Market: Business DY-4 Systems, Inc. Manufacturer: Available From: DY-4 Systems, Inc Suggested Retail: \$3244 00

#### Osborne 1

Operating System: CP/M Processor(s): Z80A RAM. 64K Printer I/O: Serial and parallel Two 5 1/4" floppy Disk Drives Inc: Screen Format: 52x24 Graphics: Graphic characters in ROM

Sound: Colour: No

Keyboard: Software Included: WordStar, MailMerge, SuperCalc, more Primary Market: Business

Manufacturer: Osborne Canada Available From: Lanpar Suggested Retail:

#### Osborne Executive

Operating System: CP/M and UCSD p-System Processor(s): RAM: Z80A 128K

Printer I/O: Two serial Disk Drives Inc: Two 5 1/4" SS SD drives

Screen Format: 80x24 Graphics:

Sound: No Colour: No Keyboard: Software Included:

Integrated
WordStar, MailMerge, SuperCalc, more Primary Market: Business

Osborne Canada Manufacturer: Available From: Lanpar \$1599.00 Suggested Retail:

# Publications

# Moorshead Almost Free Apple DOS Software

While CP/M is a wonderful thing in its own right, the Apple computer can also, and usually does, operate under DOS. For this reason, there's a multitude of programs available for it. Below, we offer a mini-multitude of our own.

The following programs will operate on any Apple ][+, //e, //c, or true compatible operating under DOS 3.3. Apple users operating only under ProDOS may have to make alterations to some programs.

#### Almost Free Apple DOS Software #1

Picture Coder: All Apple HiRes pictures take up 36 sectors in their binary form. This program creates a textfile of a program in memory, squeezing out the zero bytes, that can later be EXECd into memory. The textfile often takes up less room on the disk

DNA Tutorial: Operating under Integer BASIC, this program might appeal to 'clone' owners. In actuality, though, it's an interactive low-res graphics tutorial of DNA in its inherent forms. And you thought your Apple was only good for games..

Toad: Speaking of games, this program is an Applesoft BASIC implementation of 'Frogger' that can be controlled with either a joystick or the keyboard. The user's high scores are saved to disk.

Function Plotter: A fairly extensive Applesoft BASIC program that takes any inputted function and plots it on the HiRes Screen.

Data Disk Formatter: Apple DOS disks need not be bootable to be useful. This binary program formats a disk without setting DOS on the tracks, conserving useful disk space

BASIC Trace: A program for the advanced Applesoft programmer, this file, when EXECd, displays the hexadecimal locations of each Applesoft line number of a program in memory.

**Gemini Utility**: A word processor pre-boot for Gemini printer users, this BASIC program initialises the printer's font or pitch before you boot your word pro-

Payments: This BASIC program allows you to keep track of payments and credits to and from up to 100 accounts on a single disk. A sample account is included.

Databox: A small but useful database program in Applesoft BASIC. Sample files are included to get you

Nullspace Invaders: A quick BASIC HiRes game testing coordination and judgement as you manipulate a monolith through mysterious gates.

Fine Print: The majority of this software has been obtained from on-line public access sources, and is therefore believed to be in the public domain. Any remaining programs were written in-house. The prices of the disks defer the cost of collecting the programs, debugging them, reproducing and mailing them, plus the cost of the media they're supplied on. The software itself is offered without charge

Moorshead Publications warrants that the software is readable, and if there are any defects in the medium, we will replace it free of charge. While considerable effort has been made to ensure that the programs have been thoroughly debugged, we are unable to assist you in adapting them for your own applica-

#### Almost Free Apple DOS Software #2

Amort: A monthly amortization program that calculates monthly payments to an inputted figure, calculates principle, interest on every balance, and prints out the resulting chart.

Voiceprint: An unusual program that uses the HiRes screen to sample sounds inputted through the cassette jacks at the back of your Apple. Sampling rate and other variables can be controlled, and two sounds may be compared side-by-side.

Calc NOW!: Written in BASIC, this spreadsheet program is somewhat slower than VisiCalc, but still offers the power you expect from a spreadsheet. With sample files.

Cavern Crusader: A mix of BASIC and binary programming, winning this HiRes game is difficult, to say the least. For every wave of aliens shot in the cavern, there's always a meaner bunch in the wings.

Newcout: With source file. This binary program replaces the I/O hooks in the Apple with its own so you can operate your Apple through the HiRes screen. Comes with a character set.

Charset Editor: A utility to help you create your own character sets to use with Newcout.

Calendar: A BASIC utility useful for finding a particular day of any inputted month and year, or for printing out any given year.

LCLODR: With source. This binary utility BLOADs any given file into the 16K language card space at \$D000. The source is useful in showing how to use DOS commands through assembly language.

Cristo Rey: An animated HiRes BASIC program showing Cristo Rey by moonlight. For apartment-bound romantics.

ATOT: That's an acronym for 'Applesoft to Text'. EXEC this textfile to produce a textfile of your program.

Applesoft Deflator: This program takes a textfile made by ATOT and squeezes it, replacing PRINT statements with '?' and removing unnecessary spaces from the

Each disk is

\$19.95

or, as an introductory offer you can order all three for

\$39.95

Telephone order credit card payments accepted.

Ontario residents please add 7% Provincial Sales Tax.

#### Almost Free Apple DOS Software #3

General Ledger: A fairly massive BASIC General Ledger program. This program creates a number of files, so it's best put on a separate disk before implemented.

EE-Design: A shape design aid program written in BASIC. Allows the user to plot shapes in HiRes and either save them to disk or print them out.

Quickzap: A disk sector utility that reads a given track and sector into memory and allows you to alter it, and optionally write it back to disk.

Softgraph: A complete graphing program written in both Applesoft and binary that enables you to see your data done up professionally in pie, line or bar charts.

IntelliCalc: An intelligent calculator with three memories and a 'paper tape' readout. Data may be inserted at any point.

Poker!: An Applesoft BASIC implementation of the game that has ruined many a marriage. Fortunately, you can afford to lose your electronic paycheque to you Apple... for now.

Polar Graphics: Similar in some ways to Function Plotter, this Applesoft program supplies a number of attractive functions in REM statements that you may utilize to plot out on the HiRes screen.

Clock and Clock II: Two Applesoft digital clocks. When your Apple's doing nothing better, it can now remind you of the time you're wasting. One has an alarm

Flowers: With source. A binary program that prints a border of flowers to the HiRes screen. The source is invaluable in showing how to handle HiRes shapes in assembly language.

Convert Utility: A BASIC program that converts numbers between decimal, hexadecimal, binary and disk sectors

ProDOSfix.TXT: Apple clone users who've purchased ProDOS will note that it doesn't work on their machines. This text tutorial explains why, and how to remedy the problem.

**Software Services Moorshead Publications** 25 Overlea Boulevard, Suite 601. Toronto, Ontario M4H 1B1 (416) 423-3262

# Introducing: SmarTEAM™ 103/212A

### HAYES COMPATIBLE MODEM

\*The Most Successful Modem From The Far East\* Introduced during The Fall '84 COMPEN Show

\*2 YEAR WARRANTY\*

Software Included

TEAM TECHNOLOGY INC.

SmarTEAM 103/212 A

**FEATURES:** 

- 0-300/1200 bps
- Auto Dial/Auto Answer
- Auto Speed Selection
- Status Indicators
- Switch Selectable
- Speed Volume Control
   Self Test

Fully Compatible with Hayes Smartmodem 1200 Works with SmartCom, CrossTalk and PC Talk.

DEALERS: DON'T MISS THE LATEST TECHNOLOGY

Exclusive Canadian Distributor:

ECRONIA

We are Signing up **Dealers Across Canada** Call Us Now!!

1601 Matheson Blvd., Unit 3, Mississauga, Ontario L4W 1H9 Tel.: (416) 624-7323 Telex: 06-960172

Haves and SmartCom are registered Trademarks of Haves Microcomputer Products Inc.

PC-8800

Operating System: CP/M

uPD780C (Z80 compatible) Processor(s): RAM: 64K

Printer I/O: One serial, one parallel Disk Drives Inc: Optional dual 5 1/4" or 8" DSDD

floppy 40/80x20/25 Screen Format: Graphics: 640x200/400 Sound: Colour:

Keyboard: Detachable WordStar, MailMerge, MultiPlan, CP/M, Software Included:

2 BASICs Primary Market: Business Manufacturer:

NEC Corporation Available From: Electronic Distributors (Canada)

Suggested Retail:

Panama XT

Optional; MS-DOS or CP/M-86 Operating System:

8088 Processor(s):

RAM: 256K Printer I/O: One serial, one parallel One 5 1/4" floppy, 25 Mb HD Disk Drives Inc: Screen Format: 40/80x24

Graphics: 640x320 Sound: Colour: Choice

Keyboard: Detached; also has French characters

Software Included: Sidekick Primary Market: Business Manufacturer: Ogivar Inc.

Ogivar Inc., local dealers Available From:

\$4700.00 Suggested Retail:

#### Panasonic Sr. Partner

Operating System: MS-DOS 2.11 Processor(s): RAM: 8088

128K One parallel, one serial, integrated Printer I/O:

printer One or two DS DD 5 1/4" floppy, or Disk Drives Inc: one with 10Mb HD Screen Format: 80x25

320/640x200 Graphics: Sound: Yes Yes Colour: Detachable WordStar, VisiCalc, Keyboard: Software Included:

pfs:File/Report/Graph, more Primary Market: Business Manufacturer: Panasonic

Available From: Panasonic \$3395.00 (one drive); \$3995.00 (two); Suggested Retail:

#### **Peach Executive**

BASIC Operating System: 6502 and Z80A Processor(s): 128K RAM:

Optional serial or parallel Printer I/O: Disk Drives Inc: Two 51/4" drives 40/80x24 Screen Format: Graphics: 280x192 pixels Sound: Yes Colour:

Keyboard: Detachable BASIC Software Included: Primary Market: Busines Peach Microsystems Manufacturer: Available From: Peach Microcentre

#### Persona 16

Suggested Retail:

Operating System: MS-DOS Processor(s): 8088

RAM: 128K, expandable to 512K Printer I/O: One serial, one parallel and an optional

2nd serial Disk Drives Inc:

2Two 5 1/4' double density disk drives Screen Format: 80x25 Graphics: Colour 600x200 pixels, monochrome

\$2350.00 including monitor

720x350 pixels Sound:

Colour: Optional Keyboard: Detachable Software Included: MS-DOS Primary Market: Business

Manufacturer: Nelma Data Corporation Nelma Data Corporation \$3995.00 Available From: Suggested Retail:



#### Philips PC

Operating System: MS-DOS 1 25 8088 Processor(s): RAM: 128K Printer I/O: Parallel and serial Two 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25 Graphics: 640x325 pixels Sound: Colour: Optional

Keyboard: Detachable Software Included: Multi-Mate, GW BASIC, PC Tutor,

MS-DOS Primary Market: Business Manufacturer: Corona

Available From: Philips Information Systems Suggested Retail: \$3665.00; 256K running MS-DOS 2.0 is \$3990.00



#### Pied Piper

Operating System: CP/M Z80A Processor(s): RAM: Printer I/O: Parallel One 5 1/4' floppy Disk Drives Inc: Screen Format: 80x24 10 graphics characters Graphics:

Sound: Colour No Keyboard: Integrated

Software Included: Perfect Writer/Speller/Filer/Calc Primary Market: Home or business

Semi-Tech Microelectronics Manufacturer: Available From: Semi-tech Microelectronics

Suggested Retail:

#### Pied Piper Professional CP/M

Operating System: Processor(s): RAM:

64K Printer I/O: One serial, one parallel Two 5 1/4" floppy Disk Drives Inc: Screen Format: 80x24 10 graphics characters

7.80A

Graphics: Sound: No Colour: Keyboard: Integrated

CBASIC, Perfect software, terminal Software Included: package

Primary Market: Business Manufa cturer:

Available From:

Semi-Tech Microelectronics Semi-Tech Microelectronics

Suggested Retail: \$2775.00

#### President Ex.

Operating System: MS-DOS 80286 Processor(s): RAM: 640K

Printer I/O: Two serial and two parallel One 1.2 Mb 5-1/4" floppy, one 360K 5-1/4" floppy, optional 10-250 Mb HD Disk Drives Inc:

Screen Format: 40/80x25 Graphics: 720x348 Sound: Yes Keyboard: Software Included: Detachable MS-DOS 2.1 Primary Market: Business

President Computer Corp. Manufacturer: Available From President Computer Corp. Suggested Retail: \$5995.00 including monitor



#### President Sr.

Operating System: MS-DOS 8088 Processor(s): RAM: 256K

One serial and one parallel Printer I/O:

Disk Drives Inc: One 10 Mb hard disk, one DS DD 51/4"

40/80x25 Screen Format: Graphics: 720x348 pixels Sound: Yes Colour: No Keyboard: Detachable MS-DOS 2.1 Software Included: Primary Market: Busines

President Computer Corp. Manufacturer: President Computer Corp. Available From: Suggested Retail: \$3995.00 including monitor

#### **Psion Organiser**

Operating System: BASIC Processor(s): RAM: HD6301X 2K Printer I/O: One serial Disk Drives Inc: 8K or 16K datapaks Screen Format: 16x1 LCD

Graphics: No Sound: No Colour: No Keyboard:

Integrated
BASIC, filer, clock, calculator
Business, student Software Included: Primary Market: Manufacturer:

Psion Processors, Britain Electronic Distributors Inc. Available From: \$199.95

Suggested Retail:

#### **QCAL 1000**

BASIC or CP/M Operating System: Processor(s): RAM: 6502 and Z80 64K

Optional serial or parallel Optional dual 5 1/4" slimline floppy Printer I/O: Disk Drives Inc:

Screen Format: 280x192 pixels Graphics: Sound: Colour: Keyboard: Detachable Software Included: BASIC Primary Market: Business or home

QCAL International Manufacturer: Ävailable From: Pacific Rim Electronic Imports

Suggested Retail: \$849.00

#### OCAL 500

Operating System: BASIC Processor(s): 6502

Printer I/O: Optional serial or parallel Disk Drives Inc: Cassette interface; optional 5 1/4"

floppy Screen Format: 40x24 Graphics: 280x192 pixels Sound: Colour:

Yes Keyboard: Integrated Software Included: BASIC Primary Market: Home or business Manufacturer: QCAL International Available From: Pacific Rim Electronic Imports

Suggested Retail:

#### **QCAL 8000**

Operating System: Processor(s): 8088 128K

Printer I/O: Disk Drives Inc: One DS DD 5 1/4" floppy Screen Format: 40/80x25

Graphics: N/A Sound: Yes Colour: Keyboard: Detachable Software Included: N/A Primary Market: Busin Manufacturer:

OCAL International Available From: Pacific Rim Electronic Imports Suggested Retail: \$2295.00

#### QCAL 900

Operating System: BASIC or CP/M 6502 and Z80 Processor(s): RAM: 64K Printer I/O: Optional serial or parallel Optional 5 1/4" floppy Disk Drives Inc: 40x24

Screen Format: Graphics: 280x192 pixels Sound: Colour: Yes Keyboard: Integrated

Software Included: BASIC Primary Market: Business or home Manufacturer: QCAL International Available From Pacific Rim Electronic Imports Suggested Retail:

#### **ROLM Cedar**

Operating System: MS-DOS Processor(s): 8088 RAM: 384K

Printer I/O: One parallel, one asynch. comm (up to

munications

19.2 Kilobaud) Two 5 1/4" 360K floppy Disk Drives Inc: Screen Format: 80x25 Graphics: 320/640x200 Yes

Sound: No Colour Keyboard: Detachable Software Included: MS-DOS, GWBASIC, Personal Com-

Primary Market: Business Manufacturer: Available From: ROLM Corporation ROLM Canada Suggested Retail:


#### Radio Shack PC-4

Operating System: BASIC Processor(s): Proprietary RAM: Printer I/O: Optional Disk Drives Inc: Optional cassette Screen Format: 12 character LCD Graphics: N/A

Sound: No Colour: No Keyboard: Integrated Software Included: BASIC Primary Market: Business or home Manufacturer: Tandy Radio Shack Available From:

Suggested Retail:

\$99.95



Operating System: MS-DOS 2.11 Processor(s): RAM: 80186 (8 MHz) 256K Printer I/O One parallel, two serial. Integrated

printer with portable.
Two 720K (formatted) DS DD 5 1/4" Disk Drives Inc:

Screen Format: 80x25; 80x25 LCD (portable) Graphics: 640x200 pixels colour, 720x348 pixels monochrome

Sound: Yes Colour: Yes Keyboard: Detachable

Software Included: MS-DOS, telephone/modem support

Primary Market: Business

Manufacturer: Semi-Tech Microelectronics Corporation Semi-Tech Microelectronics, local Available From:

\$3699.00; \$4989.00 portable Suggested Retail:



#### Sanyo MBC 1100/1150

Operating System: CP/M 2.2 Processor(s): RAM: 64K Printer I/O: Parallel and serial

Disk Drives Inc: One 5 1/4" floppy (1100) or two

(1150)Screen Format: Graphics: N/A Sound: No Colour:

Keyboard: Software Included: Detachable CP/M 2.2 and BASIC

Primary Market: Business Manufacturer: Sanvo Available From: Sanyo

\$2595.00 (1100); \$3195.00 (1150) Suggested Retail:

#### Sanyo MBC 1200/1250

Operating System: CP/M 2.2 Processor(s): Two Z80A, one 8048 (keyboard) RAM: 64K

Printer I/O: Parallel and serial

Disk Drives Inc: One DSDD 5 1/4" floppy (1200) or two (1250)

Screen Format 80×33/40 Graphics: 640x400 Sound: Colour: No Keyboard: Detachable Software Included: CP/M and BASIC Primary Market: Business

Manufacturer: Sanvo Available From:

Sanyo \$3195.00 (1200); \$3995.00 (1250) Suggested Retail:

#### Sanyo MBC 4000/4050

Operating System: CP/M-86 8086 and 8048 (keyboard) Processor(s): RAM: 128K Printer I/O:

Serial and parallel One 5 1/4" DSDD floppy (4000) or two Disk Drives Inc:

(4050)Screen Format: 80x25 Graphics: No Sound: No Colour: No

Keyboard: Software Included: CP/M-86 and BASIC Primary Market: Business

Manufacturer: Available From:

Suggested Retail: \$3795.00 (4000); \$4795.00 (4050)

#### Sanyo MBC 550/555

Screen Format:

Operating System: MS-DOS Processor(s): RAM: 8088 128K Printer I/O Optional serial

One 160K floppy (550) or two (555); 550-1 and 555-1 are 360K Disk Drives Inc:

80x25

Graphics: 640x200 pixels Sound: Yes Colour: Yes Keyboard: Detachable Software Included: BASIC, MS-DOS Primary Market: Home or business Sanyo

Available From: Sanyo \$1095(550); \$1295(550-1); Suggested Retail: \$1495(555); \$1895(555-1)

#### Sanyo MBC 775

RAM:

Operating System: MS-DOS 8088 (8 MHz) Processor(s): 256K Printer I/O: One parallel Disk Drives Inc: Two 360K floppy Screen Format: 40/80x25 Graphics: 320/640x200 Yes Colour: Yes Keyboard: Detachable

Software Included: MS-DOS, GWBASIC, WordStar,

CalcStar Primary Market: Business Manufacturer: Sanyo Available From: Sanvo

Suggested Retail: \$3495.00 (includes 9" colour monitor)



#### Seequa PC

Operating System: MS-DOS or CP/M 80 Processor(s): 8088 and Z80 128K; expandable to 640K RAM: Printer I/O: Serial and parallel Disk Drives Inc: One DS DD 5 1/4" floppy Screen Format: 40/80x25 Graphics: 320/640x200 pixels Sound: Yes Colour: Keyboard: Detachable Same as Chameleon Plus Software Included:

Primary Market: Seequa Computer Corporation Manufacturer:

Available From: Golden Maple Leaf Suggested Retail: \$2995.00; Other configurations

#### available Seequa XT

Operating System: Processor(s): RAM: Printer I/O: Disk Drives Inc:

MS-DOS or CP/M 80 Z80 and 8088

256K; expandable to 640K Serial and parallel; four expansion slots One DS DD 5 1/4" floppy, one 10 Mb hard drive

Screen Format: 320/640x200 pixels Graphics: Sound: Yes Colour: Yes

Keyboard: Software Included: Primary Market:

Manufacturer: Available From-

Golden Maple Leaf \$4995.00; Other configurations Suggested Retail:

Business

Seegua

Detachable

Same as Chameleon Plus

31



#### Sharp PC 1500

Operating System: BASIC C-MOS Processor(s): RAM: 2.6K

Printer I/O: Optional printer/cassette interface Disk Drives Inc: Optional printer/cassette interface Screen Format: 26x1 LCD

Graphics: 7x156 pixels Sound: Colour: No Keyboard: Integrated Software Included: BASIC Primary Market: Home or business Sharp Total Office Systems Available From: Suggested Retail: \$299.95

#### Sharp PC 5000

Operating System: MS-DOS 8088 and C-MOS Processor(s): RAM: 128K Printer I/O: Serial

Disk Drives Inc: Opt. 128K bubble cartridge Screen Format: 80x8 LCD

Graphics: 640x80 pixels Sound: No Colour: No Keyboard: Integrated Software Included: N/A Primary Market: Business

Manufacturer: Sharp Electronics Available From: Total Office Systems Suggested Retail: \$2695.00, not including printer and



#### Sharp YX 3200

Operating System: CP/M and FDOS Processor(s): YX-3200 RAM: 64K Printer I/O: Parallel and serial expansion

Disk Drives Inc: Optional 5 1/4" or 8" floppy Screen Format: 80x25 N/A Graphics:

Colour: No Integrated Keyboard: Software Included: Two BASICs Primary Market: Home or Business Sharp Total Office Systems Available From: Suggested Retail:

#### Sinclair QL

QDOS, SuperBASIC Operating System: Processor(s): 68008. 8049

RAM: 128K Two serial, networking port Two 100K microdrives (cartridge tap Printer I/O: Disk Drives Inc:

Screen Format: 40/60/85x25 Graphics: 256/512x256

Sound: Yes Colour: Keyboard: Integrated

Software Included: Integrated WP, spreadsheet, database

graphing Primary Market: Business

Manufacturer: Sinclair Research Limited Available From: Gladstone Electronics Suggested Retail:

#### Solution 5000 PC

Operating System: MS-DOS 2.11 8088 Processor(s):

RAM: 128K; 256K for portable model One serial, one parallel, 5 slots Printer I/O: Two 360K DS DD 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25

640x200 pixels Graphics: Sound: Colour: Yes

Keyboard: Detachable MS-DOS, Electric Pencil, K.I.S. Ac-Software Included:

counting

Primary Market Manufacturer: Ace Micro-Electronics Corporation Available From: Ace Micro-Electronics Corporation Suggested Retail: Ace Micro-Electronics Corporation



#### Sony SMC-70

Operating System: CP/M Processor(s): RAM: Z80A 64K

Printer I/O: Serial, parallel, five expansion ports Optional SS DD 3 1/2" floppy 80x25

Disk Drives Inc: Screen Format: Graphics: 640x400 pixels Sound: Yes Colour: Optional Keyboard: Detachable Software Included: CP/M Primary Market: Manufacturer: Sony

Ävailable From: Sony Canada Ltd. Suggested Retail: \$1895.00 base price



#### Sord M23P

Operating System: CP/M compatible Z80A, PIPS RAM: 128K Printer I/O: Two S, P, and three expansion slots Disk Drives Inc: Two 3 1/2" floppy drives 80x8 LCD

Screen Format: Graphics: 640x64 Sound: No Colour: Optional Keyboard: Integrated Software Included: Spreadsheet Primary Market: Business Manufacturer: Available From: Sord

Micos Computer Systems Inc. \$3800.00

Suggested Retail:

#### Blue Chip

Operating System: MS-DOS Processor(s): 8088 RAM: 640K Printer I/O: One parallel Two 360K 51/4" floppy Disk Drives Inc: Screen Format: 80x25 Graphics: Optional Sound: Colour: Optional

Detachable Keyboard: Software Included: BIOS in ROM Primary Market: Business Blue Chip Computers Manufacturer: Available From:

Blue Chip Computers \$3495.00 including Quadram monitor Suggested Retail:



#### Sord M68

Operating System: MC68000 780A Processor(s): RAM: 256K

Printer I/O: Two serial, parallel, IEEE bus Two 5" mini floppy Disk Drives Inc: Screen Format: Graphics: 640x400 pixels

Sound: Colour: Optional Keyboard: Detachable Software Included: N/A Primary Market: Business Manufacturer: Sord

Micos Computer Systems, Inc. Available From:

Suggested Retail: \$7294 00

#### Spectravideo SV-318

BASIC Operating System: Z80A Processor(s): RAM: 32K Printer I/O: Expansion bus

Disk Drives Inc: Cassette driven; optional floppy

Screen Format: Graphics: 40v24 256x192; 32 sprites

Sound: Colour Yes Keyboard: Integrated Software Included: Primary Market: BASIC Home Spectravideo Available From: Spectravideo Suggested Retail: \$199.00

#### Spectravideo SV-328

Operating System: Microsoft BASIC Z80A ocessor(s): RAM: 80K

Printer I/O: Optional expander available Disk Drives Inc: Cassette driven. Optional 5 1/4" floppy 40x24. Optional 80 column cartridge Screen Format:

Graphics: 256x192 pixels; 32 sprites Sound: Yes Colour: Yes Keyboard: Integrated Software Included: BASIC

Primary Market: Home/business Manufacturer: Spectravideo Available From: Spectravideo Canada Suggested Retail:

#### Spectravideo SV-728

Operating System: 7.80A Processor(s): RAM: 80K

Optional expander available Same as SV-328 Printer I/O: Disk Drives Inc: Screen Format: Same as SV-328 Graphics: 256x192 Sound: Yes Colour:

Keyboard: Integrated Software Included: BASIC, MSX Primary Market: Home Manufacturer: Spectravideo Spectravideo Canada \$599.95 Available From Suggested Retail:

#### Sperry Personal Computer

MS-DOS Operating System: RAM. 128K Printer I/O: Serial Disk Drives Inc:

One or two 5 1/4" floppy or 10 mb hard

Screen Format 40/80x25

Graphics: 320x200, 320x400, 640x200 or 640x400

Colour: Yes Keyboard: Detachable Software Included: MS-DOS Primary Market: Business Sperry Inc

Available From:

Sperry Inc \$3970.00 Suggested Retail:

### FINALLY.

Now
also available
for Macintosh
and
Commodore

SOFTWARE FOR PEOPLE WHO PLAY HARDBALL.


Now you can get the edge in business. And in life.

To succeed in business it's no longer who you know, it's how well you know them. That's the Human Edge. The insight to know who's thinking what. The ability to know how some one's going to react before they do. And the forethought to remove road blocks before they ever come up.

Business Strategy Software that some say isn't fair play.

Human Edge computer programs are so humanly smart, tough, and tactical, it's a downright shame to call them *soft* ware.

By answering simple questions about yourself and your adversary you can discover exactly where your interests and theirs intersect. Which situations to avoid. And get a printout of their strengths and their weaknesses.



"Amazing Mind Prober"
Use it to probe someone's mind
Orwell Said It Would Happen.
And It Has.

Mind Prober
COMING SEPTEMBER IS
1984.



"New program promises to make 1984 a reality" — InfoWorld 8/6/84

What does it do? Enables you to:

- Read others like a book.
- Understand why someone behaves as he does.
- Accurately predict what someone will do in a given situation.
- Learn to interpret another's nonverbal clues.
- Discover the things most people are afraid to tell you about themselves.
- Have a scientifically accurate personality profile of anyone in minutes.
- Sharpen your perceptions and communication style.

THE MANAGEMENT

**EDGE**™ helps you better analyze, understand and manage the people you work with. So you can hold the bright ones, lose the losers, and keep an easy grip on the reins.

THE NEGOTIATION EDGE™helps you size up your worthy opponents.

You see where they're strong. And you can find where they're not. Whether what's on the table is a property deal, a merger, or the promotion you're overdue.

THE SALES EDGE™ helps you get a better handle on your prospect. You'll know when to be aggressive, and when to back down. Is your prospect looking for details, or just an overview? It will show you how to prepare, open and close. So you'll sell them the way they want to be sold.

### HUMAN EDGE

Phase 4 Distributors Inc. 7157 Fisher Rd. S.E. Calgary, Alberta T2H 0W4 (403) 252-0911

Circle No. 26 on Reader Service Card

TAVA PC

Operating System: Processor(s): 8088 RAM: 64K

Printer I/O: Two serial, one parallel One 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x25 Graphics: 640x320 pixels Sound: Yes Colour: Keyboard: Detachable Software Included: N/A Busines

Primary Market: TAVA Corporation Manufacturer: Available From: Nielsen Computers Inc. \$2995.00

Suggested Retail:

**TEO TPC 8300** 

Operating System: BASIC Processor(s): **CMOS** Printer I/O: Parallel Disk Drives Inc:

Printer/plotter/cassette interface

available 48x2 LCD Screen Format:

Graphics: 255 graphic characters Sound: No

Colour: Keyboard: Software Included: Extended Pocket BASIC

Primary Market: Business Manufacturer: TEO Computers

Available From: TEO Computers Suggested Retail: \$449.00

TEO Tiger 4000

Operating System: BASIC 6502 and Z80A Processor(s):

Printer I/O: Optional serial or parallel Optional 5 1/4" floppy or cassette Disk Drives Inc:

Screen Format: 40x24 280x192 pixels Graphics: Sound:

Colour: Yes Keyboard: Integrated

Software Included: Spreadsheet, word processor

Primary Market: Home or business TEO Computers Manufacturer: Available From: TEO Computers Suggested Retail: \$1595.00

**TEO Tiger Personal** 

Operating System: BASIC 6502 and Z80A Processor(s): RAM: 64K Printer I/O: Optional serial or parallel

Two 5 1/4' floppy Disk Drives Inc: Screen Format: 40x24

Graphics: 280x192 pixels Sound: Yes Colour: Yes Detachable Keyboard:

Software Included: N/A Home or Business Primary Market: Manufacturer: TEO Computers TEO Computers Available From: Suggested Retail: \$1595.00

TI Pro-Lite

Operating System: MS-DOS 8088 RAM: 256K Printer I/O: One port

Disk Drives Inc: Screen Format: One 720K 5 1/4" floppy 80x25 LCD

Graphics: Sound: Yes Colour: Keyboard: Integrated Software Included:

Primary Market:

Manufacturer: Texas Instruments Inc. Available From: Texas Instruments Inc. Suggested Retail: \$4750.00



#### **TI Professional Computer**

Operating System: Choice of MS-DOS, CP/M-80, CP/M-86, UCSD

RAM: 128K

Printer I/O: Serial, five expansion ports

Disk Drives Inc: One 5 1/4" floppy 80x25 Screen Format: Graphics: 720x300 pixels Sound: No

Colour: Optional Keyboard: Detachable Software Included: Variable Primary Market: Business

Manufacturer: Texas Instruments Available From: Authorized dealers Suggested Retail: \$3445.00

Corona PC 400

Operating System: MS-DOS Processor(s): RAM: 256K

One parallel, one serial, four exp. slots Dual 360K 5-1/4" slimline floppy Printer I/O:

Disk Drives Inc: Screen Format: 80x25 Graphics: 640x200/400 Sound: Colour: Keyboard: Detachable

Software Included: MS-DOS, GWBASIC, PC Tutor

Primary Market: Business Manufacturer: Corona Available From: Suggested Retail: \$4295.00



TRS-80 2000

Suggested Retail:

Operating System: MS-DOS Processor(s): RAM: 80186 256K Printer I/O: Serial; 4 expansion slots Disk Drives Inc: Two slimline 5 1/4" floppy Screen Format: 80x24

Graphics: 640x400 pixels Sound: Yes Colour: Keyboard: Software Included: Detachable MS-DOS Primary Market: Tandy Manufacturer: Available From: Radio Shack

\$3699.00 2 floppy drives; \$5799.00 with one and 10 Mb HD

TRS-80 Color Computer 2

Operating System: BASIC Processor(s): RAM: 16K Printer I/O: Serial

Optional disk drives or cassette

Screen Format: 32x16 Graphics: 256x192 pixels Sound: Yes Colour: Yes Keyboard: Software Included: BASIC Primary Market: Home Tandy Radio Shack Available From: Suggested Retail: \$189.95

TRS-80 Model 100

Operating System: Extended BASIC Processor(s): RAM: 80C85 8K Printer I/O: Parallel

Cassette or optional 5 1/4" storage Disk Drives Inc: 40 char. x 8 line LCD

Screen Format: Graphics: Yes Yes Sound: No Colour: Keyboard: Software Included: Integrated N/A Primary Market: Business Manufacturer: Tandy

Radio Shack \$529.00; 24K version \$829.00 Available From: Suggested Retail:

TRS-80 Model 12

Operating System: TRS-DOS Processor(E): RAM: 780 80K

Printer I/O: Two serial and two parallel Disk Drives Inc: Two DS DD 8" floppy Screen Format: 40/80x24

Graphics: 32 business graphics characters

No Sound: Colour: Keyboard: Detachable Software Included: TRS-DOS, BASIC Primary Market: Business Manufacturer: Tandy Radio Shack Available From: \$2999.00 Suggested Retail:



TRS-80 Model 4

Operating System: TRSDOS Z80A Processor(s): RAM: 64K Printer I/O: Parallel Disk Drives Inc:

Two SS DD 5 1/4' floppy Screen Format: 80x24 Optional 640x240 pixels Graphics:

Sound: Colour: No Keyboard: Software Included: TRSDOS, BASIC Primary Market: Business Manufacturer: Radio Shack Available From: Suggested Retail: \$1999.00

TRS-80 Model 4P

Operating System: Microsoft 5.0, TRSDOS 6.0 Z80A 64K

Processor(s): RAM: Disk Drives Inc: Screen Format:

Two 5 1/4" floppy drives

Graphics: Optional 640x240 pixel graphics Sound:

Colour: Keyboard: Detachable Software Included: Primary Market: Manufacturer: Available From: Suggested Retail:

Operating systems Business Tandy \$1999.00





C.A.W. DISPLAYS 5151 Everest Drive, Unit 8, Mississauga, Ont. L4W 2Z3 TEL. (416) 624-0989 Free Consultation
Free Installation & Removal
Standard Exhibits —
Custom Design

C.A.W. DISPLAYS highly skilled personnel enable us to offer you the highest quality in exhibits, office interiors, and store fixtures.

Circle No. 25 on Reader Service Card

For more information, call or visit our Showroom

### ZCPR2 for the Apple ][+

Apple CP/M is funky at best . . . and down right nasty most of the rest of the time. It has weirdnesses in it that most humans wouldn't want to see at two in the morning on the late show. If curses work the people who wrote it will spend the afterlife so far down they'll be able to roast marchmallows by holding them over their heads.

It's a treat.

There are a few things one can do to make CP/M run better on the Apple . . . one of the most promising is to install ZCPR2 in it. Suddenly, your system will reboot, your life will become meaningful again, the speaker will sing like Pavarotti or Roger Daltry . . . your choice . . . and you'll live for a million years. Or something like that.

In fact, ZCPR2, when properly installed, will allow you to customize the user interface of CP/M to optimize it for your needs. Whether you program, process words, spread sheets or just generally compute you can make CP/M behave in the most advantageous way for what you're up to.

In fact, ZCPR2 doesn't install easily on the Apple in its usual incarnation. We figured out a way to do it, patched it to remove a few of the wrinkles Apple CP/M normally has and included a detailed instruction file to make the whole thing fairly painless.

In order to use the Apple ZCPR2 package, you will need

An Apple || + or compatible system with 64K of RAM. A Z80 Softcard and Microsoft CP/M master. MAC. COM, CPM56.COM and DDT.COM.

Some knowledge of using assembly language and, of course, our disk. The disk is available for



Apple ZCPR2 Offer Computing Now! Magazine 25 Overlea Boulevard, Suite 601 Toronto, Ontario M4H 1B1



#### Fine Print:

- 1. The entire ZCPR2 package is in the public domain. We are not charging a fee for this code. The cost of this package is to defer the cost of the media, shipping, handling and the patches and preparation done by us.
- 2. Every effort has been made to insure that Apple ZCPR2 will function properly in the environment for which it was designed. Please note that we cannot assist you in adapting it for special applications or for unusual computers.

#### TS 1605 Personal Computer

Operating System: TeleDOS Processor(s): 8088 RAM. 256K Printer I/O:

One parallel, one serial Two slim-line DS DD 5 1/4" floppy Disk Drives Inc:

Screen Format: 80x25 Graphics: 640x200 pixels Sound: Colour: Yes Keyboard: Detached TeleDOS, TeleBASIC

Software Included: Primary Market: Business Manufacturer: Available From: Datamex

Suggested Retail: \$4888.00 base includes colour monitor

#### Tandy 200

Operating System: BASIC Processor(s): RAM: 80C85 24K

Printer I/O: One parallel, one serial; modem Cassette driven; optional floppy 40/16 LCD Disk Drives Inc:

Screen Format: Graphics: 240x128 Sound. Yes Colour: No Keyboard: Integrated

Software Included: Multiplan, word processor, more

Primary Market: Business, home Manufacturer: Tandy Electronics Available From: Radio Shack Stores Suggested Retail: \$1399.00

#### Tandy 1000

Operating System: MS-DOS 8088 Processor(s): RAM: Printer I/O:

Disk Drives Inc: One 360K floppy Screen Format: 40/80x25 Graphics: 320/640x200 Colour: Yes

Detachable Keyboard: Software Included: MS-DOS. BASIC. DeskMate

Primary Market: Business Tandy Electronics Limited Available From: Radio Shack outlets \$1749.00 (one drive) Suggested Retail:

#### Tandy 1200 HD

Operating System: MS-DOS (optional)

Processor(s): 8088 RAM: 256K Printer I/O: One parallel

Disk Drives Inc: One 360K floppy, one 10 Mb HD Screen Format: Optional 40/80x25

Graphics: Sound: Colour: Optional Keyboard: Detachable Software Included: N/A Primary Market:

Tandy Electronics Limited Radio Shack outlets Manufacturer: Available From: Suggested Retail: \$3699.00 (base price)

#### Tandy 6000

Operating System: XENIX 68000, Z80A RAM: 512K Printer I/O:

Two serial, one parallel Disk Drives Inc: Two 1.25 Mb 8" or one with 15 Mb

HD 40/80x24

Screen Format: Graphics: 32 characters in ROM

Sound: Yes Colour Keyboard: Detachable Software Included: **XENIX** Primary Market: Business

Tandy Electronics Radio Shack stores \$6599.00; \$7999.00 with hard disk Available From Suggested Retail:

Direct HPC-FM

Operating System: MS-DOS 2.0 Processor(s): RAM: 256K

Two serial, one parallel Printer I/O: Disk Drives Inc: Two 360K 5-1/4" floppy 80/132x27

Screen Format: Optional Graphics: Sound: Colour Optional Detachable Keyboard:

MS-DOS 2.0 GWBASIC Software Included: Primary Market: Business

Manufacturer: Direct Incorporated

Available From: Datamex Suggested Retail: \$5143.00 including 12" amber monitor

#### Charles River Data System

Operating System: UNIX System V Twin 68000s

RAM: 256K (expandable to 8 Mb)

Printer I/O: Four serial Disk Drives Inc: One 1 Mb floppy, one 10 Mb HD (ex-

pandable to 2 gigabytes)

Screen Format: 640x200/400 Graphics: Sound: Yes Colour: Yes

Keyboard: Requires terminal addition

Software Included: N/A Primary Market: Business

Manufacturer: Charles River Data Systems Available From: Suggested Retail: Micos Computer Systems Inc.

\$19000.00

#### TeleVideo TPC II

Operating System: TeleDOS Processor(s): RAM: 8088 256K

One serial, one parallel Two 5-1/4" 360K floppy Printer I/O: Disk Drives Inc:

40/80x25 Screen Format: 320/640x200 Graphics: Sound: Colour: Yes Keyboard: Detachable

Software Included: TeleDOS, GWBASIC Primary Market: Business Manufacturer: TeleVideo Available From: Datamex Limited Suggested Retail: \$3937.00

#### TeleVideo TS 1603

Operating System: CP/M-86 Processor(s): 8088 RAM: 128K Printer I/O: Serial Disk Drives Inc: Screen Format: Two 5 1/4" floppy 80x24 Graphics: Optional No Sound:

Colour: No Detachable Keyboard: Software Included: CP/M-86 and MMM Ost

Primary Market: Business Manufacturer: Televideo Available From:

Datamex \$4888.00 includes 14" monitor Suggested Retail:

#### TeleVideo TS 803

Operating System: CP/M Processor(s): 7.80A 64K Printer I/O: Serial Disk Drives Inc: Two 5 1/4" floppy Screen Format: 80x24 Graphics: 640x240 pixels

Sound: No Colour: Detachable Keyboard: Software Included: CP/M Primary Market: Business Manufacturer: TeleVideo

Available From Datamex Suggested Retail: \$2943.00 includes 14" screen



#### **Texas Instruments Portable**

Operating System: MS-DOS Processor(s): RAM: 8088 128K Printer I/O:

Serial and parallel One half-height 5 1/4" floppy Disk Drives Inc: Screen Format: 80x25

720x300 pixels Graphics: Sound: Colour: Optional Keyboard: Detachable Software Included: MS-DOS Primary Market: Business

Manufacturer: Texas Instruments Available From: Texas Instruments Suggested Retail: \$3475.00

#### The Big Blue Board

Operating System: MS-DOS or CP/M-86 Processor(s): RAM: 8088 (optional 8087 128K; expandable to 256K Printer I/O: Optional card Disk Drives Inc: Screen Format: One slimline 5 1/4" floppy 80x24 Graphics: 640x200 pixels

Sound: Yes Colour: Yes Keyboard:

Detachable DOS BIOS in EPROM Software Included: Primary Market: Business Robin Hood Electronics Manufacturer: Available From:

Robin Hood Electronics Suggested Retail: \$2495.00 including monitor and keyboard

#### The Link

Operating System: SNAP 6502 Processor(s): RAM: 8K Printer I/O:

Peripheral connector Disk Drives Inc: 8 or 16K RAM modules Screen Format: 26 character LCD

Graphics: 159x8 Sound: Colour: Keyboard: Software Included: Integrated Primary Market: Business Manufacturer: Matsushita Available From: Panasonic Suggested Retail:

#### The Portable

Operating System: MS-DOS, P.A.M. ocessor(s): 8086 RAM: 272K

Printer I/O: One serial, one HP-IL Disk Drives Inc: RAM disk; optional 710K 3 1/2" floppy

80x16 LCD Screen Format: Graphics: 480x128 pixels Sound: Yes Colour:

Keyboard: Integrated Lotus 1-2-3, MS-DOS, P.A.M., WP, Software Included:

Primary Market: Business Manufacturer: Hewlett-Packard Available From: Suggested Retail: Hewlett-Packard \$5158.00

#### The President

Operating System: MS-DOS 8088 Processor(s): 256K RAM.

Printer I/O: One serial, one parallel Disk Drives Inc: Two slimline 5 1/4' floppy 40/80x24 Screen Format:

Graphics: 320/640x200 Sound: Yes Colour: Choice Keyboard: Detachable Software Included: MS-DOS 2.1 Primary Market: Business or Home President Computer Corp. Manufacturer:

President Computer Corp. Available From: Suggested Retail: \$2595.00 including monochrome

monitor

#### **Timex Sinclair 1000**

Operating System: BASIC Z80 Processor(s): RAM:

Printer I/O: 7X Printer interface Disk Drives Inc: Cassette based Screen Format: 32x16 Graphics: 32 graphic characters

Sound: Colour: No Keyboard: Integrated Software Included: BASIC Primary Market: Home Manufacturer: Timex

Available From: Gladstone Electronics

Suggested Retail: \$39.95



#### Toshiba T-100

Operating System: CP/M Z80A Processor(s): RAM. 64K

Serial and parallel Printer I/O: Two 5 1/4" DS DD floppy Disk Drives Inc:

Screen Format: 80x25 Graphics: 640x200 pixels Colour: Optional Keyboard: Detachable

Two BASICs, spreadsheet, word pro-Software Included:

cessor, database Primary Market: Manufacturer: Available From: Toshiba

Irwin Electronics Suggested Retail: N/A

#### Toshiba T-300

Operating System: MS-DOS Processor(s): RAM: 8088

192K; expandable to 512K Printer I/O: One serial, one parallel Disk Drives Inc: Screen Format: One 5 1/4" DD floppy 80x25 640x500 pixels Graphics: Sound: Yes Colour: Yes

Keyboard: Software Included: MS-DOS and TBASIC

Primary Market: Business Manufacturer: Toshiba

Available From: Irwin Electronics, Infinite Canada Inc. Suggested Retail: \$3500.00

#### **Victor Vickie**

**Operating System:** Processor(s): RAM: Printer I/O:

Disk Drives Inc: Screen Format: Graphics: 800x400 Sound: Colour: Keyboard:

Detachable

Software Included: Primary Market: Manufacturer: Available From Suggested Retail:

Business Victor Technologies Zentronic \$5520.00



#### Visual Commuter

Operating System: MS-DOS Processor(s): RAM: 8088 256K

One parallel, one serial Two 360K 5 1/4" floppy Printer I/O: Disk Drives Inc: 80x16/25 LCD Screen Format:

Graphics: N/A Sound: Yes Colour: Keyboard: Detachable

MS-DOS 2.1, GWBASIC Software Included: Primary Market: Business

Visual Computer Incorporated Manufacturer: Available From Nelma Data Limited

Suggested Retail: \$4495.00

#### Winner

Operating System: Processor(s): 6502 and Z80A RAM: 76K Printer I/O: Serial

Optional 5 1/4" floppy Disk Drives Inc: Screen Format: 40/80x24 Graphics: 280x192 pixels

Sound: Yes Colour: Yes Keyboard: Integrated Software Included: BASIC Primary Market: Business or home Manufacturer:

Orion Available From: Orion Electronics Suggested Retail: \$995.00

#### Xerox 16/8 Prof. Comp.

**Operating System:** Supports CP/M-80, CP/M-86 and MS-DOS

Processor(s): RAM: 8086 and Z80A 128K

Printer I/O: Serial and parallel Disk Drives Inc: Screen Format: Optional 2 floppy or 1 hard, 1 floppy

80x24 Graphics: Optional Sound: No Colour: No Detachable Keyboard: Software Included: BASIC Primary Market: Business Manufacturer: Xerox Available From: Xerox Stores

Suggested Retail: \$5595.00 SS drives; \$6795.00 DS

drives

#### Xerox 1810

Operating System: CP/M Processor(s): Proprietary RAM: 64K Printer I/O: Serial and parallel

Disk Drives Inc: Cassette built-in Screen Format: 80x3 Graphics: Yes Sound: Colour: No Keyboard: Integrated

Software Included: Text Editor, electronic mail

Primary Market: Business Manufacturer: Xerox The Xerox Store Available From: Suggested Retail: \$2495.00

#### Zenith ZF 111-32/ZFG 121-32

Operating System: Choice 8088 and 8085 Processor(s): RAM: 128K

Printer I/O: Two serial and one parallel One DS DD 5 1/4" floppy Disk Drives Inc:

Screen Format: 640x225 pixels Graphics: Sound: No Colour: Optional Keyboard: Software Included: Integrated CP/M or ZDOS Primary Market: Business

Manufacturer: Zenith Available From: Local dealers

\$5500.00 (no monitor); \$5600.00 with Suggested Retail:

areen monitor

#### Zenith ZFA 161-21/ZF 151-21

Operating System: MS-DOS Processor(s): 8088 RAM: 128K

Printer I/O:

Disk Drives Inc: One or two 5 1/4" DS DD floppy Screen Format:

Graphics: 640x200 pixels Sound: Yes Colour: Optional Keyboard: Detachable Software Included: MS-DOS, diagnostics Primary Market: Business

Manufacturer: Zenith

Available From Heathkit-Zenith Suggested Retail:

\$3600.00 including 9" monitor; \$3300.00 (desktop)

#### Zeus 2001

Operating System: Variable Processor(s): 6502 RAM: 64K

Printer I/O: Optional serial or parallel Optional 5 1/4" floppy Disk Drives Inc: Screen Format: 280x192 pixels Graphics:

Sound: Yes Colour: Yes Keyboard: Integrated

Software Included: Variable; user's choice Business or home Arcomp Micro Systems Primary Market: Manufacturer: Available From: Chen Koll Enterprises

# **Moorshead Publications**Software Services

## Stockboy Inventory **Control Package**

When we first advertised this program, we would have been pleased with a fraction of the orders we received. On reflection we should have appreciated what a bargain it is. Inventory programs are generally pretty expensive and some of them are inflexible and some even badly engineered. You may find that even small inventories generate enrormous files.

Stockboy is a good, powerful, flexible bargain-priced package which will handle inventory for small businesses. We use Stockboy within Moorshead Publications for our own inventory control and it has stood the

Stockboy can:

- · Maintain an inventory database with current, maximum and minimum stock reporting when an item needs
- · Be a point of sale terminal, adjusting the stock data base on line.
- Produce individual packing lists.
- Generate a customer list to be used in mass mailings.
- Run on any CP/M or MS-DOS based computer, even an Apple II running with a softcard.

Stockboy is written in Microsoft BASIC, and is designed to be easily altered to suit your needs. It can be compiled using BASCOM if you desire. It is designed for use by non-technical operators.

Available for: CP/M and PC formats

\$29.95 most systems \$34.95 for 8"

Ontario residents add 7% PST.

## **Formats**

Where CP/M is shown, the following formats are available:

Apple II + CP/M (see below)

Access Matrix, Morrow Micro Decision, Superbrain, Xerox/Cromenco\*, Epson QX-10VD, Sanyo MBC1000, Nelma Persona, Kaypro II, Osborne Single Density\*, Osborne Double Density, Systel/Olympia, 3R Avatar, Attache, Televideo, Lobo Max-80\*, DEC VT-180, Casio FP-1000, Micromate, Zorba, 8 inch SSSD\*

\*Software marked with an asterisk is the higher price

MDM730 for the Apple II + CP/M requires two disks and is at the higher price.

Available for the IBM PC and genuine compatibles. **AppleDOS** 

For Apple II + and genuine compatible systems.

TRS-80 Model II CP/M

Will operate under either Lifeboat or Pickles and Trout

#### Gemini WordStar **PRESS**

The WordStar printing function is agonizingly slow. It's also not very obliging in regards to where it puts its page numbers and things like headers.

PRESS is a utility which handles the formatted printing of all sorts of text files, be they manuscripts, drafts, program listings ... anything that you'd nor-mally want printed out in page form. It installs the header of your choice at the top of each page and slaps the page number beside it.

It also gives you a running count of the number of characters, lines and pages having hit the printer as you go. It allows you to have your documents printed out in a variety of type size and style permutations, commensurate with the capabilities of your printer.

Most important, however, PRESS will send text to

your printer, formatted and all, as fast as your printer can accept it. It will even adjust the high bits of Word-Star files to avoid selecting the Sanskrit character

PRESS comes configured for the Gemini 10X and 15X printers. It will, in fact, be quite happy with most Epson compatible dot matrix printers. A version is also supplied for use with letter quality daisy wheel

PRESS is a simple to use package which communicates with you in plain English.

Available for: CP/M

\$19.95

Ontario Residents add 7% PST.

Steve's CP/M Wunderdisk!

Volume the First

In the course of doing the last year or so of Computing

Now! we've generated a lot of code. We've collected all the programs we've written... some of which have all the programs we've written... some or writch have never been published in any of our magazines... and put 'em all on one disk. Included are things like STAR, the Gemini 10 printer setup, the Last Wordstar Unhook, CPMAP and the CP/M HOST program, complete with several unreleased support programs

The Wunderdisk is the best collection of tricky CPIM routines on the planet, ideal for anyone who wants to get inside this powerful operating system and sing. It's also the best documented... the programs, for the most part, are written up in issues of Computing Now!

The Wunderdisk is available for: CP/M \$19.95

Ontario Residents add 7% PST.

#### Software Services. Moorshead Publications 25 Overlea Boulevard, Suite 601 Toronto, Ont. M4H 1B1

Phone Orders and Major Credit Cards Accepted

## Apple Wordstar Fixer

Apples and Wordstar are not entirely friendly. Apple compatible systems equipped with Videx type eighty column cards do a number of unpleasant things to this popular word processor. While there are simple cures for this... they all involve some delicate code hacking.
The Fixer solves this problem. Place it on the same

disk as your copy of WS.COM, type FIXER and after suitable amount of disk noise, you will have APWS.COM on there too. This version of Wordstar includes special patching and unhooking code which runs each time you boot Wordstar, and makes your fruit behave as it should. It releases the control K's, translates the left arrow key to a delete character, and patches Unitron keyboards.

In addition, the fixer allows you to set some of the defaults of Wordstar which the MicroPro INSTALL package doesn't really get to. All of these features are menu driven in English for absolute non-technical opera-

Will run in either 44K or 56K CP/M.

Available for:

Apple II + CP/M only.

Ontario Residents add 7% P.S.T.

## computer discount AppleTM is a registered trademark of Apple Computers Inc.

#### Catalogues Available

MICROPROCESSORS
64K standard       \$456.75         64K/n.k.p.       \$471.45         Apple Ile compat       \$699.00
standard keyboard       \$ 79.00         keyboard/n.k.p.       \$ 89.00         48K motherboards       \$288.70
64K motherboards       \$307.91         power supply (EPB)       \$ 75.95         power supply (CSA)       \$ 89.95
assembled unit/no n.k.p. \$194.90 assembled unit/n.k.p. \$214.90 assembled unit (CSA) CALL

#### MONITORS AMDEK amber ......\$159.95

#### **PERIPHERALS** | \$49.55 | Parallel printer | | \$54.95 | 80 col (manual) | | + | | + | \$78.69 | 80 col (auto) | | + | | + | \$83.95 80 col. lle est. 80 col. 64K lle ......\$139.00 eprom writer \$ 69.95 Z-80 (soft) CP/M \$ 51.75 printer buffer 16K ex 64K ..... grappler ..... \$ 69.30 speech \$ 55.00 RS232S (serial) \$ 49.50 RS232C (comm.) \$ 49.50 RS232C (comm.) . .....\$125.40 RS232S (super).....\$134.20 .\$142.50

	DISK DRIVES	
Shugart SA-390		.\$239.95
Chinon C-40		.\$254.95
SA-390 for IIc		.\$259.95
C-40 for IIc		. \$274.95

Contract of the Contract of th	PRINTERS
	CPA80 parallel         \$389.95           Panasonic EN-1091         \$529.00
	ACCESSORIES
	64K RAM kit (9 chips)
	4164-150 ns memory chips 6.00
	data disk bank
	RF mod
	RF mod with sound
	cooling fan w/surge protector \$ 37.48
	in-line surge protector \$ 19.95
	power bar
	joystick for II, II + , IIe (inside)
	joystick for all Apples & IBM\$ 44.95
	monitor tilt stand\$ 25.95
	. IE WE DON'T LIST IT . ASK EOD IT .

#### IF WE DON'T LIST IT • ASK FOR IT •



We accept Certified Cheques, Money Orders, Bank Transfers, C.O.D.s, VISA and Mastercard. VISA and Mastercard add 3%. Cheques require bank clearance. All orders shipped Freight Collect. All subject to availability, acceptance and verification.

All sales final. Prices subject to change without notic Orders normally shipped within 48 hours of payment.

#### **Shop Around And Compare**

"Where Customers Send Their Friends" dana's computer discount, P.O. Box 6295, Station C, Edmonton, Alberta Canada, T5B 4K6 Tel: (403) 429-4718

## **Survey of 200 Computers**

Addresses: Ace Micro-Electronics Corporation, 106-11511 Bridgeport Road, Richmond, British Columbia V6X 1T4 (604) 276-8214 • AFTEK Business Machines Incorporated, 762 Gordon Baker Road, Willowdale, Ontario M2H 3B4 (416) 497–0531 ● Apple Canada Incorporated, 875 Don Mills Road, Don Mills, Ontario M3C 1V9 (416) 444-2531 • Blue Chip Computers, 24 Bayswater Avenue, Ottawa, Ontario K1Y 2E4 • Coleco (Canada) Limited, 4000 St–Ambroise, Montreal, Quebec H4C 2C8 • Commodore Business Machines Limited, 3370 Pharmacy Avenue, Agincourt, Ontario M1W 2K4 (416) .499-4292 • Computech Micro Design, 994 Westport Crescent, Unit A5, Mississauga, Ontario L5T 1G1 (416) 673-3300 Computer Parts Galore Inc., 316 College Street, Toronto, Ontario M5T 1S3 (416) 925-8291 • ComputerLand, 3761 Victoria Park Avenue, #5, Scarborough, Ontario M1W 2S6 (416) 497-5722 • Computron, 17507-107 Avenue, Edmonton, Alberta T5S 1E5 (403) 489-8400 ● Data General (Canada) Incorporated, 2155 Leanne Blvd., Mississauga, Ontario L5K 2K8 (416) 823-7830 • Datacalc Technology Industries Corporation, 224 Slater Road, Cranbrook, British Columbia (604) 489-5343 Datamex, 115 Norfinch Drive, Downsview, Ontario M3N 1W8 (416) 665-1808 • Datapoint Canada Incorporated, 4881 Yonge Street, Suite 700, Willowdale, Ontario M2N 5X3 (416) 222-8005 • DataTech Systems Limited, 135-5665 Kingsway, Burnaby, British Columbia V5H 2G4 (604) 437-3751 • Digital Equipment Company, 165 Attwell Drive, Rexdale, Ontario M9W 595 (416) 675-2580 • DY-4 Systems Inc., 888 Lady Ellen Place, Ottawa, Ontario K1Z 5M1 (613) 728-3711 • Electronic Control Systems, 1590 Matheson Blvd., Mississauga, Ontario L4W 1J1 (416) 625-8036 • Electronic Distributors (Canada), #100-107711 Gambie Road, Richmond, British Columbia V6X 3C9 (604) 270-7811 • Electronic Distributors Incorporated, 3950 Chesswood Drive, Downsview, Ontario M3J 2W6 (416) 636-9404 • Ericsson Communications Incorporated, 1799 Argentia Road, Mississauga, Ontario L5N 3B1 (416) 821-9420 Exceltronix Inc., 319 College Street, Toronto, Ontario M5T 1S2 (416) 921-8941 • Gladstone Electronics, 1736 Avenue Road, Toronto, Ontario M5M 3Y7 (416) 787-1448 • Golden Maple Leaf Computer Systems Limited, 31 Portland Street, Toronto, Ontario M5V 2V9 (416) 593-6280 ● Heathkit-Zenith, 1020 Islington Avenue, Toronto, Ontario M8Z 5X5 (416) 231-4171 • Hewlett-Packard, 6877 Goreway Drive, Mississauga, Ontario L4V 1M8 (416) 678-9340 • HiTECH Computer Systems, 4648-99th Street, Edmonton, Alberta T6E 5H5 (403) 437-0196 • IBM Canada Limited, 3500 Steeles Avenue East, Markham, Ontario L3R 2Z1 (416) 474-2053 • Irwin Electronics, 165 North Queen Street, Etobicoke, Ontario M9C 1A7 (416) 626-6600 • Infinite Canada, Inc., 785 Plymouth, Suite 123, Mont-Royal, Quebec H4P 1B3 (514) 342-6454 • JLS Electronics, 2026 Yonge Street, Toronto, Ontario Lanpar, 85 Torbay Road, Markham, Ontario L3R 1G7 (416) 475-9123 • Leading Source (Division of Lanpar) - See Lanpar • Micos Computer Systems Incorporated, 1295 Eglinton Avenue East, Mississauga, Ontario L4W 3E6 (416) 624-0320 • Micro Computers of Canada Inc., 3410 Midland Avenue, Unit #4, Scarborough, Ontario M1V 2N1 (416) 293-3885 • Micro-Lewis/Compaq Corporation, 895 Don Mills Road, Don Mills, Ontario M3C 1W3 (416) 449-8741 • Neilsen Computers, Inc., 275 Lancaster Street West, Kitchener, Ontario N2H 4V2 (519) 743-1830 • Nelma Data Corporation, 5170-A

Timberlea, Cooksville, Ontario (416) 624-0334 • Norango Computer Systems Inc., 2025 Sheppard Avenue East, Willowdale, Ontario M2J 1V7 (416) 498-5332 • NSN Options Limited, 250 Wyecroft Road, Unit 11, Oakville, Ontario L6K 3T7 (416) 842-6530 • Office Equipment, 525 Denison, Markham, Ontario (416) 491-9330 ● Ogivar Inc., 958 Montee de Liesse, Ville St. Laurent, Quebec H4T 1N8 (514) 334-3642 Olivetti Canada Limited, 1390 Don Mills Road, Don Mills, Ontario M3B 2X3 (416) 447-3351 • Olympia Business Machines Canada Limited, 58 Prince Andrew Place, Don Mills, Ontario M3C 3A2 (416) 445-4212 • Pacific Rim Electronic Imports, Inc., 13439-111 Street, Edmonton, Alberta T5E 4Z7 (403) 475-0555 ● Panasonic Office Automation, 5770 Ambler Drive, Mississauga, Ontario L4W 2T3 (416) 624-5010 • Peach Microcentre, 110 O'Connor Street, Ottawa, Ontario K1P 5M9 (613) 594-4721 • Peripherals Plus, 350 des Erables, Lachine, Quebec H8S 2P9 (514) 364-5554 • Philips Information Systems, 1200 Sheppard Avenue East, Willowdale, Ontario M2K 2S5 (416) 494-8111 • President Computer Corporation, 540 Gordon Baker Road, Willowdale, Ontario M2H 3B4 (416) 492-1455 • Radio Shack, 279 Bayview Drive, Barrie, Ontario L4M 4W5 • Robin Hood Electronics, 20 Strathearn Avenue, Brampton, Ontario L6T 4P7 (416) 791-0025 • ROLM Canada Incorporated, 4 Lansing Square, Willowdale, Ontario M2J 1T1 • Sanyo Canada Inc., Business Systems Division, 50 Beth Nealson Drive, Toronto, Ontario M4H 1M6 • Scarsdale Technologies, Incorporated, 23 Prince Andrew Place, Don Mills, Ontario M3C 2H2 (416) 441-1900 • SC Time Canada, 3900 Victoria Park Avenue, Willowdale, Ontario M2H 3P3 (416) 496-2221 • Semi-Tech Microelectronics Corporation, 390 Steelcase Road East, Units 7 and 8, Markham, Ontario L3R 1G2 (416) 475-2670 • Sharp Electronics of Canada Limited, 116 Galaxy Boulevard, Rexdale, Ontario M9W 4Y6 (416) 675-7244 Sony of Canada Limited, Communications Products Division, 411 Gordon Baker Road, Willowdale, Ontario M2H 2S6 (416) 499-1414 ● Spectravideo Canada, 2913 Lakeshore Boulevard West, Toronto, Ontario M8V 1J3 (416) 252-4550 • Sperry Inc. Computer Systems, 55 City Centre Drive, Mississauga, Ontario L5B 1M4 (416) 270-3030 • SGV Marketing, 1520 Trinity Drive, Unit 16, Mississauga, Ontario L5T 1T6 (416) 673-2323 • TEO Computers and Peripherals, Inc., 275 Steelcase Road East, Markham, Ontario L3R 1G3 (416) 474-9372 • Texas Instruments, Inc., 280 Centre Street East, Richmond Hill, Ontario L4C 1B1 (416) 884–9181 • Tithes Business Systems (Canada) Incorporated, 971 West Broadway, Vancouver, British Columbia V5Z 1K3 (604) 733-8999 ● Total Office Systems Limited, 1050 McNicoll Avenue, Unit 14, Scarborough, Ontario M1W 2L8 (416) 493-3575 • Xerox Store, 703 Don Mills Road, Don Mills, Ontario M3C 1S2 • Zentronics, 8 Tilbury Road, Brampton, Ontario L6T 3T4 (416) 451-9600

# NOW... Software YOU control

## Industrial Strength Software for Business

A unique new software that is A unique new sortware triacis powerful, flexible and easy to poweriui, nexible and easy to learn and use. Intuit's power is rearn and use. mult 5 power is controlled by just 22 functions clearly labelled on your computer clearly labelled on your computer. keyboard. On IBM-PC® and compatibles, each of the function keys has just two unchanging uses. You can move freely between activities with the press of a key. And, for all its simplicity, INTUIT packs the power of comparable standalogocomics. of comparable stand-alone software.

Directory & File Management Multi-level, hierarchical directories • Long multi-word file names to 67 characters multi-word file names to b/ characters
• Directories up to 4,000 entries • Files easily renamed, copied and moved througheasily renameu, cupied and moved throughout the directory system. Directories can be corted. Directory system canable of order sorted Directory system capable of organizing and managing all disk resources of a typical computer

User selectable word wrap • Search plus Search and Replace • Insert line and character • Delete and kepiace • insertine and character • Block move, copy, print, sort, line and character • Block move, copy, print, sort, and character • Block move, copy, and character • Block move, copy, copy, and character • Block move, copy, and delete Horizontal and vertical scrolling Direct positioning to any | location in document

Automatic pagination • Automatic chapter, section, Automatic pagination Automatic chapter, section, paragraph, subparagraph and list numbering in several paragraph. paragraph, supparagraph and list numbering in several styles • Titles and text of chapters, sections, paragraphs, indented indent styles • Ittles and text of chapters, sections, paragraphs, subparagraphs and lists automatically formatted, indented or centered and spaced • Underlining holdford cincol supparagraphs and lists automatically formatted, indenti-or centered and spaced • Underlining, boldface, super-construction • English Accuments or centered and spaced • Underlining, boldface, super script and subscript • Formats remain with documents when moved or copied

Up to 65 alpha-numeric or numeric fields per record Records (Database) Sortable on any two fields • True numeric sorts on
 Sortable on any two fields • True numeric sorts on the fields of the fields • True numeric sorts on the fields of the fields • True numeric sorts on the fields • True • Sortable on any two neids • True numeric sorts on numeric fields • Multi-field find specifications with full logic • Additional fields up to 65 field limit can be logic • Additional fields up to 65 field limit. numeric fields • Multi-field find specifications with full logic • Additional fields, up to 65 field limit, can be Field logic • Additional fields, up to 65 field limit, can be appended to original file • Easy file configuration • Field appended to original file • Easy file Multi-file merges with names and sizes can be changed • Multi-file merges can be changed • Multi appended to original file • Easy file configuration • Field manes and sizes can be changed • Multi-file merges with

special applications INTUIT is another special product which impressed us at Moorshead Publications so pressed us at Muorshead runneaums some much that we have made special arrange. ments to supply our readers directly. In midmems to supply our readers directly. In mid-1985 it will be available in major stores but until then it is exclusively available from Moorshead Publications.

## What the Experts Say . . .

. . extremely simple and powerful to use . . . , The word processor alone is worth the price. WHOLE EARTH SOFTWARE CATALOGUE

"In our testing we could not make ' Intuit' misbehave in any manner, despite our best efforts. INFOWORLD

"Some of the concepts implemented by 'Intuit' are nothing short of amazing. SOFTWARE NOW!

WHOLE EARTH SOFTWARE REVIEW "...' Intuit' is the steal of the year."

Standard applications providing utilities for full volume Standard applications providing unities for full volume directory listings, disk formatting, file merging, multi-file **Applications** onectory insurings, disk formatting, rise merging, mutu-file printing and others • Future add-on applications include printing and others business applies communications. printing and others • Future add-on applications include screen and plotter business graphics, communications, screen and plotter business graphics generator spelling checker, table of contents generator

With the INTUIT system, everything can be copied to text and between subjects of like type. Almost everything else is and between subjects of like type. Almost everything else is and between subjects of like type. Almost everything can be copyable from place to place where this does not destroy and between place to place where this does not destroy. and between subjects of like type. Almost everything else to place to place where this does not destroy the original magning of the information. Integration cupyable from place to place where this does not destroy the original meaning of the information. Information can also be original between the original meaning of the information. the original meaning of the information. Information calls be copied between INTUIT and MSDOS® disks, also be copied between INTUIT and MSUUS disks, allowing interchange of textual information between other programs and INTLIIT programs and INTUIT.

200 rows by 65 columns or 65 rows by 200 columns user Tables (Spreadsheet) 200 rows by 65 columns or 65 rows by 200 columns user selectable and not dependent on memory size • English selectable and not dependent on memory size English
language command format Rows, Columns and Cells can
be referenced by multi-avord names or by numeric coord. language command format Kows, Columns and Cells carbon be referenced by multi-word names or by numeric coordinates and college and the control of the college and the college be referenced by multi-word names or by numeric coordinates. Named procedures allow user to create custominates. Named procedures allow user to create custominates. Thirtworks including loops and conditional companies. inates • Named procedures allow user to create custom-ized commands • Thirty verbs including loops and condi-tionals • Direct entry of numbers into cells with automatic tionals • Direct entry of numbers • Flexible formatting comma formatting for large numbers • Flexible formatting tionals • Urrect entry of numbers into cells with automatic

of the state of the st cumma normatting for large numbers • Flexible formatting including percent signs, dollar signs, brackets for negative amounts and underlines amounts and underlines

Free format screen layouts for entry and printing of datarree tormat screen tayouts for entry and printing of data-base records • Flexible report generation and mail merge base records • Flexible report generation and mail merge
• Computed numeric fields • Text formatting within forms **Forms**  Computed numeric fields Text formatting within forms
 Supports multi-page reports and letters Sort, find, and supports multi-page reports and letters selected item printing within forms

Four function memory calculator can be used Other Features Four function memory calculator can be used anywhere • Easy note taking • Full screen explanations of the components. anywhere Lasy note taking Full screen exitions at the press of a key Full screen error messages at user's request

IBM PC® or XT plus most IBM compatibles with at least one floppy disk and 256 KB of RAM Hardware at reast one hoppy unsk and 250 kb or kvary memory • INTUIT supports fully configured. systems yet runs without limitation on a minibysiems yet runs without militation on a military mum system • Winchester disk fully support mum system • vymichester usik runy supported on the IBM XT • Both monochrome and colour displays supported • A large list of printers can be used Both serial and parallel ports supported.

Exclusive Canadian Distributor:

# Computron

Edmonton • Toronto

If for any reason you are not completely satisfied with INTUIT, pietery saustieu with 1191011, return it in good condition within seven days and we will refund your money in full without question (shipping charges



		AC
-	war Mrs. Miss	V151
	Name (Mr/Mrs./Miss/	
		_

Address\_


ONS Ontario	Mari
O: MOORSHEAD PUBLICATIONS O: MOORSHEAD PUBLI	Total
MOORSHEAD Suite Bo Price	
O: No Overlea 1st class register Oty	¢750

Please send me by 1st class registe \$7.50

ase				
	Handling sidents add 7% PS		TOTAL:	iation
TIUT	Handling DS	1	1011	d Publication
waning and	Handling sidents add 7% PS		. to Moorshed	Eynress
Shipp : Res	sidents at	1-r nava	ble to meric	an LAP
Ontario	1.00	ney order per	risa Likit	
	cheque mo	-card		
343	-a my chia	asterca		1-113

Charge to my: ☐ Mastercard Expiry Date Offer expires May 31, 1985 ☐ I enclose my chea

\_Postal Code\_ We will have a limited number of INTUIT Available at our Toronto offices for pickin orders ave a nimited number of INTUIT Available at our Toronto offices for pickup orders. Please call first to ensure Please call first to ensure



## **E**xceltronix

Components & Computing Inc.

Mail Orders to Exceltronix, 319 College St., Toronto, Ont., M5T 1S2

**Order Form** 

We also accept phone orders: (416) 252-5285, if busy (416) 921-8941 Check our advertisements monthly in Electronics Today and Computing Now! Magazines. Long distance (orders only) 1-800-268-3798.

Name Address City Date	Prov	All non-certified cheques wi working days for clearance are shipped. Ontario resid PST unless proper exempt are supplied with order. specifications subject to condice. No returns accepte written consent of Shipping A 15% restocking charge wall returned items. Returns unless prior written RMA# (tained from the mail order must appear on package.	e before orders ents must add ion certificates All prices and change without d without prior Dept. manager. ill be applied to will be refused approval) is ob-
QTY	Description	Price Each	Total Price
		THE BUILDING THE WORLD	
		The state of the s	
	A No. of the Contract of the C		
CONTRACTOR OF THE REAL PROPERTY.			
		otal for goods (Minimum \$10.00) bing (Minimum \$5 — see below)* Ontario Residents add 7% PST Adjustments	
		Total	4-9 (C) (A)
*Shipping: Minimum \$5 w costs are dependent on	hich includes handling and insurance. Items are weight and destination, if you are unsure contact	shipped UPS or other suitable ca our Mail Order Department.	rrier. Shipping
Payment:   Cheque	☐ Money Order ☐ Credit Card. Do NOT sen	d cash.	
We accept Visa, Masterca ( ) Visa ( ) Masterca	ard, American Express and Diner's Club Credit Car ard ( ) American Express ( ) Diner's Club		
Card No	Expiry Date	Signature	
All prices are in Canadian	funds EST included	Please feel free to photocon	u Abia and and

Eugen Hutka still takes an active interest in all aspects of the company's business and is seen here inspecting products on the production line.



The display signs used through the Toronto subway system are products developed and produced by Multiflex and Versa-Digital.



Almost all products are flow soldered and ultrasonically cleaned in Multiflex's 5,000 square feet production facilities.



The Hamilton branch of Exceltronix opened in 1984. There is also a similar sized stored in Ottawa.



Almost \$1 million was spent last year by the group on research and development of new products.

## **Exceltronix**

Components & Computing Inc.

# A successful, rapidly expanding all-Canadian company committed to high technology.

Founded in 1979 by Eugen Hutka, the **Exceltronix** group has grown to sales approaching \$9 million a year with four retail branches, the original (but much expanded) one at 319 College Street in Toronto, 335 Evans Avenue also in Toronto and with Branches in Ottawa and Hamilton.

From a retail store specializing in electronic parts, **Exceltronix** is now only one of a group of companies, all controlled by Eugen Hutka.

Activities range from original research and development (almost \$1 million was devoted solely to this last year), to manufacturing, to retailing and mail order.

Multiflex Inventions and Technologies Inc. are major suppliers to Canadian industry: the advanced message display signs in the Toronto Subway system were designed by Multiflex and manufactured by Versa-Digital Inc. and similar systems are in use with VIA Rail. Multiflex and associated companies do custom design, development and manufacture for all types of customers, including Northern Telecom, CGE and Bombardier. Currently we are working on the signs system for the Vancouver ALRT (Advanced Light Rapid Transit).

Despite its phenomenal growth, **Exceltronix** has not forgotten what led to this success: personal service, and competitive prices. The same company who are mass producing IBM and Apple compatible peripheral cards will still sell you a single resistor if that is what you want.

**Exceltronix** and its sister organizations are proud, expanding, all-Canadian companies.

#### **Associated Companies:**

Exceltronix Inc.
Multiflex Inventions and
Technologies Inc.
BEST Computers of Canada Inc.
Toronto Computing Centre Inc.
Versa-Digital Technology Inc.
Digi media Inc.
XL Electronix Computer
Music Centre

Exceltronix Spring Catalogue 1985 — 3

## \$2,695.00



#### Includes

- 256K RAM
- 40KB ROM, self test
- One 369 KB diskette drive
- · High Speed 16 bit microprocessor, (8088).
- · Operating system 2.10, UCSD P-System & CP/M 86.
- Floppy controller
- Keyboard
- · Five expansion slots

\$5,895.00

- (1) IBM 10 Meg Hard Drive
- (1) IBM 360 KB Disk Drive
- · Async adapter & Keyboard
- 128KB RAM
- 40KB ROM
- · 8 expansion slots
- IBM DOS 2.10

#### **IBM Personal Computer AT System**

**Basic Model** hanced Model **IBM Monitor**. **IBM Mono Card** 

#### **BEST MODEM**

The BEST modem is a smart 1200/300 direct connect modem. It can either be a stand-alone unit in which case it requires a small wall adaptor, or it plugs in one of the IBM slots. When used as a stand-alone unit, the modem looks like a Hayes 1200 Smart Modem, that is, it emulates the same instruction set. When it is used in the IBM, it looks like an intelligent serial communications port which also supports a super-set of the Hayes instruction set.

The modem supports auto-dial, auto-answer, and auto-speed select directly from software control. The modem also has a speaker so that aural monitoring of the call is possible. There are also LED monitors so that the state of the modem can always be known. These LEDs are: Modem Ready, Auto-Answer enabled, Carrier Detected, Transmitting, Receiving, Data Set ready.

Software packages such as Crosstalk, PC-talk, and Hayes' Smartcomll also will run with this modem.

A version with 300 Baud only is available



300 Baud **\$179.00** 300/1200 Baud **\$379.00** 

4 — Exceltronix Spring Catalogue 1985


#### EXPANSION SYSTEM for your IBM PC

- Adds 8 extra slots to your IBM.
- · Allows you to convert an IBM PC into a 10 Meg or 20 Meg. Hard Disk System with lots of memory and Tape Drive.
- Designed to sit beside or under your IBM PC (connected by ribbon cable).
- Comes with its own powerful 150W power supply and ventilation fan.
- Attractively packaged in an IBM styled case
- Host adaptor plugs into your IBM PC

The BEST expansion system consist of two boards, the extender card and the receiver/host card. The receiver/host card is mounted in a new chassis with a 150W power supply and room for 4 slimline drives (floppy or hard).

The extender card resides in your host IBM machine. The purpose of this card is to buffer the system bus for transmission along a 62 wire cable to the host card. The host card then receives the signals and regenerates the bus. The extender card also has onboard diagnostic hardware which is activated on each power up to ensure integrity of the expansion system.

The Expansion System comes in an attractive IBM style case but we show it here in a more interesting form: naked!



Extender Board

Host Adaptor

The host/receiver card resides in a new chassis external to your IBM machine. This board receives signals sent by the extender card and regenerates the standard IBM bus. The host board provides another 8 slots on the bus for greater expansion than a single IBM machine could give. The host board is powered by a powerful 150W power supply independent of your host machine, thus providing enough power for additional disk drives or expansion boards.

Complete with power supply, boards and cables . \$599.00 

IBM is a registered trademark of IBM Canada Ltd.

See our advertising every month in Electronics Today and **Computing Now! magazines.** 

#### The

# B = 51 Mark

Microcomputer Superb **IBM PC & XT** Compatibility

**300 day warranty Now with many NEW standard** features

- Uses 8088 microprocessor.
- New Feature, 256K RAM as standard.
- New Feature. Comes with the latest 41256 RAM
- Expandable up to 512K and more on main board using 41256 RAM chips.
- New Feature. 7 expansion slots, each being identical for the user to upgrade as required.
- New Feature. Fitted with 150W power supply so system can be upgraded to a hard disk without changing power supply.
- New Feature. Flip-Top case.
- DMA controller. Three of the DMA channels are available to the user.
- New Feature. Even most basic versions come with Parallel and Serial Ports and Real Time Clock.
- Half watt speaker.
- Pre-socketed for optional coprocessors such as the 8087 math processor.

- Keyboard Interface compatible with IBM compati
  - ble keyboards through a 5-pin DIN connector.
  - Three ROM sockets are available to the user, one generally holding the Phoenix BIOS.
  - New Feature. Reset switch.
  - Timer/Counter used by the system for Real Time Clock, time base and for tone generation.
  - Complete with the Phoenix BIOS, identical to that used by many of the large US companies manufacturing IBM compatible computers.
  - Comes with two Slimline DS, DD 51/4" 360K Disk Drives.
  - Colour Video (RGB and composite) and Disk Controller cards included.
  - 230V models available.
  - 300 Day warranty.

Tape Drive option backup suitable for all systems ..... Call

#### The BEST 256K Mark II

As described above with 256K memory (using 41256 chips), Two DS, DD disk 360K drives, RS232 and parallel port, Real Time Clock, 7 slots, Phoenix **BIOS, Colour Video and** Disk Controller Cards, Keyboard and much, much more.

# Mark II

As 256K Mark II but with 512K on board

\$1949

#### The BEST 10 Meg **Hard Drive** Mark II

As 256K Mark II but with 10 Meg Hard **Drive (Supplied with** one Floppy Drive. For second drive add \$200).

#### The BEST 10 Meg/512K Mark II

As 256K Mark II but with 10 Meg Hard Drive and 512K on board. (Supplied with one Floppy Drive. For second drive add \$200).

#### The BEST 20 Meg/512K Mark II


As 256K Mark II but with 20 Meg Hard Drive with 512K on board. (Supplied with one Floppy Drive. For second drive add \$200).



Designed, manufactured, warranted, serviced and supported by our group of companies here in Canada.

Please Note: Don't be put off by our spectacularly low price; this is due to the fact we do not deal with middlemen and our volume buying power of parts. All BESTs are manufactured in Canada to the highest quality standards using prime, guaranteed components by our sister company. All systems pretested (burnt-in) for about 48 hours before shipping. Hundreds of happy customers report excellent reliability and compatibility.

## r compatibl



This board was designed to be compatible with a wide variety of display systems. Two types of output connectors are provided: 1) composite baseband video 2) direct RGB drive (9 pin D-shell Connector). In addition a light pen port is provided. It must be stressed that this card can be used in black and white with comparable resolution to that of the black and white board. Thus a low cost black and white monitor could be used in place of the more expensive colour monitor without loss of performance (of course colour cannot be achieved on a black and white monitor).

There are 4 modes of supported operation (more are available but the user must write his own software); low resolution graphics, high resolution graphics, low resolution alphanumerics, and high resolution alphanumerics. In the low resolution modes colour is available in a variety of foreground/ background/overscan colours. In high res. there is only black and white available, this is due to the video memory limitation.

#### LOW RESOLUTION:

In low res. graphics the screen is memory mapped into 320 PELS by 200 rows. Each PEL may have one of four colours. The background colour may be one of 16 possible colours the other three may be one of two selectable palettes, namely green/red/brown or cyan/magenta/white.

HIGH RESOLUTION:

In this mode all of the memory is mapped to the screen, thus only black and white is available. In high res. there are 640 PELS by 200 rows, twice that of low res.

In both low and high res. alphanumeric mode the characters are generated via an eprom, thus special characters are easily implemented. In addition, it is possible for the user to specify the location of his own eprom external to the video board and be able to utilize both eproms for character generation.

#### LOW RESOLUTION:

Low res. is characterized by 40 columns by 25 rows of characters. Each character is composed of an 8x8 dot matrix. The characters are enclosed in a 7x7 matrix within this box, with 1 line for descenders. Sixteen foreground colours are supported and 8 background colours are available. In addition, blinking of individual characters is also

#### HIGH RESOLUTION:

High res. supports the standard 80x25 character matrix for high bandwidth monitors. Because all of the memory is used to display characters, colour is not available, however high res. supports the following on a per character basis: reverse video, blinking and highlighting

#### FLOPPY CONTROLLER BOARD AND OPTIONS

Also see page 8 for New floppy



This board actually contains three separate units, one being standard and the other two being options. The standard unit is the floppy controller card. The options being the asynchronous serial interface and the other being a real time clock with battery backup

#### 

This controller can control four 51/4" floppy disks. Two disks are controlled by an internal daisychained ribbon cable, the other two are connected externally through the back pannel via a connector. The controller is based on the NEC Upd 765 or Intel 8272 chip and can control double density/double sided floppy disks, thus giving a formatted capacity of about 320K bytes per drive. The card uses the main boards interrupt and DMA capabilities to improve performance. The board also features write precompensation and digital phase lock loops for "solid" reliability.

#### ASYNCHRONOUS COMMUNICATIONS

Communication is achieved through one of two means: standard RS232 protocol or though a 20mA current loop.

The transmission speed is programmable from 50 to 9600 baud, with 5,6,7, or 8 bits per character and 1,1½, or 2 stop bits, any combination is supported. The system is based on the INS8250 chip which also provides the following features in addition to those above:

- full double buffering, eliminating expensive, precise synchronization.
   full modem control functions: CTS, RTS, DSR, DTR, and RI.
- false start bit detection
- line break generation and detection.

This card interfaces easily to any one of the popular modems as well as being able to fully exploit the capabilities of the 'smart' modems.

This option is based on the MM58274 CMOS chip, thus better backup is easily implemented, this allows continuous time keeping even when the machine is powered down. (Includes real time software).

**FLOPPY BOARD including both options** 

(No cables included)

#### ROGR





#### External Card.

This card can program any one of the following eproms: 2716, 2732, 2732a, 2764, and the new 27128s. Two sockets are available on the adaptor board, one for the 28 pin eproms the other for the 24 pins eproms. These sockets are standard sockets, however as an option ZIF sockets will be inserted. (We recommend ZIF sockets if large number of eproms will be programmed). Also as an option an extension board is available, this board attaches to the adaptor via a ribbon cable and extends out the back panel. This is to allow eproms to be programmed without removing the cabinet cover every time programming is to be performed. Also as a standard feature, the source software is supplied to allow users to modify the programme to suit their needs.

As an option a serial port can be included on the card; this serial port has the same features as the port described with the floppy disk controller (see the floppy disk description for documentation of the serial port).

#### EPROM PROGRAMMER CARD FTWARE)

#### EPROM PROGRAMMER WITH ZIF SOCKETS (WITH SOFTWARE)

With one 24-pin SIF socket and one 28-pin ZIF socket with 

Ready to plug into the main EPROM Card (includes one 24-pin and one 28-pin ZIF socket and cable). Saves you from opening the computer each time you want to program your EPROMS......\$69.00


#### SERIAL OPTION

For your main EPROM programmer. Provides you with a second RS232 serial port.....\$49

#### PARALL (4.1V) = 5

\$79.00

(cables extra)



This low cost board allows any IBM compatible printer to be connected to the system. The printer signals are through a DB25 connector and can be connected to many parallel Ideal Printers - Gemini, Epson, TTX printers. This card is not only for printers, but can be used where parallel data must be transmitted from the system. It has 12 TTL output lines which can be written and read under program control. Usually 8 are used for data and the others are used for handshaking with the external device. There is also an interrupt line, which the external hardware can 'tickle' for prompt immediate service. (Such applications as real time data acquisition).

The game port allows 4 paddles or two joysticks to be connected to the system. In fact any variable resistive element could be connected and the software would still give a value proportional to the resistance. This allows industrial applications to be realized easily with existing hardware.



emory: Capable of adding up to 256K of memory to your existing system. This card allows 4 boundary selection by means of a dip switch (the boundary locations are 256K, 384K, 512K and 640K). For special applications, other boundaries can be preprogrammed at the factory.

Serial Port: Serial port can be configured on MS DOS standard COM1 or COM2. (For more details, read about the assynchronous communication option on floppy disk controller board on page

arallel Port: Supports one of two standard MS DOS printer ports LPT 2 or LPT 3 which are dip switch selectable. (For more information see the description of the parallel game/port card on page

me Port The game port allows 4 paddles or two joysticks to be connected to the system. In fact any variable resistive element could be connected and the software would still give a value proportional to the resistance. This allows industrial applications to be realized easily with existing hardware.

Clock/Calendar Real Time Clock: This option is based on the MM58274 CMOS chip, thus battery backup is easily implemented, this allows continuous time keeping even when the machine is powered down. (Battery back-up and real time software are in cluded)

64K PENTARAM package with all the options ....\$279.00

256K PENTARAM package with all the options ... \$359.00


512K PENTARAM package with all options using 41256-150nS RAM'S ........

This is a high quality professional "Best" card at affordable prices—a hard to beat deal!

NOTE: this product comes with a 6 month warranty. However, warranty is void if anytampering is done with the board.

#### BUBBLE MEMORY BOARD

\$2,295.00



These bubble memory boards emulate hard and floppy disks. Each board comes with 512Kb of memory and can be assigned as disk A,B,C,D,E, or F. Also the bubble memory can be configured so that the system can boot from the bubble once it has been formatted. Each board of 512Kb is emulated as 2 floppies with 256Kb each or 1 512Kb hard drive. The software that comes with the package allows the user to configure the system as he requires.

There is also a special mode which allows the user to use the bubble memory as a block access memory peripheral

#### ANALOG TO DIGITAL AND DIGITAL TO **ANALOG CONVERSION BOARD**

The board contains two separate functions:

1) an analog to digital conversion unit 2) a digital to analog conversion unit.

The following perts to both functions: both have 12 bit resolution, both have a maximum sampling frequency of 100,000 Hz and both have a hardware queue of 32 samples, i.e.,

The A/D section has 8 inputs which are enabled by the initializing software supplied. If there are 8 inputs being used, then the output stream has 8 interleaved samples. The software suppplied will open a file and put the samples in this file. Note however, that it is not possible to write that file to disk since the access time for a floppy disk is

The D/A section has 8 outputs which are again enabled by initializing software. If more than 1 output is used, then the output data must be interleaved (similar to the input). The supplied software will allow the user to specify a file for outputting and the software will take care of the rest.

Note that only the A/D section or the D/A section can be working at the same time.

#### **BEST PROTOTYPING BOARD**


\$28.95

This full length board is a very simple card which allows anyone to design proprietary hardware for his IBM machine. The board is virtually all holes in which to place wirewrap sockets or soldertail sockets. The circuitry provided just decodes the addresses properly so that the board fits into the defined IBM prototyping space. This does not mean that the user is confined to this area alone, since full access is given to the IBM expansion bus

#### The Best Quanta Board

with all options shown below

\$179.00



This BEST peripheral board contains four separate functions:

Features

1) two RS-232 serial ports: COM1 and COM2

2) a printer/parallel port

3) a game port adaptor

4) a real time clock

#### Without real-time clock \$159.00

#### 1. SERIAL PORT

This board contains two RS232-C serial communications ports. Each is individually selectable or de-selectable by a set of jumpers, this allows the user to configure his machine without contention, in case he already has a serial port. The ports are located such that DOS recognizes them as COM1 and COM2; the primary and secondary serial ports respectively.

Each port is RS232 compatible with DTR, DSR, RTS, CTS, CD, and RI fully supported. In addition each port supports the IBM PC ma current loop. The controller is based on the 8250 chip and can support speeds up to 9600 baud.

#### 2. PRINTER/PARALLEL PORT

This port allows any IBM compatible (parallel interface) printer to be connected to the system. The printer signals go through a DB25 connector and can be connected to many parallel printers. This card is not only for printers, but can be used where parallel data must be transmitted from the system. It has 12 TTL output lines which can be written and read under program control. Usually 8 are used for data and the others are used for handshaking with the external device. There is also an interrupt line which the external hardware can 'tickle' for promp immediate service. (For such applications as real time data acquisition).


#### 3. GAME PORT

The game port allows four paddles or two joysticks to be connected to the system. In fact any variable resistive element could be connected and the software would still give a value proportional to the resistance. This allows industrial applications to be realized easily with existing hardware

#### 4. REAL TIME CLOCK/CALENDER

This option is based on the MM58274 chip. It is a CMOS chip, thus battery backup is easily implemented, and allows continuous time keeping even when the machine is powered down. Also included is the software drive and installation manual which incorporates the hardware into DOS

#### **BEST 512K RAM BOARD**



The board provides the user with an impressive half megabyte expansion RAM to be used in conjunction with the RAM already on his main system board. The board has 8 banks of nine 64K RAM chips, 8 bits of data, 1 bit for parity. Each bank is individually selected: this implies that the user need not have continuous memory space but can have a gap of at least 64K. This is important for RAM-DISK users who want to protect their RAM-DISK from reset RAM checks of the bios. In addition the RAMboard can start on the following boundries: 64K, 128K, 192K, and 256K. Thus, if you own an older IBM system with only 64K onboard, you are not excluded from using this board. Also there is a hardware switch which can enable or disable the onboard parity checking generator.

OEM designers please note: the above boundary and bank selection is not fixed since the selection mechanism is in proprietary firmware, and can be easily modified to suit individual needs.

512 Memory Board with 64K of Ram	\$179.00
512 Memory with 256K	\$259.00
512 Loaded Memory with 512K	\$365.00

Exceltronix Spring Catalogue 1985 — 7

## xceltronix

## Printers

#### **Dot Matrix Printers**

Exceltronix is a an authorized Star Micronics dealer and repair centre.

#### **Star Micronics** 1 Year warranty

Gemini 10X ● 120 c.p.s., ● 816 characters print buffer, option 4K or 8K • standard parallel, optional RS232C • tractor & friction feed \$349.00



#### **New from Star Micronics SG-10** Printer

#### **Ideal for Text & Graphics** (Similar appearance to Gemini 10X/15X)

 Dual Mode - NLQ/draft standard (NLQ = near letter quality) • 120 CPS and 20% faster throughput • Bidirectional, logic/seeking • 2K buffer (expandable to 6K with optional buffer interface) • 100% IBM PC or Star standard control codes-switch selected • Friction and tractor standard • full 1 year warranty • 10" wide carriage • Standard parallel interface (serial optional) ......\$399.00

#### SD-15 same as SD-10

Except with 15" carriage	and
standard 16K buffer	\$599.00

#### Radix

15" 200 cps, 100% duty cycle • 16k buffer • serial & parallel standard • proportional & downloadable characters • 240 x 144 Ultra High Res. • tractor & fiction... 

#### SR-15

• 200 cps and 20% faster throughput • 100% IBM PC or Star standard control codes switch selected • Dual Mode - NLQ/draft standard Friction/tractor and automatic single sheet feed - standard • 15" carriage • 16K buffer
 Bidirectional, logic seeking • Price/performance leader • Parallel port standard, serial optional • Full 1 year warranty. \$995.00

#### **Star Printer Accessories**

Printhead\$80.0	0
Printwheel\$18.0	0
Ribbons\$4.5	0
Paper (500 sheets) (81/2 x11)	5
Paper (2,000 sheets) (81/2 x11)\$32.0	0
Dust covers\$8.5	0
Printer Stand (plastic) 10"\$34.0	
Printer Stand (plastic) 15"	0
8 — Exceltronix Spring Catalogue 1985	Ĭ,
- Excellionix Spring Catalogue 1985	

#### **Epson**



1 year warranty,

RX80 • 100 c.p.s. • standard, Centronics-style 8 bit parallel optional IEEE 488, RS-232C, etc. • 10" tractor • RX80 ......\$495.00 RX80 F/T (all features as above + friction feed .....\$615.00

FX80 • 160 c.p.s. • standard Centronics-style 8 bit parallel • 10" carriage, tractor and friction .....\$749.00

FX100 • 160 c.p.s. • standard, Centronics-style 8 bit parallel • 15" carriage, tractor & 

RX100 • 100 c.p.s. • standard Centronics-style 8 bit parallel • 15" carriage, tractor & 

#### Epson

LQ1500 ● 200 c.p.s. ● NLQ (near letter quality) ● optional: parallel, IEEE-488, RS-232C/current loop ● 15", friction, optional tractor (\$79.00) ● \$1,895.00

#### Okidata

#### **TOP VALUE**

#### ML82A

• 120 cps bidirectional printing • 80 columns with standard characters • 132 columns with condensed characters • Friction and pin feed paper handling . Switch selectable serial and 

• 120 cps bidirectional printing • 136 columns with standard characters • 224 columns with condensed characters • Friction and tractor 

• 200 cps bidrectional printing • Word processing features, 50 cps correspondence quality printing, proportional character spacing • 231 columns with condensed characters • Tractor and friction feed paper handling . Parallel or optional serial interfaces • All Points Addressable 

• 160 cps bidirectional printing • 40 cps correspondence quality printing • Proportional spacing • Six program-selectable character sizes • Friction and pin feed paper handling · Parallel interface standard · Serial RS232 optional ......\$679.00

• 160 cps bidirectional printing • 40 cps correspondence quality printing • 233 columns with condensed characters . Tractor and friction feed paper handling . Parallel or optional serial interace • All Points Addressable graphics

.....\$1069.00

See page 22 for our Intelligent Printer Switch: essential aid in the classroom.

#### ML182 \$390.00

• 120 cps bidirectional printing • Friction and adjustable pin feed paper handling • Parallel interface (serial optional) • All Points Addressable graphics • 5 foreign lanuage sets

#### ML1825 \$449.00 (with Serial option)

#### **OKIMATE 20 \$389.00**

• Color Screen Print Software Package • 80 cps undirectional printing • 40 cps correspondence quality • 24 element, long-life printhead with snap-in "no tool" replacement • IBM character sets 1 & 2 plus • High resolution 144 x 144 DPI graphics • Plain, thermal or acetate paper • Friction and pin feed paper handling (roll paper stand optional) . Variable width tractor feed

LP20 ● 20 c.p.s. ● 13" friction, opt. tractor ● \$1,080,00

1140 ● 40 c.p.s. ● 15" friction, opt. tractor ● \$2,580.00

1155 • 55 c.p.s. • friction, optional tractor • \$2,880.00

#### **Smith Corona**

(one year warranty)

L1000 ● 12 cps ● 10-12-15 c.p.i. ● serial and parallel • friction feed, tractor optional • 13" paper width • \$589.00 Ultrasonic III Messenger . . . . . . . . . . . . \$829.00

#### Star-Micronics — Power Type daisywheel printer \$639.00



Printer: Static Font impact system Print Wheel: 96 petal wheel

Print Speed: 18 c.p.s. bi-directional, logic seek-

Paper Slew Speed: 12 l.p.s. @1/6" spacing

Print Buffer: One line Print Size: 10,12, 15 c.p.i and proportional spac-

Number of Columns: 110,132, 165

Character Sets: over 100 Type fonts available. Special Features: proportional spacing; dual interface; standard printer mode and word processing mode; 32 easy access format switches reverse paper feed; short form tear-off; cassette ribbon; tractor optional; skip over perforation; 7 or 8 bit selectable interface; self-test

Line Spacing: 3,4,6,8 lines/inch; switch and software selectable

Paper Handling: single sheet: 5.5" to 8.5" wide: sprocket 4" to 13" wide; copies 3 carbonless

Ribbon standard cassette

Interface standard parallel (Centronics compatible) and serial RS232C-20mA current loop **Dimensions** 19.6"w x 14.3"d x 5.5"h Weight 22 pounds

Product specifications and prices subject to change without notice.

INTRODUCING...

CANADA'S MIDI SPECIALISTS

# XL electronix COMPUTER MUSIC

**EXAMAHA** CX5M System



The CX5M is a computer designed specifically to be used by composers, and arrangers, both amateur and professional. With a digital FM voice generator built in — the same type as in the DX synthesizers — one can produce amazingly life-like sounds. Capabilities include an 8 track sequencer — the first where each track may be assigned a different voice - full rhythm accompaniment and a built-in MIDI interface to control compatible synthesizers, drum machines and other instruments. All this in a full-fledged Z-80A based microcomputer with Microsoft's MSX basic on board for only ......

#### THE MUSIC COMPOSER SYSTEM

CENTRE

composition and arrangement aid. "Write" notes from the computer keyboard or the YK-10 music keyboard. Features on-screen music scoring, composing, editing and arrang-

#### THE FM VOICING PROGRAM SYSTEM

The FM Voicing Program System complete on-screen programming access to the built-in FM synthesizers. Edit existing voices or create your own .................\$59.95

#### THE DX7 VOICING PROGRAM SYSTEM

Fielief for the DX-7 owner! On screen graphic display of the DX-7's greatly simplifies programming and editing. A 

#### THE FM MUSIC MACRO SYSTEM

The Music Composer System a sophisticated easy-to-use 
The FM Music Macro System permits full control of built-in synthesizer from within BASIC programs. Create audio/visual programs and games incorporating top-

#### **ACCESSORIES YK-01 AND YK-10 MUSIC** KEYBOARDS

Accessories YK-01 and YK-10 Keyboards optional YK-01 (mini-keys) and YK10 (full size) input keyboards: allows real-time recording into the built-in sequencer as well as keyboard input when using the optional FM composer and 

RF-02 RF Modulator......\$75.00 UDC-01 Data Memory Cartridge......\$CALL CA-01 Single Cartridge Adaptor.....\$31.95

CX5M 3-1/2" Disk Drive.....\$CALL

CX5M 5-1/4" Disk Drive.....\$CALL

Disk Interface....\$CALL

CX5M Voice Library (700 sounds)....\$CALL Absolute Music Software....\$CALL Unbeatable package prices available on request.

Excellent selection of musical keyboard at unbeatable prices

MIDI interface for your Apple/IBM ......\$349.00

Interface...8 track recording software package

Personal Composer Scoring Software . . Call

MIDI thru box Sync box MSQ 700. We carry the full line of Roland's ever expanding Computer Music Product.

THE MPU-401 'INTELLIGENT' processor industry standard TX816 FM modules, RX drum machines, QX-116 track MIDI recorder, DX PRO voicing software for DX7 (Apple), DX7 compatible RAM cartridges (half price!)

Passport Designs MIDI interface (Apple, C64), Polywriter Scoring Software, MIDI4 recording software

Music DATA voice cartridges (Yamaha, Roland), ADA sound sampling card (Apple), MIDI interface, and much, much more!

## **XLelectronix COMPUTER MUSIC CENTRE Inc.**

music in reality....(416) 921-8941, 317 College St., Toronto, Ontario M5T 1S2 1-800-268-3798 — Order line only Mail Order phone (416) 252-5285

#### **Apple and Compati** 106

**Exceltronix Super 6502** System: EXCEL2 ...\$549.00



We strongly believe that our 6502 system will efficiently serve all of your needs; all of the options are on one board. Excel2 far surpasses many of the other 6502 systems.

- Features: · attractive case
- · heavy duty power supply
- superior high quality professional keyboard with upper and lower case, and numeric key pad
- 80 x 24 video, with soft switch on board
- · 64K of RAM on board
- 2 Drive Floppy controller on board
- Five additional expansion slots
- Fully assembled and tested, 90 day limited warranty
- . (System comes with blank EPROMS on board; does not include any propritary boot software or Basic)
- · Systems are professionally assembled and tested (boards are wave/flow soldered and ultrasonically cleaned.).



### Apple lic

Call for best price

Apple IIc Disk Drive (60 day warranty) . . . Multiflex Apple IIc compatible Drive (one year warranty) ......\$229.00 Apple IIc Mouse & Software ...... 

Apple lle ..... call for best price 

Multiflex Apple IIe compatible Drive (one year warranty).....

Apple Macintosh . call for best . package deal price

For Mac Software and Accessories, see elsewhere in this catalogue.

10 — Exceltronix Spring Catalogue 1985

#### EXCEL 6 Package



Features include

- our super 6502 system (same board, with same features, as used and described in the EXCEL2 package, BUT:
- comes with new attractive case (as seen in picture)
- IBM compatible extra high quality serial keyboard
  Multiflex serial to parallel programmable ASCII converter card
- Extra heavy duty power supply, with RFI filter and power light indicator built into the power switch.
- · Special silent 3" Fan is built in, to keep your system cool.
- Room for 2 Apple compatible disk drives
- Blank EPROMS included, but does not include any proprietary Boot software or
- · Monitor not included in price.

#### EXCEL 6 Package

**ONE APPLE COMPATIBLE** TWO DRIVES .....\$1,069.00

#### EL 6 Ultra Loaded **DON'T MISS THIS OFFER!**

- EXCEL 6 system
- 2 built-in drives (Apple compatible)
  complete Z80 Card (CP/M software not included)
- Multiflex Parallel Printer Card and Cable
- Star Gemini 10X Printer
- Zenith or Amdek 12" green screen or amber monitor, with video cable

APPLE COMPATIBLE DISK **Famous Mulfiflex Drives** One year warranty

\$219.00 for Apple II+and IIe

Now available for Apple IIc



Apple compatible
 Attractively packaged
 Professionally built and tested
 Canadian Made
 1 year warranty
 We believe that Multiflex put out more drives in the last year than all other Canadian manufacturers combined.

SLIMLINE DISK DRIVE

**5229.00** 

Attractively packaged, Apple compatible, ultra reliable (120 day warranty).

## **Apple Compatible Peripherals**



128K RAM Card



Parallel Printer Card



Z80/64K Card



16K RAM Card




80 x 24 Card



Serial Card







#### **MULTIFLEX NEW SUPER** 80 X 24 VIDEO CARD WITH SOFTSWITCH \$69.00

This new Multiflex card features: • superb 80 columns by 24 lines display, with upper and lower case, reverse video • includes built-in soft switch, allowing you to switch between the Apple's 40 column and the video cards 80 column from the keyboard. \* superb compatibility

## **MULTIFLEX 16K RAM**

Expand your 48K Apple II + to 64K. The Multiflex 16K Ram Card allows other languages to be loaded into your Apple from disk or tape.

#### **WIZARD 16K RAM**

Same functions as Multiflex 16K Ram Card

#### **MULTIFLEX 128K** MEMORY CARD. . \$135.00

(with 128K of RAM on board)

With 64K of RAM on board \$99.00 (software not included)

128K Card can be used to function as RAM disk with your Apple.

#### **MULTIFLEX UPGRADED Z80 CARD..... 545.00**

This card allows the user to run Z80/8080 programs on his Apple II+ or IIe computer. Specifically, it allows him to run the CP/M operating system with all its attendant software such as word processors, accounting packages, etc. (CP/M software not included).

#### **MULTIFLEX 280-64K CARD**

This spectacular card provides you with the functions of a Z80 card along with giving you extra 64K of self contained memory, on top of the existing memory in your Apple computer. (Software not included)

**5149.00** 

#### **MULTIFLEX PARALLEL** PRINTER INTERFACE CARD WITH CABLE

This card plugs into any of the Apple II+, IIe, or workalike computers, and provides the user with a parallel interface capable of handling graphics and characters. Ideal for use with the Star Gemini and Epson Printers.

BEST SELLER

**S65.00** 

### WIZARD IPI INTERFACE

\$109.00

#### MICROTEK APPLE DUMPL-ING PARALLEL CARD

Similar functions as Multiflex Parallel Printer Interface Card with Cable.

#### **WIZARD BUFFERED** PARALLEL INTERFACE CARD

BPO 16.....\$229.00 BPO 32.....\$279.00

#### **MULTIFLEX SUPER** SERIAL CARD . . . . . \$69.00

This card allows you to: \* select desired baud rat. \* connect to a serial RS-232 modem, terminal, or a serial printer port \* for example, connect two Apple computers (using this card) to communicate with each other, through the RS-232 link over hundreds of feet.

#### 90 Day Limited Warranty. SUPER SPECIAL MULTIFLEX FLOPPY CONTROLLER . . . . 44.00

All of our peripheral boards are professionally built, cleaned and tested, with a

- plugs right into slot #6 in your Apple computer
  capable of handling up to two Apple compatible

#### MICROTEK SERIAL CARD FOR THE APPLE. . \$139.00

Similar functions to MULTIFLEX super serial card.

#### MULTIFLEX EPROM PRO

#### Features

Eprom programmer for Apple computers
Programs
2716, 2732, 2732A, 2764
ZIF socket for the EPROM
Complete with software
Comes with a built-in programming voltage supply.

Included with the card is a disk full of software, which using menus allows the user to program or verify EPROMS, check if they are blank, set pointers anywhere in memory, and save or load memory ranges to/from the disk drive, making this unit a very versatile piece of hardware for the hardware developer or hobbyist.

#### MULTIFLEX APPLE COMPATIBLE MODEM SUPER SPECIAL

**EXCELLENT HAYES** MICROMODEM COMPATIBILITY



Plugs into your Apple or compatible computer, Direct connect, 300 Baud, Autodial, Autoanswer. Touch Tone/ Pulse Dial, complete with documentation.

Hayes is a registered trade name,

5159.00

## **.**\$79.00

- Direct Connect
- Plugs into your Apple or compatible computer
- · Autoanswer, Autodial
- . Comes with software and documentation.

## exceltronix Hobbyist Delights

DISK DRIVES BEST SELLER



The real thing! SA455 Shugart 5-1/4" Slimline DS,DD, 360k, 40 tracks per side disk drive IBM compatible. Two drives fit into the space of one full height drive. With warranty

#### **Tandon Drives**

<b>TM65-2L (5-1/4") \$199.00</b> Slimeline 360k DS,DD ideal for IBM
TM100-2 (5-1/4") \$299.00
Full height, ideal for IBM

#### **Ideal for Apple Drives**

SA390 Drive mechanism . . . . \$159.00 (All you need extra is analog board)

tage on

#### **Hard Disk** 10 MEG, slimline.

10 MEG. Seagate, slimline drive and hard
disk controller. This controller can handle
up to two 10 MEG hard drives
10 MEG Drive & Controller \$1099.00
Quantity Discounts Available
Seagate 20 MEG. slimline
Seagate 20 MEG with

controller ..... ..\$1395.00 Controller alone (for 10 or 20 MEG.) \$349 Cables (for 10 or 20 MEG.) . . . . . . . \$38.00

## **KEYBOARDS FOR YOUR IBM**



Cherry
Maxiswitch\$129.00
Keystronics 5151 Extended \$299.00
Keystronics Open Frame (no case)
Programmable (Serial Out) \$69.00

#### **MULTIFLEX SERIAL KEYBOARD ENCODER**

- · change the serial code into parallel ASCII output with programmable characters.
- Ideal for your apple, or any 6502 system with ASCII input.

You will love it and to the best of our knowledge, only we carry such a deluxe feature board. \$69.00

Handhel	d Numeric Keypad with	
decoder		5
40 =		

12 — Exceltronix Spring Catalogue 1985

Instead of Struggling and building your own elusively cheaper peripherals, buy our high quality guaranteed fully tested and professionally built flow-soldered and ultrasonically cleaned products at unbelievable prices.

#### Hard to get parts for your IBM compitable (8088) systems and peripherals

Please appreciate that our parts are prime quality and we have excellent prices and plenty of stock.

#### **Quantity Discounts Available**


1	3088 CPU\$14.9
1	8087 Math Processor
-	3237A-5 Prog. DMA Cntrl
	3250 Serial Port
	8253A-5 Prog. Interval timer
	8255A-5 P.I.A
	8259A Prog. Interrupt Cntrl
	8284A ADC clock gen & driver
	8288 Bus Controller
	8272 Floppy Disk Controller
	NEC 765 Floppy Disk Controller
	(equivalent to 8272)
	8086 CPU\$24.9
	Set of 8088, 8255A-5, 8237A-5, 8288, 8284, 8253A-5
	and 8259A
	All parts (except NEC765) are prime parts made by Inte
	All parts (except NEC/05) are prime parts made by mite

#### DELAY INEC

DELAY LINES	
100ns delay line	
62 pin edge con (high quality). 5 pin Din conn Power conn Dip switch 8 pos 4.7k x 6 sip	\$1.25 \$1.25 \$2.49 \$.69
4.7k x 8 pin sip. 8.2k or 10k 16 pin Resistor or network. 330hm x 8 network. Small speaker 1 uf 50V high quality bypass capacitors.	99. \$1.10 \$1.99 \$1.99
Trimcap	
74LS322 74LS629 74LS670	\$3.30 \$1.75
74S280 74LS125 74S157 74LS244	\$ .60 \$1.75 \$1.25
74LS245 74LS273 75477	\$1.50

Prices can change without notice. Check our ads monthly in ETI and CN! magazines for current prices.

#### Cases for your IBM and Compatible



· Hinged top cases allowing easy access by opening top half of the case. Can be supplied with plain back or for 5 or 8 slots. Please specify spacing and number of slots when ordering . . . . . . . . . \$74.95

 Above case with power supply and fan For Apple compatible 75 Watt \$169.00 For IBM compatible 150 Watt . \$219.00

#### Hard to get parts for your 6502 Systems and Apple Compatible Peripherals.

Remember — prime quality, ultra good prices and super good stock at all of our locations!

6502 CPU	5.50
6845 CRT controller	9.50
68A45 CRT controller	
Z80A CPU (4 MHz)	
MC3242	
74LS367\$	.62
74LS259\$	
74LS161\$	.99
74\$74\$	.82
74S174	1.70
74LS323s	4.55
Card edge connector (50 pin)	
RCA jack PC mount	
6 pin power square connector	
Phono jack (small)	
MPSA13 trans	
2N3904 trans	
2N3906 trans	
MPSU51 trans	
2N4258 transistor or equiv	6.69
1K SIP 10 pin	.69
1K SIP 8 pin	
10KSIP 10 pin	
4 pos dip sw	
20 pin female header for	, .00
disk drive	
20 pin male	
50 pf trim cap	
220 ohm trimpot	.69
20 conductor ribbon cable	89/ft.

#### **MEMORY** Untouchable Prices! **Guaranteed Prime Stock**

#### Dynamic RAMs

4116 1x16k (150ns) \$ 1.19 2118 1x16k (200ns) single + 5V supply \$1.00
4164 1x64k (150ns)
4164's (150ns). Order 75 or more\$2.99 ea. 41256 1x256k (150ns)\$19.95
Special pricing for 50 or more
<b>Static RAM</b> 2114L 4x1k 200ns

#### 6514 4x1k CMOS 450ns . . . . . . . . 6116 8x2k 150ns. 6164 8x8k 150ns.


#### **EPROMS** 2716 450ns 8x2k 2716 300ns 8x2k . . . 2732 450ns 8x4k

27128 350ns 8x16k



• brand new open frame monitor, requires 12V power supply. Sync Separator, if needed ......\$13.00

# Spring '85 Books and Software Catalog



#### INTRODUCING THE APPLE® IIc



Indispensable introductory guide to Apple's hot new portable computer. Describes all IIc features, discusses compatability and differences with the lle, and covers Ilc setup, expansion, graphics, and communications. Guides you in using ProDOS™, DOS 3.3, Logo, Pascal, and Applesoft, Six

appendices explain the 65C02 processor, entry points, and hardware maps. Philip Lieberman. 224 pages, 8x91/4, softbound ISBN 0-672-22393-7, © 1984

No.816067.....\$25.50

#### INTRODUCING THE APPLE **MACINTOSH**<sup>TM</sup>



Introduces you to the design philosophy and physical structure of the Macintosh, and explores its displays, keyboard, mouse, software, and accessories. Covers graphics, word processing, spreadsheets, BASIC, and windowing. Contains a complete glossary plus 4 appendices. Learn how the

Mac can fit into an office environment, educational setting, or your home. Connolly and Lieberman. 192 pages, 8x9¼, softbound ISBN 0-672-22361-9, © 1984

No.816062.....\$18.50

#### **MACINTOSH USER'S GUIDE**



Is the Macintosh right for you? The introductory section of this complete user's guide contains a comparison with 5 other best-selling micros. What follows is an extremely well-written, wellillustrated, and attractively presented explanation of fundamental and advanced applications of the

Macintosh. You'll want it right next to your Mac. Gordon McComb. 440 pages, 51/2 x81/2 comb-bound, ISBN 0-672-22328-7, © 1984 No.816200 . . . . . . . . . . . . . . . . \$23.95

#### **COMMODORE 64 PROGRAMMER'S** REFERENCE GUIDE



A Top 10 best-seller since its introduction, this programmer's working tool and reference source is packed with professional tips and information on exploring your C-64. Includes a complete, detailed dictionary of all Commodore BASIC commands, statements, and functions. BASIC program

samples then show you how each item works. Commodore Computer. 486 pages, 51/2 x81/2 comb-bound, ISBN 0-672-22056-3, © 1982 No.815462.....\$22.95

#### APPLE IIe PROGRAMMER'S REFERENCE GUIDE



An outstanding reference guide specifically for the Ile that encourages you to explore new programming ideas and take advantage of some powerful programming procedures by making any needed facts, applications, and other technical information readily available at your fingertips. Also con-

tains many short application and demonstration programs in BASIC and assembly language. David L. Heiserman. 416 pages, 51/2x81/2 comb-bound, ISBN 0-672-22299-X, © 1984 No.815067.....\$27.95

#### **INSTANT RECALL**



Tired of defining data base formats? This extremely fast, memory-based freeform data base allows instantaneous search and retrieval of characters, words, or combinations thereof. Files loaded in under 5 seconds. All types of printers supported for hard copy output. Charles R. Landers.

Requires Apple II compatible system, 48K RAM, DOS 3.3, Applesoft in ROM, one disk drive. 80-column printer optional. Combo Pack: ISBN 0-672-26233-9

No.819500.....\$39.95



#### KEYFAX™ FOR THE APPLE II/IIe

Put quick reference at your fingertips with Keyfax. This two-color rugged plastic template fits around your keyboard, and provides required keystroke information for applications software. Side 1 has the application keystrokes; flip it over, and Side 2 gives you the major commands for DOS on your machine.

COMMODORE

COMMODORE

COMMODORE

COMMODORE

COMMODOR

COMMODORE COMMODORE

COMMODOR

COMMODORE

COMMODORS

VisiCalc/DOS 3.3
No.819515\$18.95
Multiplan/DOS 3.3
No.819513\$18.95
AppleWriter IIe/DOS 3.3.
No.819512\$18.95
ProDOS (both sides)
No.819514\$18.95
Applesoft BASIC (both sides)
No.819511\$18.95



#### DATA COMMUNICATIONS, NETWORKS, AND SYSTEMS

Respected professionals in their respective areas of expertise combine to present a comprehensive view on the subject. All significant technologies in the data communication area are clearly presented in this valuable reference work.

Tom Bartee, Editor
416 pages, 6½x9½, hard-bound ISBN 0-672-22235-3, © 1985

No.815605 .....\$55.95



#### COMMODORE 64™ TROUBLESHOOTING AND REPAIR GUIDE


Is your Commodore 64 on the fritz? It may be something you can repair yourself simply and inexpensively. Trouble shooting flowcharts allow you to diagnose the probable cause of failure and remedy it. A final chapter on advanced troubleshooting shows the more adventuresome how to perform more complicated repairs. Some knowledge of electronics required. Robert C. Brenner 256 pages, 8½x11, softbound ISBN 0-672-22363-5, © 1985

No.815459 .....\$26.95



## THE COMMODORE PLUS/4™ BOOK

Is the Commodore Plus/4 for you? Learn about its capabilities, built-in software, and expansion options. Sarah C. Meyer 288 pages, 7½x10, comb-bound ISBN 0-672-22389-9, © 1984 No. 815452 .....\$23.95



#### COMMODORE 16™ USER'S MANUAL

Take advantage of the capabilities of your new machine. Learn BASIC programming using graphics, color, sound and music. Get started immediately with the sample programs included. A complete encyclopedia of BASIC commands, statements, and functions provides an invaluable reference. This book is a must for every C-16 owner. Commodore Computer 272 pages, 5½x8½, comb-bound ISBN 0-672-22437-2, © 1984

No.815451 .....\$18.95



#### IBM PC TROUBLESHOOTING AND REPAIR GUIDE

Is your IBM PC on the fritz? It may be something which you can repair yourself simply and inexpensively. Troubleshooting flowcharts allow you to diagnose the probable cause of failure and remedy it. A final chapter on advanced troubleshooting shows the more adventuresome how to perform more complicated repairs. Some knowledge of electronics required. Robert C. Brenner 192 pages, 8½x11, softbound ISBN 0-672-22358-9, © 1985

#### TOOL KIT SERIES: COLECO® ADAM™ EDITION

Don't re-invent the wheel. This tool kit book provides you with a set of modular subroutines which can be incorporated into your BASIC programs. Seventy routines are included on color, sound, music, graphics, animation, and computational BASIC. Thirteen sample programs are included which show how to do this incorporation.

Buchholz and Dusthimer 208 pages, 8x9¼, softbound ISBN 0-672-22312-0, © 1985

No.816838 .....\$13.95




## THE BEST BOOK OF:

dBase II® and dBase III® have long been recognized as comprehensive data base management packages. But, they have also gained a reputation for being difficult to use. This book simplifies a very complicated product and allows you to get greater utility from this software.

Ken Knecht
256 pages, 7½x10, softbound ISBN 0-672-22349-X, © 1985

No.815148 .....\$27.95



## THE BEST BOOK OF: SYMPHONY®

Symphony is a complete set of integrated applications programs and therefore can be overwhelming to the first-time user. This book takes a feature-by-feature approach to explaining and demonstrating the full capabilities of the package.

Alan Simpson 256 pages, 7½x10, softbound ISBN 0-672-22420-8, © 1985

No.815151 \$20.95



**DISCOVERING MS-DOS™** 

The Microsoft generic version of DOS for the IBM PC is given the unique Waite touch. From complete

description of the basic command

implications, you will gain a

operating environment.

complete understanding of this

Kate O'Day 240 pages, 7½x10, softbound ISBN 0-672-22407-0, © 1985


No.815673 . . . . . . . . . . . \$22.50

set through analysis of architectural

#### PANASONIC SR. PARTNER™ USER'S GUIDE

Uncover the full power of your totally integrated Sr. Partner. Sections include setting-up, applications software, internals, and appendices on software compatibility and MS-DOS. The essential Sr. Partner reference.

Casciato and Horsfall 360 pages, 5½x8½, comb-bound ISBN 0-672-22381-3, © 1984 No.816439 . . . . . . . \$26.95



## THE BEST BOOK OF: FRAMEWORK™

This introductory book shows you how to use Ashton-Tate's Framework software to its fullest potential. Covers word processing, spreadsheets, data base management, programming, and graphics. Advanced users can learn how to create automatic or custom operations that might otherwise require significant time at the keyboard. For anyone who writes, works with numbers, or needs rapid access to store information. Allan Simpson 320 pages. 7x10, softbound

320 pages, 7x10, softbound ISBN 0-672-22421-6, © 1985

No.815152 . . . . . . . . . . \$22.50



## COMMODORE 64 FOR KIDS FROM 8 TO 80

Large format, varied activities, conversational approach, and extensive graphics all combine to create an excellent vehicle to introduce your children to microcomputers. Special computer camp principles help you learn fast. No background in microcomputers required.


Zabinski and Horan

128 pages, 8½x11, softbound ISBN 0-672-22340-6, © 1984

No.815456 . . . . . . . . . . \$18.50



#### APPLE® II/IIe TROUBLESHOOTING AND REPAIR GUIDE



#### DISCOVERING KNOWLEDGEMAN™

Dynamic, powerful learning tool that quickly shows you how to use the KnowledgeMan information management system. Introduces KnowledgeMan's data management and spreadsheet capabilities, and goes on to teach you how to use each feature by actually working with the program in a step-by-step approach. Excellent tutorial. Micro Data Base Systems, Inc. 384 pages, 7x9, softbound ISBN 0-672-22415-1, © 1984

#### **IMAGINE THAT!**

Create visually attractive graphics on your IBM PC the easy way.

Anything you can imagine can be painted onto your PC screen.

Requires IBM PC compatible system, 64K RAM, 1 double-sided disk drive, DOS 1.1 or 2.0, color monitor, and BASICA. IBM dot matrix printer with Graftrax optional. RGB color monitor recommended.

Schmitt and Schneider ISBN 0-672-26163-4, © 1984

No.816019 ......\$55.95



#### IBM PCjr® ASSEMBLER LANGUAGE



#### **ATARI® TRIVIA DATA BASE**

Learn the fundamentals of computer data base management. This book consists of two complete programs which are presented in module form. The first is a data base management system, and the second is a game for one to 4 players which accesses that data and scores points for prompt and correct responses. Do your own program loading or save time and effort with the pre-packaged combo pack.

Hunter and Rondot Book:108 pages, 5½x8½, softbound ISBN 0-672-22397-X, © 1984 **No.815090** . . . . . . . . . **\$12.50** 

Combo Pack: ISBN 0-672-26229-0 No.815091 . . . . . . . . . \$27.95




#### IBM PC/PCjr LOGO PROGRAMMING PRIMER

Quickly learn and use the complete Logo language to plan and write useful, fascinating programs that do exactly what you have in mind. Emphasizes structured, top-down programming techniques with box charts that help you discipline yourself for maximum effectiveness in planning, changing, and debugging Logo programs. Covers recursion, outputs, and utilities. Features include clear and concise diagramatic explanations of Logo syntax.

Martin, Prata, and Paulsen


Martin, Prata, and Paulsen 480 pages, 8x9¼, softbound ISBN 0-672-22379-1, © 1984 No. 816165.....\$34.95



#### IBM PCjr USER'S GUIDE

Go beyond the explanations provided by the manufacturer's documentation for your IBM PCjr. Learn to fully utilize all of the features of this very powerful micro. Illowsky and Abrash 400 pages, 5½x8½, comb-bound ISBN 0-672-22302-3, © 1984

No. 816903.....\$27.95



#### VIDEO CAMERAS: THEORY & SERVICING

You can't fix it unless you know how it works. This entry-level technical primer on video camera servicing provides practical theory in clear and well-illustrated sections. From the image tube through the electronics to final interface, all concepts are completely discussed. The final section on troubleshooting lets you put your new-found knowledge to work for profit. Gerald P. McGinty 264 pages, 8½x11, softbound ISBN 0-672-22382-1, © 1984 No.816930 .....\$20.95



#### **IMAGE TUBES**

Learn the fundamental aspects of image-intensification camera tubes, light detection, electron optics, and imaging, as applied to image tubes, night vision, image intensifier systems, and the design and operation of image tube components. For those working or studying in these and allied fields of TV cameras, astronomy, medical research, electro-optical ranging, tracking, missile guidance, optical instrumentation, or electronic warfare, this is an excellent resource. Illes P. Csorba 480 pages, 6x9, hard-bound ISBN 0-672-22023-7, © 1985 No.816020 . . . . . . . . . . \$62.95



#### SEMICONDUCTOR GENERAL PURPOSE REPLACEMENTS (5th Edition)

Nobody knows replacement parts and cross-referencing like Sams. Our years of experience developing Photofacts have provided us information which is shared here. Shows general-purpose replacements for almost 225,000 bipolar and field-effect transistors, diodes, rectifiers, ICs, and more, listed by US and foreign-type number, manufacturer's part number, or other ID. Easy to use and complete. Howard W. Sams Engineering Staff

368 pages, 8½x11, softbound ISBN 0-672-22418-6, © 1984 **No.816647** . . . . . . . . . **\$13.95** 



## **ELECTRONICS: CIRCUITS AND SYSTEMS**

Provides non-electronic engineers, scientists, and middle managers with information on various aspects of today's electronic circuits and systems. Learn to intelligently communicate with electronic specialists and discuss electronics projects to make your own contributions in design and analysis. Emphasis is placed on understanding of physical concepts and applications of electronic technology rather than math techniques. Excellent for self-study and development. Swaminathan Madhu 800 pages, 6x9, hard-bound ISBN 0-672-21984-9, © 1985 No.815780 . . . . . . . . . . . \$55.95

#### **BEST BOOK OF: MULTIPLAN**



Multiplan was designed to be easy to use and it is, but taking full advantage of the hidden powers of the program takes more exploration. Best Book of Multiplan provides tips, tricks, and secrets which will enable you to design more efficient and useful models. Alan Simpson. 160 pages, 8x91/4

softbound, ISBN 0-672-22336-8, © 1984 No.815150.....\$16.95

## UNIX™ PRIMER PLUS



Another excellent Waite book. For those who want to learn about the amazing UNIX operating system, this primer presents UNIX in a clear, simple, and easy-to-understand style. This classic is fully illustrated and includes two handy removable summary cards to keep near your computer for fast

reference. Waite, Martin, and Prata. 416 pages, 7¼ x9¼, softbound ISBN 0-672-22028-8, © 1983 **No.816897**....\$27.95

Put quick reference at your fingertips with

#### KEYFAX FOR THE IBM PC

Keyfax. This two-color rugged plastic template fits around your keyboard, and provides required keystroke information for applications software. Side 1 has the application keystrokes; flip it over, and Side 2 gives you the major commands for DOS on your machine. Howard W. Sams & Co., Inc. Lotus 1-2-3/DOS 1.1 & 2.0 **No.819516**......**\$18.95** MultiMate<sup>TM</sup>/DOS 1.1 & 2.0 No.819517.....\$18.95 Multiplan/DOS 1.1 & 2.0 No.819518.....\$18.95 SuperCalc/DOS 1.1 & 2.0 No.819519.....\$18.95 VisiCalc/DOS 1.1 & 2.0 WordStar® /DOS 1.1 & 2.0 

#### SOUND SYSTEM ENGINEERING

No.819522.....\$18.95



This reference guide was written for the professional audio engineer. Everything from audio systems and loudspeaker directivity to sample design applications and specifications are fully covered and explained. Davis and Davis. 296 pages 8½x11, softbound ISBN 0-672-21156-4, © 1975

No.816740.....\$30.95

APPLICATIONS
BUSINESS

OPERATING SYSTEMS OPERATING SYSTEMS OPERATING SYSTEMS OPERATING SYSTEMS OPERATING SYSTEMS OPERATING SYSTEMS OPERATING SYSTEMS

> IBM IBM IBM IBM IBM IBM

ELECTRONIC
DESIGN

#### **BEST BOOK OF: LOTUS 1-2-3**



Lotus 1-2-3 is a great and wondrous toolbox, waiting for you to open it up. Beginners crack the lid... but this book takes the lid off and teaches you to master all the powerful features available in the program. Alan Simpson. 272 pages 8x91/4 softbound ISBN 0-672-22307-4, © 1984

#### **UNIX SYSTEM V PRIMER**



Waite at his best! This UNIX V Primer differs from most UNIX books in several ways. The entire powerful family of EX editors is included, of which V is a subset. Shell scripts and shell programming are covered in detail; and SED stream editor. Material on UNIX filters, text cut and paste, and the text

cut and paste, and the text formatting utilities of NROFF and TROFF are thoroughly explained. Complex forms of FIND and AWK are also covered.

Waite, Martin, and Prata. 432 pages, 8x91/4 softbound, ISBN 0-672-22404-6, © 1984

No.816898.....\$27.95

## HOW TO READ SCHEMATIC DIAGRAMS (3rd Edition)



A picture is worth a thousand words. A schematic speaks volumes, but only to those who know how to read it. This book teaches you to read these road maps of electronic circuitry, shows how contemporary components are combined to form circuits, and leads you step-by-step through a simple

schematic. Tables include symbol definitions and logic symbols. Donald E. Herrington. 192 pages, 5½x8½, softbound ISBN 0-672-21127-0, © 1975

No.815991 ......\$12.50

#### **ACTIVE FILTER COOKBOOK**



Need an active filter, but don't want to take the time to design it? Don Lancaster presents a catalog of predesigned filters which he encourages you to borrow and adapt to your needs. The book teaches you how to construct filters that include high-pass, low-pass, and band-pass having

Bessel, Chebyshev, or Butterworth response.
Can also be used as a reference book for analysis and synthesis techniques. Don Lancaster.
240 pages, 5½x8½, softbound
ISBN 0-672-21168-8, © 1975
No.815030. \$20.95



## JOIN THE \$3 BILLION COMPUTER MAINTENANCE BUSINESS

If you can fix a television set, you can service a personal computer or peripheral with help from Sams COMPUTERFACTS<sup>TM</sup> repair data.

COMPUTERFACTS reveals the inner workings of major-brand micros, monitors, printers, and disk drives. It includes schematic wiring diagrams, parts lists, disassembly instructions, troubleshooting techniques, and other repair data — all of it laboratory tested, and all of it usable by anyone with access to the tools and skills for fixing an ordinary TV set.

## COMPUTERFACTS Covers All Major Brands

Sams has COMPUTERFACTS for computers and peripheral equipment by

Amdek®,	NEC®,
Apple,	Osborne®,
ATARI,	Panasonic,
Commodore,	Radio Shack,
Epson®,	Rana,
Franklin,	Sanyo®,
Hitachi®,	Texas Instrume
IBM,	and Zenith®.

And more COMPUTERFACTS are coming out every month.

#### 1985 COMPUTERFACTSTM

Brand/Model	Month	Product	Price
Coverage		Number	
Amdek® 300 Plus monitor .	Jun	815560*	\$25.95
Amdek 500 monitor		815563*	\$25.95
Apple® II A2M0003 disk driv		815565	\$25.95
Apple II A3M0039 monitor .		815566*	\$25.95
Apple II computer	Mar	815564	\$25.95
Apple Imagewriter printer	Apr	815567	\$25.95
ATARI® 800XL computer		815568	\$25.95
C.Itoh 8510 AP printer		815569	\$25.95
Coleco® ADAMTM compute		815570	\$49.95
Commodore 1701 monitor .		815559*	\$25.95
Commodore 4023 printer	Sep	815571	\$25.95
Commodore Plus/4TM comp	uter Jan	815572	\$25.95
COMPAQ® 001 PC compute		815573	\$49.95
Epson® FX-80 printer	Apr	815574	\$25.95
Epson FX-100 printer	Aua	815575	\$25.95
Epson QX-10 computer	Apr	815558	\$49.95
Epson RX-80 printer	Jun	815576	\$25.95
Gemini 10X printer	Oct	815577	\$25.95
Gemini 15X printer	Dec	815578	\$25.95
IBM® PCjr <sup>TM</sup> computer	Jun	815579	\$49.95
NEC® 3510 printer	Jul	815580	\$25.95
NEC 8023A printer		815581	\$25.95
Okidata 80 printer		815582	\$25.95
TRS-80® Model I (Level II)			
computer	Feb	815561	\$49.95
TRS-80 Model III computer.		815583	\$49.95
TRS-80 Color Computer	Jul	815584	\$25.95
TRS-80 26-1164 disk drive	Feb	815585	\$25.95
TRS-80-26-1160, 61 disk drive		815586	\$25.95
TRS-80 DMP-120 printer		815562	\$25.95
Zenith® Z150 computer		815587	\$49.95
Zenith Z160 computer		815588	\$49.95
Zenith ZVM 135 monitor		815589*	\$25.95
Zenith ZVM131 monitor		815590*	\$25.95

- \*Denotes COMPUTERFACTS set having coverage of more than one product.
- \*\*Denotes coverage of more than one product in same set of COMPUTERFACTS data.

#### **COMPUTERFACTS NOW AVAILABLE**

Brand/Model	Product Number	Price
Coverage	Number	
Amdek Color 1 & Video		
300 monitors	. 815543**	\$25.95
Apple II, II Plus computers	.815531	\$25.95
ATARI 400TM computer	.815542	\$25.95
ATARI 800TM computer	.815551	\$25.95
Commodore 64TM computer	.815537	\$25.95
Commodore 1541 & VIC 154		
disk drives		\$25.95
Commodore 1525 printer		\$25.95
Commodore 16TM computer	.815554	\$25.95
Commodre VIC 20TM		
computer	. 815534	\$25.95
Epson MX-80 F/T printer		\$25.95
Epson MX-100 printer	815539	\$25.95
Franklin Ace 1000TM		
computer	815548	\$25.95
Hitachi® CM1481 monitor .	815536**	\$25.95
IBM 5151 & 5153 monitors		\$25.95
IBM 5152-002 printer	815554	\$25.95
IBM PC (5150) computer		
system		\$49.95
NEC PC8025A printer	815556	\$25.95
Osborne® OCC1 & OCC1A		
computer systems	815540	\$49.95
Panasonic® CT-1310M		
monitor	. 815536**	\$25.95
Panasonic C1-1320M	045550**	
monitor	815553	\$25.95
Panasonic CT-1350MG	04554444	***
monitor	815541	\$25.95
Panasonic C1-1920M	045557**	ene ne
monitor		\$25.95 \$25.95
Rana Elite I disk drive		\$25.95
Rana Elite II disk drive Rana Elite III disk drive		\$25.95
Sanyo® AVM 196 monitor		\$25.95
Texas Instruments	010007	₹20.95
TI-99/4ATM computer	015522	\$25.95
Zenith ZVM-121 monitor		\$25.95
Zenith ZVM-121 monitor Zenith ZVM-122A/123A	010041	₹25.95
	015552**	COE OF
monitors	6 10000	\$25.95

## SAMS computer books and software are available at better book and computer retailers across Canada.

#### Available in stock or by special order from:

#### National Chainstores

Classic Bookshops Coles, The Book People W.H. Smith Bookstores Compucentre Computer Stores

#### **Regional Chainstores**

London Drugs (BC) Super Software (BC) Scitron (ON)

#### **Single Location Stores**

Mall Book Bazaar (Vancouver, BC)
Mica Computer Books (Vancouver, BC)
Audrey's Bookstrore (Edmonton, AB)
Kell-Max Computing (Medicine Hat, AB))
Keywords Bookstore (Calgary, AB)
Soft Option (Calgary, AB)
Futronics (Moose Jaw, SK)
Liberation Books (Winnipeg, MB)
Cloke and Son (Hamilton, ON)
Computer Book & Supply (Toronto, ON)
Computer Circuit (London, ON)
Computer House Software (Waterloo, ON)
Desk Top Computers (Kitchener, ON)

Databay Ltd. (Thunder Bay, ON) G. Weir Computers Ltd. (Islington, ON) Harris Data Systems (Scarborough, ON) Lichtmans (Toronto, ON) Lyon's Logic (London, ON) Prospero Books (Ottawa, ON) Odyssey Books (Ottawa, ON) World's Biggest Bookstore (Toronto, ON) IPL Informatique (Montreal, PQ) Le Camelot (Montreal, PQ) Maison De L'Ordinateur (Montreal, PQ) Micro Boutique (Montreal, PQ) Dick's and Co. (St. John's, NF) Micro-Tech (St. John's NF) Computer World (Moncton, NB) Softec (Fredericton, NB) Westminister Books (Fredericton, NB) Basic Computer Sales (Halifax, NS) Book Room (Halifax, NS) Minicomp (Halifax, Dartmouth, NS) Book Mark (Charlottetown, Summerside, PEI) Fort Smith (Fort Smith, NT) Yellowknife (Yellowknife, NT)

Norland Communications 4269 Torino Crescent Mississauga, Ontario M4W 3T4

(416) 593-9911 Telex: 06-217849

**Dealer Inquiries:** 


Copp Clark Pitman Ltd.

495 Wellington Street West

Toronto, Ontario M5V 1E9

**Gus Creces** 

Mail Orders:



## SPECTACULAR GANG EPROM PROGRAMMER AND

Totally self-contained (has its own display, entry keypad and power supply).

Based on the Z-8 microprocessor. Can program up to 8 EPROMs simultaneously (anywhere from one to 8 EPROMs at the same time with the information in its own memory or or master EPROM).

Each of the 8 EPROM programming sockets is individually buffered and isolated from one another providing protection in situations when there is a bad EPROM among the eight being programmed. Clearly indicates and singles out any defective or marginal EPROMs prior to or

after programming.

After programming the unit does a full VERIFY routine of the EPROM (at a Max Vcc of 5.4V and at a Min Vcc of 4.5V) to ensure high reliability of your EPROMs. Very simple to use.

A standard unit contains 8x16K of on-board memory which is sufficient in most cases, but can easily optionally be upgraded to 8x64K of on-board memory.

The Gang Programmer can handle a wide selection of EPROMs: 2716. 2732, 2732A, P2732A, 2532, 2564, 2764, 27128,27128A and optionally upgradeable to handle 27256, 27512, 2758 and 2724.

Gives you option of entering the data which you want to be programmed on the EPROM through a built-in keypad and display into the EPROM programmer's built-in RAM or by downloading the data to be programmed by

RS232 interface (110 to 9600 Baud). The RS232 is standard - not optional!

Data can be checked or modified, since you can examine any memory location of the programmers built-in RAM, this holds true even after you have down-loaded through the RS232 from your computer; you can check or modify the memory

before finally programming it on your EPROMs.
Read Master EPROMs; you can plug in a programmed EPROM, dump it into the programmers RAM, check the contents on display by stepping through the memory and, if you wish, you can alter any location before copying to other

EPROM Programmer can also be (optionally) used as an EPROM emulator, saving hours of frustration, reprogramming and waiting.

Using the Emulator option, you can enter via the keyboard or down-load through the RS232 from your computer or development system, the information which you think is right for whatever project you are building. This is the same information which you would normally burn into an EPROM, plug into your new undebugged processor and moments later you realise that you forgot to enter a code or that you must add or delete some codes. This normally would mean waiting 20 minutes for erasing of the EPROM and reprogramming and wasting time.

Using the Emulator option, you simply plug in a 24 or 28 Pin buffered pod into the socket on your board where you would normally fit the

EPROM, the difference being now that you can have all the information in the programmers RAM, connected to the pod by a ribbon cable and you can start your testing. If you wish to change, add, delete any codes, you can modify the contents of the programmers RAM using the keypad and display and continue testing moments later. Keep in mind that the RAM is protected from being accidentally altered.

Complete package with EPROM Emulator, 8 ZIF sockets, Gang Programmer with 16Kx8 of RAM and RS232

Gang EPROM Programmer with 8 ZIF sockets, 16Kx8 RAM and RS232, without Emulator . . . . . \$499.00

Gang EPROM Programmer with 4 ZIF sockets, 16Kx8 RAM and RS232, without Emulator . . . . . \$449.00

EPROM Programmer with only one ZIF socket, 16Kx8 RAM and RS232, without Emulator. Able to do all the functions describe but can handle only one EPROM at a

#### **UV EPROM Erasers**

Industrial quality EPROM erasers. Erase time about 15-20 minutes

Starting at \$129.00

#### **Multiflex Low-Cost Logic State Analyzer**


You've just completed a microprocessor system, and it doesn't work. What next? You can use an oscilloscope to check for clock signals and the like, but if everything appears to be in order you can't go much further without sophisticated equipment. In these situations, professionals turn to their logic state analyzers, each of which cost thousands of dollars. MULTIFLEX has the answer for all those people who don't want to take a mortgage on their house just to get a computer working. The MULTIFLEX Logic State Analyzer has all the essential features of those more expensive units at a fraction of the cost. This is a high-quality piece of test equipment, suitable for industrial or scientific use, but its price is well within the price range of a hobbyist.

Easy to understand and operate, the Logic State Analyzer allows you to monitor 16 points in a digital system (ie. data and/or address bus, or control lines) which carry continually changing signals. You can select a bit pattern you expect will appear at these points. Once the pattern appears the Analyzer will trigger and record ("freeze") the next 1023 bit patterns so that they can be examined step by step even though data is no longer available in the unit being examined. For software development the Analyzer is invaluable, especially in dedicated systems. If you design a microprocessor system for a specific function, and you have no monitor, assembler or other such software, the best and often only way to debug the system is to use a logic analyzer. It will let you look closely at the data flow as a program is executing, or monitor the address lines to make sure that the instructions are being executed in the proper sequence. The various control lines such as memory read and write, DMA, interrupts, or enable and disable signals can also be examined. You can, of course, monitor any combination of these signals, such as the data bus and half of the address bus, or half of each plus 4 control lines. The combinations are endless.

A special feature of the MULTIFLEX Logic State Analyzer is that any number of units can be interconnected for dealing with larger input words. With two Analyzers, you can monitor the address and data bus of an 8-bit processor at the same time and have 8 spare signals to monitor the control lines, I/O signals or signals from external devices. Anyone who will be doing any systems debugging should take a close look at this unit, since its features and low price tag make it an asset.

Ideal Educational Tool and a MUST for the Hobbyist.





#### EPROM Emulator

you are a computer designer who values your time

you can't afford to be without this!

Did you ever write a piece of code, Jurn it into an EPROM, plugged it in and it didn't work?

Did you then go through the code (using an analyzer or your brain power) and then discover you left out some crucial Byte which caused the processor go the point of

If the above holds true, how many EPROMs have you eprogrammed, erased and damaged? More important many hours have you wasted?

how many hours have you wasted?

Put an end to all the above problems and save time, money and frustration: Buy an EPROM Emulator.

It allows you to download over RS232 (at 300 to 9600 Baud) a program from your computer into the Emulator's memory (16Kx8) and then simply plug a 24 or 28 Pin header connected via ribbon cable to the Emulator in place of your EPROM and you have successfully emulated an EPROM.

If you need to change your code, simply change it on

emulated an EPROM. If you need to change your code, simply change it on your computer, download to the Emulator's memory and you are back in business in seconds. This stand-alone product emulates the following EPROMs: 2716, 2732, 2764 and 27128, Can be used with any computer with an RS232 interface. This product is a must for any hardware development since it allows the user to test and modify EPROM data roughly 20 times faster than conventional methods. The Emulator normally comes attractively packaged.

The Emulator normally comes attractively packaged and contains its own power supply. However, to make it more affordable for beginners, we have separated the

price into several categories:
1. Complete Emulator with 16Kx8 memory, attractive packaged with power supply. Fully assembled ested with warranty... \$189.00

2. As above but with 8Kx8 of emory

\$159,00

3. Emulator with 4K RAM, no housing or power supply equires +5V at 1.5A Max, +/- 12V at 0.03A. Fully ssembled and tested.



#### **IBM Accessories** (for PC & XT)

**AST Research** 

Six Pak plus 64K, upgradeable to 384K, with clock calendar, serial and parallel ports .\$499.00

Mega Plus II 64K, upgradeable to 256K (or more with MegaPak) with clock calendar and seria port.....\$499.00

Combo plus (64K), upgradeable to 256K, serial and parallel ports & clock calendar \$499.00

Other local area networks available from 3 Com

Titan Multi-Function Board for PC

2 serial ports, parallel port, hard disk interface, clock, memory 64K to 576K bytes w/software.....\$899.

**Apstek** 

Handi I Plus - Multifunction Board parallel & serial ports, 384K, clock/calendar w.software ..... \$369.00

Attachmate 

Com Graphics .....\$529.00

Monochrome card ......\$650.00 . . . . . . . . . . \$365.00 Colour card . . 

Graphics Master \$819.00

Quadram 

IBM Colour card \$359.00 IBM mono card \$389.00

64K Memory Upgrade kits . . . . . . . . . \$29.50

Mouse Systems

Mouse w/pop-up menus (requires \$299,00

#### Kevboards compatible — IBM



Keytronics 5150 (sim. to IBM style kybd) . 5151 extended keyboard/ horizontally placed function keys/ separate cursor pad/ separate number pad ......\$299.00

Audo Pilot complete voice interface system for use with the IBM PC & XT and compatibles. Your IBM can repsond to voice commands and works with Lotus 1-2-3, VisiCalc, Multiplan, Multimate .....\$759.00

IBMTM is a registered trademark of IBM. Prices subject to change.

#### Modems and **Communication Products**

Mark VII (AA/AD). \$189.00
Mark XII (1200 Bd) \$469.00

Networker

300 baud, direct connect, 

EMP

MM101 \$79.00 300 bd. direct connect.

#### **Apple Accessories**

"Accelerator" for Apple ......\$795.00 6502, makes your Apple run 31/2 times faster. 64K

Spectronics

EPROM erasers avail. from . . . . . . . . . . \$129.00

For cables and cable assemblies see page 21.

#### **Printer Interfaces fo** Apple, Commodore, TRS-80 and Atari **Star Micronics**

INTERFACE	APPLICATION	APPLICABLE PRINTERS	PRICE
Grafstar II	Apple II, II + IIe and Apple compati- ble computers	Star Standard Printers*	\$126.00
IEEE488X	Commodore CBM computers, Hewlett Packard	Gemini-10X/15X	\$130.00
Gemini-10X/15X Serial	Serial Output Device	Gemini-10X/15X	\$ 90.00
4010X 4K Serial	Serial Output Device (Usable with Modem)	Gemini-10X/15X	\$190.00
Universal/Atari Parallel	Atari 400, 800 and XL Series	All Star Printers	\$135.00
Universal/Com- modore Parallel	Commodore 64 Series and VIC-20	All Star Printers	\$ 99.00
BUFFERS			
Gemini-10X/15X 4K Buffer	Increases internal buffer to 4K	Gemini-10X/15X	\$167.00
Gemini-10X/15X 4K Buffer Upgrade	Increases 4K buffer	Gemini-10X/15X	\$Call
Wizard	rinter int; optiona	al buffor	
	······································		\$99.00
Microtek			F THE PARTY
	oling		135.00
		***************************************	133.00
Orange Mic Grappler +	printer interface		\$199.00
RTC PLINK	(for C 64)		.\$99.00
Botek			
for TRS-80			\$85.00
for Apple II			\$159.00

#### **APPLE COMPATIBLE** ECONO-MODEM . .\$79.00

- Direct Connect
- Plugs into your Apple or compatible computer
- · Autoanswer, Autodial
- 110 or 300 Baud
- · Comes with software and documentation.

#### MULTIFLEX APPLE COMPATIBLE

**EXCELLENT HAYES** MICROMODEM COMPATIBILITY



Plugs into your Apple or compatible computer, Direct connect, 300 Baud, Autodial, Autoanswer. Touch Tone/ Pulse Dial, complete with documentation

Haves is a registered trade name.

\$159.00

#### **BEST MODEM**

The BEST modem is a smart 1200/300 direct connect modem. It can either be a stand-alone unit in which case it requires a small wall adaptor, or it plugs in one of the IBM slots. When used as a stand-alone unit, the modem looks like a Hayes 1200 Smart Modem, that is, it emulates the same instruction set. When it is used in the IBM, it looks like an intelligent serial communications port which also supports a super-set of the Hayes instruction set.

The modem supports auto-dial, auto-answer, and auto-speed select directly from software control. The modem also has a speaker so that aural monitoring of the call is possible. There are also LED monitors so that the state of the modem can always be known. These LEDs are: Modem Ready, Auto-Answer enabled, Carrier Detected, Transmitting,

Receiving, Data Set ready.

Software packages such as Crosstalk, PC-talk, and Hayes' Smartcomll also will run with this modem.

A version with 300 Baud only is available



300 Baud \$179.00 300/1200 Baud \$379.00

## **Monitors and Disk Drives**

#### Monitors Zenith Data Systems



diagonal screen • non-glare amber display • composite input • 25 lines x 40/80 characters \$135.00

BEST SELLER ZVM 123A • 12"
diagonal screen • non-glare green display • composite input • 25 lines x 40/80 characters

CV-2560 ● 25" diagonal screen ● RGB/composite input ● 25 lines x 80 characters ● sound capability ● green screen only switch ● video "loop thru" feature \$1,049.00

**ZVM** 124 ● 12" diagonal screen ● non-glare amber display ● PC monochrome input (TTL) ● 25 lines x 80 characters ● 720 x 350 pixels ● IBM PC & compatibles \$229.00

**ZVM** 131 ● 13" diagonal screen ● RGB/composite inputs ● 25 lines x 40 characters ● 320 x 240 pixels ● sound capability ● green screen only switch ● video "loop thru" feature

\$479.00

ZVM 133 ● 13" diagonal screen ● RGB input ● 25 lines x 80 characters ● 640 x 240 pixels green screen only switch ● 16 colours including PC brown \$759.00

ZVM 135 ● 13" diagonal screen ● RGB/composite inputs ● 25 lines x 80 characters ● 640 x 240 pixels ● sound capability ● green screen only switch ● video "loop thru" feature \$799.00

ZVM 136 ● 13" diagonal screen ● RGB input ● 25 lines x 80 characters ● 640 x 480 pixels ● long persistence phosphors for interlaced applications ●

FOR BEST PRICE ......\$1195.00

#### ....

IBM Monochrome Monitor ......\$429.00

#### Amdek

300A Amber\$249.00
310A — Amber, 18 MHz
Amdek 600 RGB
Amdek 700 Ultra high res\$CALL
Optional tilt swivel for above available.

#### Roland (14")

CC141 (RGB) \$879.00CB141

#### **Princeton Graphics**

HX-12 RGB hi res. colour	\$749.00
Max-12 IBM monochrome in amber	\$359.00
SR-12 hi res. colour	\$1,285.00
(needs Scan Doubler	\$369.00)

#### **Disk Drives**

Sysgen	
II-10	00.00
II-20 <b>\$5,6</b>	00.00
10 & 20 MByte hard disk with cassette bad	kup.
Tallgrass (call for best pricing)	
TG-3012 12 MB disk tape	395.00
TG-3020 20 MB disk tape	595.00
TG-3/35 35 MB disk tape\$7	495.00
TG-3170 70 MB disk tape	985.00
TG-09 IBM hardfile int\$	189.00
TG-300 DC-300 XL cartridge tape \$	53.00
Add a 10 or 20 Meg Hard D	

Add a 10 or 20 Meg Hard Drive and tape drive to your IBM PC.

Uing the BEST Expansion System allows you to add hard drives, tape drives plus 8 more expansion slots to your existing IBM PC. Self contained unit in an IBM style case with its own 150W power supply. Simple connection through a spare slot in your IBM PC. System has plenty of spare power for extra cards and up to two hard drives.

With 10 Meg Drive and 8 slots ... \$1595.00
With 10 Meg, 8 slots and Tape
Drive ... \$2995.00
With 20 Meg Drive and 8 slots ... \$1895.00
With 20 Meg, 8 slots and Tape
Drive ... \$3395.00

#### Tandon

#### Disk Drives: BEST SELLER SA455 . . . . . . . \$189.00

 Shugart 51/4" slimline double sided double density disk drive 360K storage capacity. IDEAL FOR IBM COM-PLITERS.



• disk drive mechanism (does not include analog board)• 51/4" single sided disk drive• ideal for use with the APPLE if you make your own analog board.

## Diskettes, Joysticks and other supplies

Maxell
MD1 ....\$29.00 FD1 ....\$59.00
MD2 ....\$39.00 FD2 ....\$69.00
Verbatim

VE1 SS/DD . \$28.00 8" SS/DD . . \$55.00 VE2 DS/DD . \$38.00 8" SS/DD . . \$65.00 BASF

BA1 SS/DD \$26.00 BA2 DS/DD \$36.00 MAC Disks \$60.00

CDC-1 SS/DD ......\$19.95

10 Disk + Disk Bank ...... \$28.00
Printer Ribbons

Accutrak

 Gemini
 \$ 4.50

 Panasonic
 \$11.95

 Epson FX 80
 \$11.95

 Epson FX 100
 \$18.95

 Qume
 \$10.95

Accessories

 Anti Glare Screen
 \$29.95

 3M Anti Glare Screen
 \$45.00

 Disk Drive Cleaner
 \$19.95

 Printwheels from
 \$18.00

Joysticks
Econo .....

TG
Deluxe \$64.95
CH Products
Mach II \$52.95

 Paper

 500 sheets (8½x11")
 \$ 9.95

 2000 sheets (8½x11")
 \$32.00

 2500 sheets (8½x11")
 \$39.95

Kraft ..... \$58.00 TG ..... \$49.00

Disk Banks

50 ...... \$24.95

#### **Hard Disk Drives**

Seagate (industry favoured)
10 MEG. slimline ........\$889.00
10 MEG Seagate, slimline drive and

hard disk controller. This controller can handle up to two 10 MEG hard drives

LOWEST PRICE OF \$1099.00

Quantity Discounts Available Seagate 20 MEG. slimline **\$1099** Seagate 20 MEG. with

controller ......\$1395.00

Controller alone (for 10 or 20 MEG) ......\$349.00

Cables (for 10 or 20 MEG) \$38.00

dd der rd de rd de



50
IBM Software We believe we have the best prices, check our monthly ads for super specials! Features
Lotus 1-2-3 \$429.00 WordStar Professional \$539.00 dBase III \$645.00 MultiMate \$449.00 Symphony \$650.00 Framework \$645.00
Accounting BPI Accounting\$CALL Electric Desk\$459.00
Data Base Systems         dBase III       \$645.00         Infostar Plus       \$480.00         PFS File/PFS report       \$129.ea         dBase II to dB III upgrade       \$209.00
Home / Personal Finance Home Accountant Plus \$149.00
Utilities           Copy II PC         \$47.00           Sidekick         \$59.00           Turbo Pascal         \$59.95           Smartkey II         \$81.95           Sidekick         \$62.95
Graphics BPS business graphics\$269.00 dGraph\$269.00 PFS Graph\$129.00
Visicorp Vision (requires 512K):         T with 512K):           Visigraph         \$329.00           VisiWord         \$409.00           VisiCalc         \$279.00           Visitrend/plot         \$339.00           Visischedule         \$339.00

Entertainment Adventure/Arcade/Ski	III	1	
Ultima II (AD)			
Lode Runner (ARC)			

Sorcim

Adventare/Areade/Okin
Ultima II (AD)
Lode Runner (ARC) \$36.00
Donkey Kong (ARC) \$36.00
Sargon III (SK)
Frogger (ARC) \$39.00
Zork I (ADV) \$43.00
Zork II (ADV)\$43.00
Zork III (ADV) \$43.00
Millionaire/Tycoon (SK) \$CALI
PacMan (ARC)\$41.00
Deadline (ADV) \$51.00
Apple Panic (ARC)\$36.00
Serpentine (ARC) \$39.00
Genesis (SK)
Temple of Apshair (ADV) \$39.00
Witness
Suspended
Flight Simulator \$59.00
Ultima II
0111110 1111111111111111111111111111111

tware
Education
Koala Touch Tablet\$172.00
Mastertype
Wizard of Words \$44.00
Face Maker
Training ATI
How to use Lotus 1-2-3 (volume
1 & 2)
2)
1 & 2)
Digital Research
CP/M-86
PL/1-86
Lifetree
Volkeswriter \$189.00
Volkeswriter de Luxe \$229.00
Lotus 1-2-3 (Version 1A) \$429.00
Symphony
Symphony Upgrade\$345.00
Micropro Wordstar w/tutorial on disk
(version 3.3) \$419.00
Wordstar/MailMerge/CorrectStar/ Starindex (ProPack) \$549.00
Infostar Plus (version 1.6) \$480.00
Bank St. Writer
Microsoft C-Compiler\$520.00
Flight Simulator \$59.00
Flight Simulator \$59.00 Multiplan (new version) \$199.00 Microsoft Word (ver. 1.1) \$389.00
Microsoft Word W/mouse (ver.1.1)
Macro Assembler
PC Mouse w/Paint\$289.00
Basic Interpreter\$355.00
Microstuf Crosstalk XVI (for Hayes Smart-
modem)
Multimate International
Multimate w/80K word speller — An advanced word processor with all
advanced word processor with all the features of a dedicated stand-
alone system. Softword Systems MultiMate (ver. 3.22 w/spell checker
& tutorial)\$449.00
Satellite Software
Word Perfect
Software Publishing PFS/File\$129.00
PFS/Graph\$129.00
PFS/Write
T 1 3/1780011

PFS/Report ......\$129.00 PFS/Access — The first of a series of PFS telecommunications products. Works with the following

modems: Hayes Smartmodem 300, 1200, 1200B; Novation 103 and 103/212 Smart-Cat; Transend PC Modem Card; US Robotics Password; Ven-Tel PC MOdem Plus

Word Perfect . . . . . . . . . . \$409.00

#### **Apple Software Word Processing**

Bank Street Writer	
Spreadsheet         \$199.00           Multiplan         \$199.00           Supercalc III         \$379.00           Visicalc         \$229.00	
Database         \$128.00           PFS file/report/graph         \$459.00           dBase II         \$279.00	
Utility/Business           Locksmith 5.0         \$117.00           Quick code         \$289.00           Sensible Speller         \$125.00           Home Accountant         \$79.00           Bag of Tricks         \$46.00           Apple Mechanic         \$32.00           Copy If Plus Utility         \$48.95           Micrsoft Applesoft compiler\$199.00	
Beagle Bros.         DOS Boss       \$32.00         Alpha Plot       \$45.00         Frame Up       \$35.00         Disk Quick       \$33.00         Type Faces       \$23.00         Beneath Apple DOS       \$25.00	
Games         \$34.00           Choplifter         \$34.00           Temple of Apshai         \$34.00           Sargon III         \$48.00           Zork I, II, III         \$34.00           Ultima II, III         \$54.00           Flight Simulator II         \$49.00           Chess         Odesta         \$86.00           Koala Pad         \$129.00           Wizardry II         \$59.00           Wizardry I         \$52.00           Wizardry II         38.00           Lode Runner         \$40.00           Zaxxon         \$45.00           Music Construction Set         \$48.00           Pinball Contruction Set         \$48.00           BC Quest For Tires         \$48.00           Bc Quest For Tires         \$48.00           Bc Supond Castle Wolfenstein         \$32.95           Beyond Castle Wolfenstein\$36.95         Suspended           Suspended         \$52.00	
Educational           Gertrude's Secrets         \$43.00           Terrapin Logo         \$129.00           Master Type         \$34.00           Spellicopter         \$48.95           Creature Creator         \$48.95           Rocky's Boots         \$52.00           Mockingboard & speech chip         \$310.00           Mockingboard only         \$165.00           Speech chip only         \$165.00           Typing Tutor II         \$26.95           Fortran 80 compiler         \$199.00           Visiterm         \$109.00           ASCII Express         \$197.00	

#### **Books Top Apple Books**

10h While pooks
Apple II User's Guide \$24.95 Apple II Circuit Description\$31.50 Creative Apple \$19.95 Basic Apple BASIC \$17.95 Apple Almanac \$23.95 Using 6502 Assembly Language \$23.95
Apple Logo \$23.95  Apple Logo \$22.95  DOS Manuals \$24.00  Apple Software '85 \$23.95  Blue Book \$29.00  Beneath Apple DOS \$27.95  Apple II Programmers Handbook
Visicalc Book — Apple ed. \$18.95 Apple Fortran \$28.00 6502 Assembly Language Programming \$24.95 What's Where In the Apple \$32.95 Apple Connection \$18.95
Kid's and the Apple       \$26.00         P. Source       \$32.50         Nibble Express III       \$23.95         Games Apple's Play       \$19.95         Elementary Apple       \$19.95         Apple //e Programmers
Reference Guide \$27.95 Introducing the Apple //c . \$24.95 Microsoft Word Made easy — Mac ed \$21.95 6502 Programming \$19.95 Advanced 6502 Programming \$19.95 6502 Applications \$19.95 Apple Logo \$24.95 Discovering Apple Logo \$20.95
Top IBM Books
The IBM PC-DOS Handbook\$23.95 Your IBM Personal Computer\$24.50 IBM PC & XT Owner's Manual
\$19.95 Learning IBM BASIC \$22.95 IBM Programs for Business\$26.95 Assembler for the IBM & XT\$23.95 PC DOS User's Manual \$18.95 IBM BASIC \$22.95 IBM PC Assembly Language\$26.00 Visicalc Book — IBM ed \$22.95 1.2.3. Go \$19.95 Using 1.2.3 \$22.95 All About 1.2.3 \$13.95 Accounts Basic Programs for the
IBM PC\$19.95 Interfacing to the IBM \$22.95 8087 — Applications & Program- ming for the IBM\$26.00 Assembly Language Programming
SCALL Best Book of Lotus 1-2-3 \$19.95 IBM (CP/M-86 Users Guide) \$29.95 Essential PC-DOS \$CALL Complete Guide to Multimate\$CALL Mastering Appleworks \$CALL Introduction to Infostar \$CALL MS DOS Users Guide \$21.95 PC DOS Users Guide \$23.95

Large stock of books and software at best prices

1-2-3 For Business . . . . . . \$22.95 IBM Software 1984.....\$26.95 **Multiflex Products** 

Multiflex Economy Video Display Terminal

Now available from MULTIFLEX is an economy video display terminal. Originally designed as a low cost access unit for our mail-ordering and bulletin board system, this terminal is a semi-intelligent system which is controlled by a Z80A microprocessor and a 6845 CRT controller chip. The keyboard is fully ASCII encoded and the character generator contains the full 128-character set as well as a 128-character alternate set both of which are in the 5x7 dot matrix format. The screen display is 80 characters by 24 lines if the unit is hooked to an external monitor. (Monitor not included). There are 3 software selectable attributes (dim. reverse video, and alternate character set) which can be chosen one at a time for the whole screen. The attribute can then be switched on and off for each individual character. A 2K buffer is provided for normal operation. However when the optional 6K memory upgrade is purchased, 4 screen pages can be loaded from the host machine, edited, locally, and then downloaded back to the host again saving on connect time and phone line bills. Also included are 2 RS232 ports: one for a modem and one so that a printer can be attached to the terminal. The baud rates on these ports are software programmable and can range from 110 to 9600 baud. With all these features, you would expect to pay a lot for this system, but all this is available to you, complete with an attractive case, for an extremely low price.

#### A&T board with keyboard (as picture top right) with one RS232 and 2K buffer \$169.00



Terminal Complete: Tested and 90 days warranty with 2 RS232 ports, 2K buffer case and power supply (Hydro approved)

\$299.00



#### U of T 6809 Single Board Computer

The 6809 Single Board Computer, designed at the University of Toronto and distributed exclusively by EXCELTRONIX, is a compact hardware unit which was designed originally as a lab board for teaching students about microprocessor systems. Its many features, however, make it an ideal unit for stand-alone control applications or software development systems as well.

The system is designed around the Motorola MC6809 microprocessor. This is an 8-bit processor with full 16-bit internal architecture, 2 index registers, 2 stack pointers, 28-bit or 1 16-bit accumulators, a direct page register and a wide range of addressing modes, including a program-counter-relative mode. This mode allows the user to write completely position independent software, important in systems software development.

There is provision for up to 48K bytes of dynamic RAM on-board. The refreshing of this RAM is controlled by an 8202 Dynamic RAM Controller. This chip allows for completely transparant refreshing of the RAM (ie. no wait states to slow the system down). There is also provision for up to 12K of EPROM using 2532 chips.

There are 4 complete I/O circuits built onto the board. 2 of them are serial (RS232); one is used for a terminal (which is required for use of the board with the supplied monitor software), and the other one is user defineable, but it is set up to

communicate with either a modem or a printer. Also on-board are 2 6522 VIA chips. These provide 2 parallel ports per chip along with 2 16-bit timer/counters. One of the parallel ports and one of the timers are use by the monitor software to provide a cassette interface (which operates at 300 baud). The second parallel port on that chip is wired into a connector which is ideal for interfacing a parallel printer or keyboard. The 2nd VIA is not used at all and is completely free for the user. For further expansion of the system, a fully buffered version of the CPU signals (data, address, control lines and a signal indicating whether or not the current address is located on the board) is available at a cable connector.

The software provided with the system is in a 2532 EPROM and allows the user to: test the memory; dump blocks of memory; examine and modify single memory locations; read or write from the cassette port; set and examine breakpoints; single step and/or execute machine language programs and set and examine the processor registers. All this is accomplished through a 9600-baud terminal interface (one of the serial ports) Included is a full screen editor/assembler which allows the user to work in 6809 assembly language rather than machine language. All this makes this board an ideal trainer, control unit or software development unit for just about anyone.

Includes U of T course documentation

A&T with 48K \$369

Special Pricing is available when both items on this page are purchased together

#### **E**xceltronix

## Microprocessor

6500 Series	
6502	8-bit CPU (1 MHz)
6502A	8-bit CPU (2 MHz) 8.50
6522	VIA Versatile Interface Adaptor 7.50
6522A 6532	RIOT (128x8 RAM, I/O, Timer) 7.50
6545	CRT Controller
6551	ACIA Async. Comm. Interface Adaptor11.00
6800 Series	
6800	8-bit CPU (1 MHz)4.30
6802	On Chip 128 x8 1MHz CPU
68B00 6809	8-bit CPU (2 MHz)
68B09	8/16-bit CPU (2 MHz)
6810	128x8 static RAM 370
6821 6840	PIA Periphrial Interface Adaptor 3.59 Programable Timer 8.10
6844	DMA Controller
6845	CRT controller 9.50
68A45 6847	CRT controller 9.95 Video Display Generator 12.50
6850	ACIA
6852 6860	Syncronous Serial Data Adapter5.80
0000	0-600 Baud Modem
68000 Serie	
68000L8 68000L10	16-bit CPU (8 MHz)
68008	16-bit CPU (10 MHz)
68230	Parallel Interface Adapter
68450	6MHz 16-bit DMA Controller 250.00
68451 68561	Memory Management Controller 189.00 MPCC (68000 Compatible)
8080 Series	
8080 8085	8-bit CPU 9.80 8-bit CPU 7.95
8088	16-bit CPU c/w 8-bit data bus 14.95
8087	Math Processor
8212 8214	8-bit I/O Port 3.35 Priority Interrupt Controller 4.99
8216	4-bit Bidirectional Bus Driver2.65
8224	Clock generator for 8080/80859.50
8226 8228	Inverting Bus Driver
8237A5	14.95
8251A	Programmable Communications
	Interface
DOEDAE	
8253A-5 8253	Programmable Internal Timer 8.95
8253A-5 8253 8255	Programmable Internal Timer
8253 8255 8255A-5	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adaptor 6.99
8253 8255 8255A-5 8257-5	Programmable Internal Timer
8253 8255 8255A-5	Programmable Internal Timer
8253 8255 8255A-5 8257-5 8259A	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adaptor 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90
8253 8255 8255A-5 8257-5 8259A 8275 8279-5PC 8282PC	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adaptor 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90 Octal latch, non inverting 8.55
8253 8255 8255A-5 8257-5 8259A 8275 8279-5PC 8282PC 8283PC	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adapter 6.99 Programmable Interface Adaptor 9.95 Programmable Interrupt Controller 9.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90 Octal latch, non inverting 8.55 Octal latch, inverting 12.00
8253 8255 8255A-5 8257-5 8259A 8275 8279-5PC 8282PC 8283PC 8284 8286	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adaptor 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90 Octal latch, inverting 8.55 Octal latch, inverting 12.00 Clock gen and driver 7.75 B-Bit Bus trans. Non-Inverting 8.50
8253 8255 A-5 8255 A-5 8257-5 8259 A 8275 8279-5PC 8282 PC 8283 PC 8284 8286 8287 PC	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         Octal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           8-Bit Bus trans. Inverting         8.69
8253 8255 8255A-5 8257-5 8259A 8275 8279-5PC 8282-PC 8283-PC 8284 8286 8287-PC 8741-ADC	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adapter 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90 Octal latch, non inverting 8.55 Octal latch, inverting 12.00 Clock gen and driver 7.75 8-Bit Bus trans. Non-Inverting 8.69 Univ Programmable interface 34.95
8253 8255 8255A-5 8257-5 8259A 8275-829A 8279-5PC 8282-PC 8283-PC 8286 8287 PC 8741ADC 8748DC 8749DC	Programmable Internal Timer         8.95           Programmable Interface Adapter         7.95           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8283PC 8287 PC 8284 8287 PC 8741ADC 8748DC	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adaptor 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable CRT Controller 25 Cotal latch, non inverting 8.55 Cotal latch, inverting 12.00 Clock gen and driver 7.75 8-Bit Bus trans. Non-Inverting 8.69 Univ. Programmable Interface 34.95 CPU, 4K EPROM, I/O 35.95
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8283PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC	Programmable Internal Timer 8.95 Programmable Interval Timer 7.95 Programmable Interface Adapter 8.25 Programmable Interface Adapter 6.99 Programmable DMA Controller 9.95 Programmable Interrupt Controller 6.95 Programmable CRT Controller 24.00 Programmable Keyboard Display Interface 7.90 Octal latch, non inverting 8.55 Octal latch, inverting 12.00 Clock gen and driver 7.75 8-Bit Bus trans. Non-Inverting 8.69 Univ. Programmable Interface 34.95 CPU, 4K EPROM, I/O 35.95 CPU, EPROM, RAM, I/O 39.95
8253 8255 8255A-5 8257-5 8259A 8275-8259A 8279-5PC 8282-PC 8283-PC 8286 8287 PC 8741ADC 8748DC 8749DC	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, non inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Selit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95
8253 8255 8255A-5 8257-5 8259A 82775 8279-5PC 8282PC 8283PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable Interrupt Controller         6.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75
8253 8255 8255A-5 8257-5 8259A 8277-5 8289PC 8282PC 8283PC 8286 8287PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282 8282	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable ENT Controller         24.00           Programmable Keyboard Display Interface 7.90         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69
8253 8255 8255A-5 8257-5 8259A 82775 8279-5PC 8282PC 8283PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Selit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.69           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75
8253 8255 8255A-5 8257-5 8259A 8277-5 8282PC 8282PC 8283PC 8284 8286 8287PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8282 8283 8284 8288 8289	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Bus Arbiter         40.95
8253 8255 8255A-5 8257-5 8259A 82775 8279-5PC 8282PC 8283PC 8284 8286 8287 PC 8741ADC 8749DC 8749DC 8086 Series 8086 8282 8283 8284 8284 8288	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interface Adaptor         9.95           Programmable Interface Adaptor         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU. 4K EPROM. I/O         35.95           CPU. 4K EPROM. I/O         39.95           2048 x 8 EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.69           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Bus Arbiter         40.95           Floppy Disk Controller
8253 8255 8255A-5 8257-5 8259A 8277-5 8282PC 8282PC 8283PC 8284 8286 8287PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8282 8283 8284 8288 8289	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interrupt Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, 4K EPROM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Bus Arbiter         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50
8253 8255 8255A-5 8257-5 8259A 82775 8279-5PC 8282PC 8283 PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282 8283 8284 8289 8272	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interrupt Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, 4K EPROM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Bus Arbiter         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8282PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8749DC 8086 Series 8086 8282 8283 8284 8289 8272 <b>Z80 Series</b> Z80 A-CPU	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable DMA Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, non inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Buli Bus trans. Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, 4K EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Bus Controller         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8283 PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282 8283 8284 8288 8289 8272 280 Series 280A-CPU 280A-CPU 280A-PIO	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interrupt Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Selit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM. I/O         35.95           CPU, 4K EPROM. I/O         39.95           2048 x 8 EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Arbiter         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (4 MHz)         5.95
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8283 PC 8284 8286 8287 PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282 8283 8284 8288 8289 8272 280 Series 280A-CPU 280A-CPU 280A-PIO	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interrupt Controller         9.95           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.50           Selit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM. I/O         35.95           CPU, 4K EPROM. I/O         39.95           2048 x 8 EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Arbiter         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (4 MHz)         5.95
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8282PC 8284 8286 8287PC 8741ADC 8749DC 8749DC 8749DC 8086 8282 8283 8284 8288 8289 8272 8086-CPU 280A-CPU 280A-CPU 280A-CTC 280A-CTC 280A-CTC 280A-CTC	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interface Adaptor         9.95           Programmable Interface Adaptor         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75         8.51           8-Bit Bus trans. Non-Inverting         8.69           Univ Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (6 MHz)         10.00           Parallel
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8283 PC 8284 8286 8287 PC 8741ADC 8748DC 8748DC 8755ADC 8086 Series 8086 8282 8283 8289 8272 280 Series 280 A-CPU 280 A-CPU 280 A-DATT 280 A-DATT 280 A-DATT 280 A-DATT	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interface Adaptor         9.95           Programmable Interface Adaptor         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface 7.90         0ctal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75         8.51           8-Bit Bus trans. Non-Inverting         8.69           Univ Programmable Interface         34.95           CPU, 4K EPROM, I/O         35.95           CPU, EPROM, RAM, I/O         39.95           2048 x 8 EPROM, I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (6 MHz)         10.00           Parallel
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8282PC 8284 8286 8287PC 8741ADC 8748DC 8749DC 8749DC 8755ADC 8086 Series 8282 8283 8284 82282 8283 8272 8086-CPU 280A-CPU 280A-CPU 280A-DATT 280A-DMA 280A-SIO-O	Programmable Internal Timer         8.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         6.99           Programmable Interface Adaptor         9.95           Programmable Interface Adaptor         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface         7.90           Octal latch, non inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM. I/O         35.95           CPU, 4K EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.75           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         14.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (6 MHz)         10.00           Parallel I/O         5.95           Dual Asyncronous Receiver Transmitter         12.95
8253 8255 8255A-5 8257-5 8259A 8275-5 8279-5PC 8282PC 8283PC 8284 8286 8287PC 8741ADC 8748DC 8749DC 8755ADC 8086 Series 8086 8282 8283 8284 8288 8289 8272 280 Series 280 Series	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adaptor         6.99           Programmable Interrupt Controller         9.95           Programmable DMA Controller         24.00           Programmable Interrupt Controller         24.00           Programmable Keyboard Display Interface         7.90           Octal latch, non inverting         8.55           Octal latch, inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM. I/O         35.95           CPU, EPROM. RAM. I/O         39.95           2048 x 8 EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.69           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Arbiter         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (6 MHz)         10.00
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8282PC 8284 8286 8287PC 8741ADC 8749DC 8749DC 8749DC 8086 Series 8282 8283 8284 82283 8284 82289 8272 <b>280 Series</b> 280A-CPU 280A-CPU 280A-PIO 280A-DART 280A-SIO-O	Programmable Internal Timer         8.95           Programmable Interval Timer         7.95           Programmable Interface Adapter         8.25           Programmable Interface Adapter         6.99           Programmable Interface Adaptor         9.95           Programmable Interface Adaptor         9.95           Programmable CRT Controller         24.00           Programmable Keyboard Display Interface         7.90           Octal latch, non inverting         12.00           Clock gen and driver         7.75           8-Bit Bus trans. Non-Inverting         8.69           Univ. Programmable Interface         34.95           CPU, 4K EPROM. I/O         35.95           CPU, 4K EPROM. I/O         39.95           2048 x 8 EPROM. I/O         37.95           16-bit CPU         25.00           Octal Latch         8.69           Inverting Octal Latch         6.69           Clock Generator for 8086/8088         7.75           Bus Controller         40.95           Floppy Disk Controller         (Equiv. to NEC 7E5)         14.50           8-bit CPU (4 MHz)         5.50           8-bit CPU (6 MHz)         10.00           Parallel I/O         5.95           Dual Asy
8253 8255 8255A-5 8257-5 8259A 8275-5 8279-5PC 8282PC 8283 PC 8284 8286 8287 PC 8741ADC 8748DC 8748DC 8755ADC 8086 Series 8086 8282 8283 8284 8288 8289 8272 280 A-CPU 280 A-PIO 280 A-DART 280 A-DART 280 A-DART 280 A-DART 280 A-DMA 280 A-SIO-0 Misc. Micro AY3-1015 AY5-1013 S1602	Programmable Internal Timer
8253 8255 8255A-5 8257-5 8259A 8277-5 8279-5PC 8282PC 8282PC 8284 8286 8287PC 8741ADC 8749DC 8749DC 8749DC 8749DC 8086 Series 8282 8283 8284 8289 8272 808-CPU 280A-CPU 280A-CPU 280A-CPU 280A-DMA 280A-SIO-O Misc. Micr. AY3-1015 AY5-1013	Programmable Internal Timer
8253 8255 8255A-5 8257-5 8259A 8277-5 8289PC 8282PC 8282PC 8284 8286 8287 PC 8741ADC 8748DC 8748DC 8748DC 8755ADC 8086 Series 8086 8282 8283 8284 8288 8289 8272 280 Series 280A-CPU 280A-CPU 280A-DMA 280A-DMA 280A-DMA 280A-SIO-O Misc. Micro AY3-1015 AY5-1013 S1602 TMS9918	Programmable Internal Timer

18 — Exceltronix Spring Catalogue 1985

#### **Integrated Circuits**

	integrated Circuits	
COM8		
KR360	(5V supply only)	
MSM5	5832 Real-time Clock	
	58321 Real-time Clock	
SND5		
FDC1		
FDC1	793 Double Density Disk Controller 47.00	
FDC1		
FDC2	793 Dbl. Density Disk Controller c/w precomp	
FDC2	795 DDDS Disk Controller c/w precomp59.95	
FDC9	216 Floppy Disk Data Separator15.95	
NEC7	65(8272) Floppy Disk cont	
100	CMOS	
1000		
4000	Dual 3 input NOR gate	
4002	Dual 4 input NOR gate	
4006	18 static shift register	
4007 4008	Dual complementary pairs/inverters	
4009	Hex buffer/converter (inverting)	
4010	Hex buffer/converter	
4011	Quad 2 input NAND gate	
4013	Dual D Edge triggered flip flop	
4014	8 bit static shift register 1.00	
4015	Dual 4 bit static shift register	
4017	Decade counter/divider	
4018 4019	Presettable divide by N counter90	
4019	Quad and/or select gate	
4021	8 bit static shift register95	
4022	Divide by 8 counter/divider	
4023	Triple 3 input NAND gate	
4025	Triple 3 input NOR gate	
4026 4027	Decade counter/divider	
4027	Dual JK flip flop	
4029	Presettable up/down binary/decade counter 90	
4030 4033	Quad XOR gate	
4033	7 segment decaded counter	
4035	4 stage PISO shift register	
4038 4040	Triple serial register	
4040	12 stage binary/ripple counter	
4042	Quad clock D latch 75	
4043 4044	Quad tri state NOR R/S latch	
4046	Micropower phase locked loop95	
4047	Low power monostable/astable multivibrator . 84	
4049 4050	Inverting hex buffer	
4051	Hex buffer	
4052	Dual 4 channel multiplexer	
4053 4054	Triple 2 channel multiplexer/demultiplexer 90 4 segment display driver 99	
4055	BCD to 7 segment recorder/LCD driver 1.75	
4056	BCD to 7 segment recorder/LCD driver 1.75	
4060 4066	14 stage binary counter/oscillator	
4068	8 input NAND gate	1
4069	Hex inverter	
4070 4071	Quad 2 input XOR gate	
4072	Dual 4 input OR gate	
4073	Triple 3 input gate	
4075 4076	Triple 3 input OR gate	
4078	8 input NOR gate	
4081	Quad 2 input AND gate	
4082 4086	Dual 4 input AND gate	
4093	Quad 2 input NAND Schmitt trigger 65	
4094 4097	8 stage shift/store register	
4097	8 bit addressable latch 99	
4501	Industrial control unit	
4502 4503	Strobex Hex inverter/buffer 1.25 Hex tri state buffer 99	
4504	Hex level shifter 2.00	
4506	Dual Expandable AOI gate 2.50	
4508 4510	Dual 4 bit latch tri-state	
4510	BCD to 7 segment latch/decoder/driver 95	
4512	8 channel data separator 89	
4514 4515	1 of 16 decoder/demultiplexer 1.85 1 of 16 decoder/demultiplexer	
4516	Binary up/down counter 95	
4518	Dual BCD up counter	
4519 4520	4 bit AND/OR select gate 80 Dual binary up counter 95	
	95	100

4521	24 state frequency divider	. 2.75
4522	BCD divide by N counter	
4526	4 bit binary divide by N counter	. 1.10
4527	BCD rate multiplier	. 1.10
4528	Dual retriggerable/resettable monostable .	
4529	Dual 4 channel mux	. 1.30
4530	Dual 5 input majority logic gate	. 1.65
4531	12 bit parity generator/checker	
4532	8 bit priority encoder	
4534	Real time 5 decade counter	. 7.99
4536	Programmable timer	. 2.75
4538	Dual precision monostable multivibrator	1.30
4539	Dual 4 channel digital multiplexer	1.25
4541	Quad 2 input analog mux	1.25
4543	BCD to 7 segment latch/decoder/driver	1.05
4553	3 digit BCD counter	3.50
4555	Dual binary 1 of 4 decoder	99
4556	Dual binary 1 of 4 decoder	99
4557	1-6 bit shift register	4.87
4558	BCD to 7 segment decoder	3.55
4560	NBCD adder	5.69
4561	9's complimenter	2.69
4562	128 bit static shift register	8.99
4556	Industrial time base generator	3.15
4568	Phase comparator/programmable counter.	2.50
4572	Hex gate	65
4573	Quad programmable op amp	3.43
4575	Quad programmable comparator	4.25
4580	4 x 4 multiport register	6.49
4581	4 bit A/U	3.99
4582	Carry look ahead generator	1./5
4583	Dual Schmitt trigger	95
4584	Hex Schmitt trigger	/5
4585	4 bit magnitude comparator	99
4702	Programmable bit rate generator	. 11.99
	I I I COUNTY	

	Linear	
109	1A + 5V regulator	8.38
124	Quad op amp	3.95
139	Quad comparator	
148	Quad op amp	
300	General purpose on amp	4.10
305	General purpose op amp Voltage regulator Improved voltage comparator	1 15
306	Improved voltage comparator	1.50
307	Op amp	60
308	Super beta op amp	75
309	+ 5V regulator	1.69
310	Voltage follower	3.38
311	Voltage compatator	2.40
318	Precision high speed op amp	
319	High speed dual comparator	1.89
323	3A + 5V regulator	
324	Quad op amp	
337	3 terminal negative regulator	1.75
339	Quad comparator	55
348	Quad low-power 741	65
350	3A 3 term. positive adjust. regulator	
355	FET input op amp	89
356	Monolithic J-FET input op amp	. 1.95
357	Monolithic J-FET input op amp (uncompensated)	250
358	Dual version of 324	2.50
380	2W audio amp	1.10
393	Dual version of 339	60
398	Sample and hold amplifier	
555	Timer	45
556	Dual timer	1.10
558	Quad timer	1.90
567	Tone decoder	95
709	Op amp	/8
710	Dual channel differential comparator	1 75
714	Precision op amp	4 45
715	High speed op amp	5.25
723	Voltage regulator	1.00
725	Instrumentation op amp	2.99
726	Temperature controlled differential pair	.65.25
727	Temp. controlled differential preamplifier .	
733	Differential video amp	1.15
739	Dual high performance op amp	
741	Operational amplifier	
748	Op amp	
749	Dual audio preamplifier	
759	Power op amp	
760	High speed differential comparator	. 11.95
776	Multi-purpose programmable op amp	1.95
796	Modulator/demodulator	3.25
1372	RF modulator	4.30
1436	High voltage op amp	
1458	Dual op amp	
1488	Quad line driver	95
1489	Quad RS232 line receiver	9
1495	Multiplier	2.40
1496	Modulator/demodulator	15 0
1324	Pulse width mod. reg	. 13.3

## Linear

## 74LS00 Series TTL

1558 1595 1596 1800 1889 3900 26LS29 26LS30 26LS31 26LS32 26LS33	Dual op amp         2.99           Four quad multiplier         7.78           Modulator/demodulator         5.49           Demodulator         6.25           Video modulator         6.25           Quad op amp         0.95           Quad RS423 line driver         5.49           Quad RS422/432 line driver         3.95           Quad differential line driver RS422         2.70           Quad differential line driver RS422         3.95           Quad differential line driver RS422         3.95
3470 3486	Floppy disk read amplifier
3487	Quad line driver RS422 2.95
76477	Analog complex sound generator 5.00
76478	Analog complex sound generator c/w amp 6.90
76489	Microprocessor cont. complex sound
	generator
8T26	Quad tri-state bus transceiver 1.40
8T28	Quad tri-state bus transceiver 1.50
TL070	Low noise bifet op amp
TL071	Low noise bifet op amp
TL072	Low noise bifet op amp
TL074	Low noise bifet op amp
TL075 TL080	Low noise bifet op amp
TL081	General purpose bifet op amp
TL082	General purpose bifet op amp99
TL083	General purpose bifet op amp2.50
TL084	General purpose bifet op amp 1.85
TL497	Switching voltage regulator 2.50
ULN2002	7 segment transistor array 1.00
<b>ULN2003</b>	7 segment transistor array
<b>ULN2004</b>	7 segment transistor array
XR200	Multifunction I.C
XR205	Monolithic waveform generator 8.10
XR210	FSK modulator/demodulator 5.95
XR215	Phase lock loop
XR240 XR320	PCM repeater
XR1310	Stereo demodulator
XR2206	Monolithic function generator 4.95
XR2207	Voltage controlled oxcillator 2.75
XR2208	Operation multiplier 3.45
XR2209	Precision oscillator
XR2211	FSK demodulator/tone decoder 2.75
XR2212	Precision phase locked loop6.92
XR2213	PLL/tone decoder5.45
XR2240	Programmable timer counter 1.89
XR2242	Long range timer
XR2567	Dual monolithic tone decoder 2.40
XR4739	Dual low noise op amp
XR14412	FSK modem system 8.75

## **Memories**

#### TOP VALUE

**Untouchable Prices!** 

#### **Guaranteed Prime Stock**

Dynamic RAMs

4116 1x16k (150ns)       \$ 1.19         2118 1x16k (200ns) single + 5V supply       \$1.00         4164 1x64k (150ns)       \$ 3.49         4164's (150ns)       \$2.99 ea.         41256 1x256k (150ns)       \$19.95
Special pricing for 50 or more
Static RAM       2114L 4x1k 200ns       \$ 2.25         6514 4x1k CMOS 450ns       \$ 4.99         6116 8x2k 150ns       \$ 8.99         (CMOS low power consumption)       2016 8x2k 150ns       \$ 8.25
6164 8x8k 150ns
EPROMS
2716 450ns 8x2k
2716 300ns 8x2k
2732 450ns 8x4k
2732 250ns 8x4k
2764 300ns 8x8k
27128 350ns 8x16k

Name						
14.1592   June 1   14.1591   14.15	74LS00	Quad 2 input NAND gate	39	74LS190	Sync. up/down counter BCD	1.10
14.50  Assignment   1.10    1.10	74LS01	Quad 2 input NAND gate O/C	45	74LS191		
Name	74LS02	Quad 2 input NOR gate	39	74LS192		
Hex. inverter DIC	74LS03	Quad 2 input NOR gate O/C	45	74LS193	Binary up/down counter	1.10
14.1596   Duaz   1.put AND gate   39	74LS04	Hex inverter	39	74LS194	4 bit bi-directional shift register	75
August   A	74LS05	Hex inverter O/C	45	74LS195	4 bit shift register	75
Triple 3 input NAND gate	74LS08	Quad 2 input AND gate	39	74LS196		
Triple 3 Input NAND gate Ord	74LS09	Quad 2 input AND gate O/C	45	74LS197		
Yalisary   AND gate inverter   50	74LS10	Triple 3 input NAND gate	40	74LS221	Dual monostable multivibrator	1.25
Val.   State   Val.   State   Val.   State   Val.   State   Val.   State   Val.   Va	74LS11	Triple 3 input NAND gate O/C	45	74LS240	Octal inverting bus driver	1.25
Hex Schmidt trigger inverter						
Triple 3 input NAND gate				74LS242		
Val.						
Value   Valu						
Val.524   Dual 4 input NAND gate   45   74.15249   CDI o 7 segment decoder driver   1.35	74LS20	Dual 4 input NAND gate	45	74LS245		
Yal.S26	74LS21					
Val.S2P		Dual 4 input NAND gate	45			
Table   Tabl	74LS24	Quad 2 input NAND Schmidt trigger	75	74LS249		
74LS28   Quad 2 input NOR buffer	74LS26	Quad 2 input positive NAND gate	45	74LS251		
Als.	74LS27					
Yal.532						
Yal.537   Quad 2 input NAND gate O/C   55						
Yal.533						
74LS28   Quad 2 input NAND gate O/C   50   74LS273   74LS274   74LS275   74L						
74LS42 BCD to decimal decoder 60 74LS273 7 July 2014 September 55 74LS48 BCD to 7 segment decoder/driver 99 74LS289 BCD to 7 segment decoder/driver 95 74LS281 BCD to 7 segment decoder/driver 95 74LS281 BCD to 7 segment decoder/driver 95 74LS281 And/or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 4 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit bit and or invert gate 45 74LS283 6 bit invert gate 6 90 74LS383 6 bit bit and or invert gate 6 90 74LS383 6 bit bit gate gate gate gate gate gate gate gat						
74LS48 BCD to 7 segment decoder/driver 99 74LS49 BCD to 7 segment decoder/driver 95 74LS59 BCD to 7 segment decoder/driver 95 74LS51 Andro 7 more 1 m					Octal D flip flop	1.45
74LS48 BCD to 7 segment decoder/driver 95 74LS59 Indodewen parity checker generator 3.25 74LS51 Andor invert gate 45 74LS528 2 wide a dinjor invert gate 45 74LS528 2 wide a dinjor invert gate 45 74LS529 2 wide 4 input and/or invert gate 45 74LS529 2 wide 4 input and/or invert gate 45 74LS529 2 wide 4 input and/or invert gate 45 74LS529 2 wide 4 input and/or invert gate 45 74LS520 2 wide 4 input and/or invert gate 45 74LS529 2 wide 4 input and/or invert gate 45 74LS520 2 wide 4 input and/or invert gate 45 74LS53 2 wide 4 input and/or invert gate 45 74LS53 2 wide 4 input and/or invert gate 45 74LS53 2 wide 4 input and/or invert gate 45 74LS53 2 wide 4 input and/or invert gate 45 74LS53 2 wide 4 input gate 45 74LS53 2 wide 4 input gate 45 74LS54 3 but bistable latch 100 74LS58 3 wide 4 input gate 45 74LS58 4 but bistable latch 100 74LS58 4 but bistable latch 100 74LS58 4 but bistable latch 100 74LS58 5 bit magnitude comparator 1.15 74LS58 4 bit magnitude comparator 1.15 74LS59 Decade counter 69 74LS59 5 bit in magnitude comparator 1.15 74LS59 Decade counter 69 74LS59 100 Decade 69 74LS59						
74LS91 Androi merit gate						59
74LS51 And/or invertigate				74LS280		2.05
74LSS2 4 wide and/or invertigate 45 74LS289						
74LSS2						
74LS23	74LS54	4 wide and/or invert gate	45			
74LS73						
74LS75   Dual Julip flop.						
74LS75 4 bit bistable latch						
74LS27						
74LS77 74LS78 74						
74LS38					Crystal oscillator	2.00
74LS35					Crystal oscillator	3.90
74LS85						
74LS86						
74LS90						
74LS91         bit shift register         75         74LS35         Data a selector multiplexer         1.75           74LS93         Divide by 12 counter         69         74LS355         Data a selector multiplexer         4.75           74LS95         4 bit injary counter         69         74LS355         Data a selector multiplexer         4.75           74LS95         5 bit shift register eaync, presel         80         74LS355         Data a selector multiplexer         5.95           74LS96         5 bit shift register eaync, presel         80         74LS365         Hex bus driver (inverted output)         65           74LS107         Dual JK Roge deg triggered flip flop         60         74LS366         Hex bus driver (inverted output)         65           74LS112         Dual JK edge triggered flip flop         60         74LS367         Hex bus driver (inverted output)         65           74LS112         Dual JK edge triggered flip flop         60         74LS376         Hex bus driver (inverted output)         65           74LS121         Dual JK dege triggered flip flop         60         74LS373         Cotal dual flip flop         1.45           74LS121         Dual JK dege triggered flip flop         60         74LS374         74LS374         Octal dual flip flop         1.45 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Alt.S35						
74LS95						
Abit right/left shift register   80   74LS36   5 bit shift register async. preset   80   74LS36   74LS313   0 bual JK fup (plop with clear   62   74LS313   0 bual JK doge triggered flip flop   60   74LS37   74LS36   74LS314   0 bual JK edge triggered flip flop   60   74LS37   74LS37   74LS37   74LS36   74LS37   74LS37   74LS37   74LS37   74LS37   74LS37   74LS37   74LS37   74LS38   74LS37   74LS38   74LS37   74LS38   74L						
Table						
Authorst						
TALS109   Dual JK pos. edge triggered flip flop   60   74LS368   Hex bus driver (inverted output)   65   74LS311   Dual JK edge triggered flip flop   60   74LS374   74LS314   Dual JK edge triggered flip flop   60   74LS374   74LS314   TALS314   Dual JK edge triggered flip flop   60   74LS374   74LS314   TALS314   TALS315   TALS315   TALS315   TALS315   TALS316   TALS317   TALS317   TALS317   TALS318						
74LS112         Dual JK edge triggered flip flop         60         74LS337         Octal dual fried flop         65           74LS113         Dual JK edge triggered flip flop         60         74LS373         Octal dual flip flop         1.45           74LS122         Retriggerable monostable multivibrator         90         74LS375         Octal dual flip flop         1.45           74LS125         Dual retriggerable monostable multivibrator         90         74LS376         Octal Dreigister         1.50           74LS126         Dual retriggerable monostable multivibrator         95         74LS380         Hex D register         1.85           74LS126         Ouad 3 state buffer         90         74LS384         4 bit register         1.85           74LS132         Quad ruple 2 input NAND Gate         89         74LS384         74LS384         4 bit register         9.00           74LS136         Quad XOR gate         60         74LS393         13 input NAND gate         70         74LS393         174LS393         174 secded flow flow flow flow flow flow flow flow						
TALS112						
74LS114         Dual JK edge triggered flip flop         80         74LS374         Octal dual flip flop         1.45           74LS122         Retriggerable monostable multivibrator         90         74LS377         Ab bit bistable latch         65           74LS123         Dual retriggerable monostable multivibrator         95         74LS377         Hex D register         1.50           74LS125         Tri state quad bus buffer         60         74LS380         Multi function cotal generator         9.00           74LS126         Quad 3 state buffer         90         74LS380         Multi function cotal generator         9.00           74LS131         13 input NAND gate         70         74LS380         Multi function cotal generator         9.00           74LS132         20 dad Vang ate         60         74LS380         Dual able code coder functiplexer         7.20           74LS133         31 input NAND gate         70         74LS395         71 is state shift register         1.25           74LS133         30 8 decoder/demultiplexer         73         74LS398         74LS398         74LS399         74LS399 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
74LS125         Retriggerable monostable multivibrator         90           74LS127         Dual retriggerable monostable multivibrator         95           74LS125         Tri state quad bus buffer         60           74LS126         Tri state quad bus buffer         60           74LS1320         Quad 3 state buffer         90           74LS1321         Quad 3 state buffer         90           74LS1322         Quad 2 input NAND gate         89           74LS1333         31 input NAND gate         70           74LS136         Quad XOR gate         90           74LS137         3 of 8 decoder/demultiplexer         73           74LS133         3 to 8 decoder/multiplexer         73           74LS133         3 to 8 decoder/multiplexer         73           74LS135         3 to 8 decoder/multiplexer         73           74LS139         Dual 1 of 4 decoder/demultiplexer         73           74LS145         BCD to decimal decoder/demultiplexer         73           74LS145         BCD to decimal decoder/demultiplexer         2.00           74LS145         Bchannel digital multiplexer         1.05           74LS155         Coud selector/multiplexer         1.05           74LS156         Sync. 4 bit counter						
Als   Petriggerable monostable   multivibrator   90   Als   374   Sals   374   Als   375   Als   374   Als   375   Als   375   Als   374   Als   375   Als	74LS114	Dual JK edge triggered flip flop	60			
Multivibrator   Sual retriggerable monostable multiplier   Sual retriggerable   Sual retriggerable monostable multiplier   Sual retriggerable   Sual retrigger	74LS122					
All   State			90			
Tristate quad bus buffer	74LS123					
TALS125						
74LS126         Quad of State of Inference of Alexander (Inference of Alexander of Alexand						
TALS132						
TALS133   Talipht NAND gate   00   74LS333   Talipht NAND gate   00   74LS337   30 f8 decoder/demultiplexer   99   74LS338   30 f8 decoder/demultiplexer   73   74LS339   74LS349   74LS						
74LS137         3 of 8 decoder/demultiplexer         99         74LS138         3 to 8 decoder/demultiplexer         73         74LS138         3 to 8 decoder/demultiplexer         73         74LS398         74LS399         74LS398         74LS398         74LS398         74LS399         74LS340         74LS340         74LS340         74LS340		13 input NAND gate	70			
7ALS138         3 to 8 decoder/denilatiplexer         73           7ALS139         Dual 1 of 4 decoder/denilatiplexer         73           7ALS145         BCD to decimal decoder/driver         1.00           7ALS148         BCD to decimal decoder/driver         1.00           7ALS148         8 to 3 line priority encoder         2.00           7ALS151         8 channel digital multiplexer         69           7ALS155         Dual 4/I multiplexer         72           7ALS156         Decoder/demultiplexer         99           7ALS157         Quad 2 input multiplexer (inverting)         75           7ALS158         Quad 2 input multiplexer (inverting)         75           7ALS161         Sync. 4 bit counter         99         74S02         Quad 2 input NAND gate         72           7ALS162         Sync. 4 bit counter         99         74S02         Quad 2 input NOR gate O/C         75           7ALS163         Sync. 4 bit counter         99         74S02         Quad 2 input NOR gate O/C         75           7ALS164         8 bit serail shift register         99         74S04         Hex inverter O/C         75           7ALS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate O/C         <				74LS395		
TALS139   Dual 1 of 4 decoder/Idemultiplexer   73						
ALS139					Quad D flip flop	
TALS145				74LS399	Quad 2 input multiplexer with	
TALS148				The second second	storage	
TALS151					Voltage controlled oscillator	3.30
TALS153				74LS670		1.75
74LS154         4 to 16 decoder multiplexer         1.05           74LS155         Decoder/demultiplexer         .99           74LS156         Decoder/demultiplexer         .85           74LS157         Quad selector/multiplexer         .70           74LS158         Quad 2 input multiplexer (inverting)         .75           74LS160         Decade counter with async clear         .99         .74800         Quad 2 input NAND gate         .72           74LS162         Sync. 4 bit counter         .99         .74802         Quad 2 input NOR gate         .72           74LS163         Sync. 4 bit counter         .99         .74804         Hex inverter         .72           74LS164         8 bit serail shift register         .99         .74804         Hex inverter O/C         .75           74LS165         Parallel load 8 big shift register         .130         .74808         Quad 2 input AND gate O/C         .75           74LS168         Parallel load 8 big shift register         .1.95         .74809         Quad 2 input AND gate O/C         .79           74LS168         Up/down decade counter         .2.25         .74509         Quad 2 input AND gate O/C         .79           74LS169         4 bit ristate register         .1.95         .74509         Quad 2						
74LS155         Decoder/Idemultiplexer         .99           74LS156         Decoder/Idemultiplexer         .85           74LS157         Quad selector/multiplexer         .70           74LS158         Quad 2 input multiplexer (inverting)         .75           74LS160         Decade counter with async clear         .99         .74S02         Quad 2 input NAND gate         .72           74LS162         Sync. 4 bit counter         .99         .74S02         Quad 2 input NAR gate         .72           74LS163         Sync. 4 bit counter         .99         .74S04         Hex inverter         .72           74LS163         Sync. 4 bit counter         .99         .74S05         Hex inverter         .72           74LS164         8 bit serail shift register         .99         .74S05         Hex inverter         .72           74LS165         Parallel load 8 big shift register         .130         .74S08         Quad 2 input AND gate         .72           74LS166         8 bit PISO shift register         .130         .74S09         Quad 2 input AND gate O/C         .79           74LS169         4 bit sync. binary counter         .1.49         .74S11         .71ple 3 input NAND gate O/C         .79           74LS173         4 bit tristate register					745XX	
74LS156         Decoder/demultiplexer         85           74LS157         Quad selector/multiplexer (inverting)         75           74LS158         Quad 2 input multiplexer (inverting)         75           74LS160         Decade counter with async clear         99         74S02         Quad 2 input NAND gate         72           74LS161         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS163         Sync. 4 bit counter         99         74S05         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.99         74S08         Quad 2 input AND gate         72           74LS168         8 bit PISO shift register         1.95         74S09         Quad 2 input AND gate         72           74LS169         4 bit sync. binary counter         1.95         74S09         Quad 2 input AND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S10         Triple 3 input NAND gate O/C         79					- TORM	
74LS158         Quad 2 input multiplexer (inverting)         75           74LS160         Decade counter with async clear         99         74S00         Quad 2 input NAND gate         72           74LS161         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate         72           74LS162         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS168         Bylodown decade counter         1.95         74S09         Quad 2 input AND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S11         Triple 3 input NAND gate O/C         79					Povice MMI	
74LS158         Quad 2 input multiplexer (inverting)         75           74LS160         Decade counter with async clear         99         74S00         Quad 2 input NAND gate         72           74LS161         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate         72           74LS162         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS168         Bylodown decade counter         1.95         74S09         Quad 2 input AND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S11         Triple 3 input NAND gate O/C         79				00.32	series III	The Park
74LS160         Decade counter with async clear         99         74S00         Quad 2 input NAND gate         72           74LS161         Sync. 4 bit counter         99         74S02         Quad 2 input NOR gate         72           74LS162         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS168         Parallel load 8 big shift register         1.95         74S09         Quad 2 input AND gate         72           74LS168         Up/down decade counter         2.25         74S10         Triple 3 input NAND gate         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S10         Triple 3 input NAND gate O/C         79           74LS173         4 bit triple op with clear         80         74S20         Dual 4 input NAND gate O/C         79           74LS175         Quad D flip flop with clear         80         74S22         Dual 4				1000	and the second contract with the second	77.17 252
74LS161         Sync. 4 bit counter         99         74S02         Quad 2 input NOR gate         72           74LS162         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS166         8 bit PISO shift register         1.95         74S09         Quad 2 input AND gate O/C         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate         79           74LS179         4 x 4 register file         1.95         74S15         Triple 3 input NAND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate         72           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS181         4 bit ALU         2.95         74S30         8 input NAND gate				74500	Quad 2 input NAND gate	72
74LS162         Sync. 4 bit counter         99         74S03         Quad 2 input NOR gate O/C         75           74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS165         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS168         Byl/down decade counter         2.25         74S10         Triple 3 input NAND gate         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input AND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate         72           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS175         Quad D flip flop with clear         80         74S30         8 input NAND gate         72           74LS181         4 bit tristate register         80         74S30         Quad 2 input N					Quad 2 input NOR gate	72
74LS163         Sync. 4 bit counter         99         74S04         Hex inverter         72           74LS164         8 bit serail shift register         99         74S05         Hex inverter O/C         75           74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS168         8 bit PISO shift register         1.95         74S09         Quad 2 input AND gate O/C         79           74LS168         Up/down decade counter         2.25         74S10         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input NAND gate O/C         79           74LS173         4 bit triple gister         78         74S20         Dual 4 input NAND gate O/C         79           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS187         Quad D flip flop with clear         80         74S32         Dual 4 input NAND gate O/C         79           74LS181         4 bit Abit ALU         2.95         74S32         Quad 2 input NAND gate O/C         79           74LS182         Look ahead carry         2.75         74S37         Quad 2 input					Quad 2 input NOR gate O/C	75
74LS164         8 bit serail shift register         .99         74S05         Hex inverter O/C         .75           74LS165         Parallel load 8 big shift register         1.90         74S08         Quad 2 input AND gate         .72           74LS168         8 bit PISO shift register         1.95         .74S09         Quad 2 input AND gate O/C         .79           74LS168         Up/down decade counter         2.25         .74S10         Triple 3 input NAND gate         .79           74LS169         4 bit sync. binary counter         1.49         .74S15         Triple 3 input NAND gate O/C         .79           74LS170         4 x 4 register file         1.95         .74S15         Triple 3 input NAND gate O/C         .79           74LS173         4 bit tri state register         .78         .74S20         Dual 4 input NAND gate         .72           74LS174         Hex D flip flop with clear         .80         .74S22         Dual 4 input NAND gate         .72           74LS181         4 bit ALU         .2.95         .74S30         8 input NAND gate         .72           74LS182         Look ahead carry         .2.75         .74S37         Quad 2 input NAND buffer         .2.49					Hex inverter	72
74LS165         Parallel load 8 big shift register         1.30         74S08         Quad 2 input AND gate         72           74LS168         bit PISO shift register         1.95         74S09         Quad 2 input AND gate O/C         79           74LS168         Up/down decade counter         2.25         74S10         Triple 3 input NAND gate         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input NAND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate         72           74LS175         Quad D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS181         4 bit ALU         2.95         74S30         8 input NAND gate         72           74LS182         Look ahead carry         2.75         74S37         Quad 2 input NAND buffer         2.49		8 bit serail shift register	99		Hex inverter O/C	75
74LS168         8 bit PISO shift register         1.95         74S90         Quad 2 input AND gate O/C         79           74LS168         Up/down decade counter         2.25         74S10         Triple 3 input NAND gate         79           74LS170         4 vit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input AND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate O/C         79           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS181         4 bit ALU         2.95         74S30         8 input NAND gate O/C         79           74LS181         4 bit ALU         2.95         74S32         Quad 2 input NAND buffer         82           74LS182         Look ahead carry         2.75         74S37         Quad 2 input NAND buffer         2.49		Parallel load 8 big shift register	1.30		Quad 2 input AND gate	72
74LS168         Up/down decade counter         2.25         74S10         Triple 3 input NAND gate         79           74LS169         4 bit sync. binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input NAND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate         72           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS175         Quad D flip flop with clear         80         74S30         8 input NAND gate         72           74LS181         4 bit ALU         2.95         74S32         Quad 2 input NOR buffer         82           74LS182         Look ahead carry         2.75         74S37         Quad 2 input NAND buffer         2.49		8 bit PISO shift register	1.95		Quad 2 input AND gate O/C	79
74LS189         4 bit sync, binary counter         1.49         74S11         Triple 3 input NAND gate O/C         79           74LS170         4 x 4 register file         1.95         74S15         Triple 3 input NAND gate O/C         79           74LS173         4 bit tri state register         78         74S20         Dual 4 input NAND gate         72           74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS181         4 bit Abit ALU         2.95         74S30         8 input NAND gate         72           74LS182         Look ahead carry         2.75         74S37         Quad 2 input NAND buffer         2.49		Up/down decade counter	2.25		Triple 3 input NAND gate	79
74LS173         4 bit tri state register.         78         74LS20         Dual 4 input NAND gate.         72           74LS174         Hex D flip flop with clear         .80         74S22         Dual 4 input NAND gate.         .79           74LS175         Quad D flip flop with clear         .80         74S30         8 input NAND gate.         .72           74LS181         4 bit ALU         2.95         74S32         Quad 2 input NOR buffer.         .82           74LS182         Look ahead carry.         2.75         74S37         Quad 2 input NAND buffer.         2.49					Triple 3 input NAND gate O/C	79
74LS174         Hex D flip flop with clear         80         74S22         Dual 4 input NAND gate O/C         79           74LS175         Quad D flip flop with clear         .80         74S30         8 input NAND gate         .72           74LS181         4 bit ALU         .2.95         .74S32         Quad 2 input NOR buffer         .82           74LS182         Look ahead carry         .2.75         .74S37         Quad 2 input NAND buffer         .2.49		4 x 4 register file	1.95			
74LS175         Quad D flip flop with clear         .80         74S30         8 input NAND gate         .72           74LS181         4 bit ALU         2.95         74S32         Quad 2 input NOR buffer         .82           74LS182         Look ahead carry         2.75         74S37         Quad 2 input NAND buffer         2.49						
74LS181       4 bit ALU       2.95       74S32       Quad 2 input NOR buffer       82         74LS182       Look ahead carry       2.75       74S37       Quad 2 input NAND buffer       2.49						
74LS182 Look ahead carry2.75 74S37 Quad 2 input NAND buffer2.49					8 input NAND gate	/2
continued on next page	74LS182	Look ahead carry	2.75	74537		
					continued on r	next page

74L5190	Sync. up/down counter binary	. 1.10
74LS191	Sync. up/down counter binary	. 1.10
74LS192	Binary up/down counter	. 1.10
74LS193	Binary up/down counter	. 1.10
74LS194	4 bit bi-directional shift register	75
74LS195	4 hit shift register	75
	4 bit shift register Decade counter	1 50
74LS196	Decade counter	. 1.50
74LS197	Presettable binary counter	. 1.05
74LS221	Dual monostable multivibrator	, 1.25
74LS240	Octal inverting bus driver	1 25
74LS241	Octal bus driver	1 25
	Octal bus driver	1.20
74LS242	Quad inverting transceiver	. 1.20
74LS243	Quad transceiver	1.20
74LS244	Tri state octal driver	1.25
74LS245	Octal bus transciever	1.50
74LS227	BCD to 7 segment decoder driver	1.05
	DOD to 7 segment decoder driver	
74LS248	BCD to 7 segment decoder driver	. 1.35
74LS249	BCD to 7 segment decoder driver	1.35
74LS251	Tristate data selector multiplexer	99
74LS253		
	Dual 4 bit multiplexer	90
74LS257	Quad 2 input multiplexer	00
74LS258	Quad 2-1 multiplexer	80
74LS259	8 bit addressabe latch	1.30
74LS260	Quad 2-1 multiplexer .  8 bit addressabe latch Dual 5 input NOR gate Quad 2 input XNOR O/C Octal D flip flop .	89
74LS266	Quad 2 input XNOB Q/C	50
	Oatal Dillia flas	1 45
74LS273	Octar D flip flop	1.45
74LS275	/ Dit Since Wallace tree	5.55
74LS279	Quad S-R latches	59
74LS280	9 bit odd/even parity checker/	
	generator	3 25
741 0000	generator	0.20
74LS283	4 bit binary full adder	81
74LS289	64 bit RAM	. 6.25
74LS290	64 bit RAM  Decade counter  4 bit binary counter  4 bit shift register	90
74LS293	4 bit binary counter	95
74LS295	4 hit shift register	1 50
74LS298	4 bit shift register Quad 2 input multiplexer 8 bit storage register	1 12
	Quad 2 input multiplexer	. 1.12
74LS299	8 bit storage register	. 2.75
74LS320	Crystal oscillator	. 5.05
74LS321	Crystal oscillator	. 3.90
74LS322	Crystal oscillator	6 95
74LS323	8 bit bidirectional universal shift	4.55
74LS348	8 to 3 priority encoder	. 2.75
74LS352	Dual 4 bit multiplexer	. 1.10
74LS353	Dual 4 bit multiplexer Dual 4 bit multiplexer Data selector multiplexer	. 1.10
74LS354	Data selector multiplexer	1 75
74LS355	Data selector multiplexer	1.75
	Data selector multiplexer	4.75
74LS356	Data selector multiplexer	. 4.75
74LS357	Data selector multiplexer	. 5.95
74LS365	Hex bus driver tri state	65
74LS366	Hex bus driver tri state	65
74LS367	Hex bus driver	60
	nex bus unver	02
74LS368	Hex bus driver (inverted output)	65
74LS373	Octal transparent latch	. 1.45
74LS374	Octal dual flip flop	1.45
74LS375	4 hit histable latch	65
74LS377	Octal dual flip flop 4 bit bistable latch Octal D register	1 50
	Octai D register	1.00
84LS378	nex Diegistei	1.00
74LS379	4 bit register	. 1.85
74LS380	Multi function octal generator	. 9.00
74LS384	8 bit multiplier	
74LS386	Ouad 2 input YOP gate	50
	Quad 2 input XOR gate	
74LS390	Dual decade counter	. 1.28
74LS393	Dual 4 bit binary counter	
74LS395	Tri state shift register	. 1.25
74LS396	Octal storage register	. 2.75
74LS398	Quad D flip flop	275
74LS399	Quad 2 input multiplexer with	2.70
1410099	adad 2 input multiplexer with	1 45
741 0000	Storage	1.45
74LS629	Voltage controlled oscillator	. 3.30
74LS670	storage Voltage controlled oscillator	. 1.75
	745XX	

## **Series TTL**

4800	Quad 2 input NAND gate
4S02	Quad 2 input NOR gate
4S03	Quad 2 input NOR gate O/C
4S04	Hex inverter
4S05	Hex inverter O/C
4508	Quad 2 input AND gate7
4509	Quad 2 input AND gate O/C
4510	Triple 3 input NAND gate
4511	Triple 3 input NAND gate O/C 7
4S15	Triple 3 input AND gate O/C7
4S20	Dual 4 input NAND gate
4522	Dual 4 input NAND gate O/C 7
4530	8 input NAND gate
4532	Quad 2 input NOR buffer 8
4537	Quad 2 input NAND buffer 2.4

## 745XX Series TTL

74S38	Quad 2 input NAND buffer O/C 2.49	74S162	Sync. 4 bit counter
74S40	Dual 4 input NAND buffer	74S163	Sync. 4 bit counter
74S74	Dual D flip flop	74S168	4 bit up/down sync. counter7.44
74S85	4 bit magnitude comparator2.50	74S169	4 bit sync. counter 6.95
74S86	Quad 2 input XOR gate 1.00	74S174	Hex D flip flop with clear1.70
74S109	Dual JK positive edge triggered	74S175	Quad D flip flop with clear 1.80
	flip flop	74S182	Look ahead carry generator 3.75
74S112	Dual JK flip flop1.00	74S189	16 x 4 RAM 4.50
74S113	Dual JK negative edge triggered	74S195	4 bit parallel access shift
	flip flop		register
745114	Dual JK negative dge triggered	74S196	Presettable decade counter 4.95
	flip flop	74S197	Presettable binary counter 4.95
74S124	Dual VCO	74S201	256 bit RAM 8.95
74S132	Quad 2 input Scmitt trigger	74S240	Octal line driver 2.99
	NAND	74S241	Octal line driver 2.99
74S 38	3-8 decoder/multiplexer	74S244	Octal line driver
74S139	Dual 2-4 decoder/multiplexer 1.90	74S251	Tri-state data selector
745140	Quad line driver		multiplexer 2.65
74S151	8 channel digital multiplexer 1.50	74S260	Dual 5 input NOR gate 1.75
74S153	Dual 4-1 multiplexer	74S283	4 bit binary full adder 4.99
74S157	Quad 2 input multiplexer 1.75	74S289	16 x 4 RAM 5.20
74S158	Quad 2 input multiplexer 1.70	74S299	8 bit universal shift
74S160	Decade counter with async.	The Manual Con-	storage register8.50
	clear	74S373	Octal D latch
74S161	Sync. 4 bit counter	748374	Octal D latch

#### **Trim Pots**

RESIS	TANCE	io E i i i o i ii i	TRIMPOT		
10	500	10K	200K	7	-
20	1K	20K	500K		
50	2K	50K	1M	C4 C1	
100	5K	100K	2M	D 1-D:	5 e
200					

TRIM	POTS
100	1000
250	2500
500	5000

100K 250K 500K 25K 50K OPEN CASE 35¢ ENCLOSED CASE 85¢



#### **BRIDGE RECTIFIERS**

IDMB40 (1A, 400V)\$ .69
2KBP02 (2A, 200V)\$1.50
2KBP06 (2A, 600V)\$1.50
KBPC102 (3A, 200V) \$2.25
KBPC106 (3A, 600)\$2.25
KBPC602 (6A, 200V)\$3.60
KBPC606 (6A, 600V)\$3.99
100JB2L (10A, 200V) \$5.99
100JB6L (10A, 600V) \$5.99
250JB2L (25A, 200V) \$6.50
250JB6L (25A, 600V) \$6.99

32.768KHZ\$1.50	10.24MHZ\$2.99
1.00MHZ\$6.95	12.00MHZ\$2.99
1.8432MHZ\$3.99	14.00MHZ\$2.99
2.00MHZ\$3.99	14.318MHZ\$2.19
2.457MHZ\$3.99	16.00MHZ\$2.29
3.57MHZ\$3.99	18.00MHZ\$2.29
4.00MHZ\$2.25	18.432MHZ\$2.29
5.00MHZ\$2.75	20.00MHZ\$2.75
5.017MHZ\$3.99	17.43MHZ\$3.99
5.068MHZ\$2.99	22.118MHZ\$3.99
8.00MHZ\$2.10	48.00MHZ\$3.99
10.00MHZ\$2.75	

DEVICE						IKARS	DISIO	JK5						
2N697	.50	2N3391A	.45	2N3773	2.99	2N4339	.45	2N5771	.50	MPSA20	.30	TIP49	1.20	
2N2219A	.66	2N3394	.80	2N3819	.65	2N4400	.25	2N5772	.45	MPSA55	.50	TIP115	1.35	
2N2221A	.40	2N3415	.28	2N3820	.85	2N4401	.25	2N6028	.45	MPSU51	1.09	TIP122	1.60	
2N2222A	.50	2*'3440	1.10	2N3904	.28	2N4402	.25	MJ802	4.50	MPSU56	.66	TIP125	1.00	
2N2270	.50	2N3442	2.60	2N3905	.28	2N4403	.25	MJ2955	1.63	PN2222A	.25	TIP142	3.50	
2N2369A	.50	2N3566	.85	2N3906	.28	2N4416	1.40	MJ4502	4.90	TIP29C	.70	TIP146	3.75	
2N2646	1.42	2N3568	.85	2N4062	.66	2N4853	4.22	MJE340	2.50	TIP30C	.70	TIP2955	1.63	
2N2906	.55	2N3638A	.85	2N4112	.28	2N4856	1.90	MJE802	1.99	TIP31C	.70	TIP3055	1.50	
2N2907A	.55	2N3642	.85	2N4123	.20	2N4891	.65	MPF102	.55	TIP32C	1.10			
2N3053	.70	2N3643	.85	2N4124	.50	2N5245	.75	MPS6515	.50	TIP33C	1.60			
2N3055	1.60	2N3645	.85	2N4208	.67	2N5400	.30	MPSA05	.29	TIP34C	1.65			
2N3117	1.50	2N3703	.28	2N4222	1.99	2N5457	.60	MPSA13	.30	TIP35C	3.50			
2N3227	4.18	2N3704	.50	2N4248	.85	2N5485	.65	MPSA14	.35	TIP41C	1.20			
2N3250	.70	2N3705	.29	2N4250	.85	2N5770	.55	MPSA18	.35	TIP42C	1.10			

We have a large selection of small signal and JFET transistors in stock.

#### **Rectifier Diodes**

1N4001	50V 1	A .												.\$	.10
1N4004	400V	IA.												.\$	.10
1N4007	1000V	1A												.\$	12
1N5403	300V	BA .												.\$	40
1N5404	400V	3A .												.\$	40
1N5406	600V	BA .												.\$	60
C14	o le le	_			_						ļ				

#### Switching and Signal Diodes

1N34A .																			 . \$	6	.1	9
1N914 .																				\$		.5
1N4148																0	 1			\$		.5
1N4448																		y.		\$		.5

#### **Zener Diodes**

1 Watt. All Values 25 cents each.

Voltages Available: 3.9, 4.3, 4.7, 5.1, 5.6, 6.2, 7.5, 8.2, 9.1, 10, 12, 13, 15, 16, 18, 20, 22, 24, 27, 30, 33, 36.

#### **SIP Resistor Networks**

Part #	Pins	Co	mmon ı #	1111111
6-1-XXX	6	1	0.79	11111111
8-1-XXX	8	1	0.09	XXX = Value
10-1-XXX	10	1	0.95	

#### SCR's

2N5064.								\$	.75
2N6337.									
TIC106D								\$1	.45
TIC116D									
TIC126D									

#### TRIACS

TIC206D								. \$1.55
TIC216D								. \$1.99
TIC226D								.\$1.99
TIC263D								. \$4.50

#### **OPTO**

MCT2										.\$1	.99
МСТ6										.\$1	.99
4N25.										.\$1	.10
4N35.										.\$1	.20
4N30.										.\$	.90
4N33.										.\$	.99
MOC3	0	11								.\$1	.75
MOC3	0	31								.\$2	.50
MOC3	0	02	2 .							.\$2	.99
FND50	00	) .								.\$2	.99
FND5	07									.\$2	.99
TIL313	3									.\$1	.95
TIL312	2									.\$1	.95
RBG-1	0	00	)							. \$5	.99

## **DB Connector Series**



DB9P Solder Tail Male\$1.75	5
DB9S Solder Tail Female\$1.75	
DP9P Rght Angle PCB Mount Male \$2.50	
DP9S Rght Angle PCB Mount Female \$2.50	
DB9P Flat Ribbon IDC Crimp Type Male \$5.75	
DB9S Flat Ribbon IDC Crimp Type Female \$6.25	
DB9 Shell (Economy Type) \$0.75	
DB9 Shell, High Quality\$1.99	
DB15 Solder Tail Male	
DB15S Solder Tail Female\$1.99	
DP15P Rght Angle PCB Mount Male\$2.99	
DP15S Rght Angle PCB Mount Female \$2.99	5
DB15P Flat Ribbon IDC Crimp Type Male \$7.99	5
DB15S Flat Ribbon IDC Crimp Type Female \$8.50	
DB15 Shell (Economy Type)	
DB15 Shell, High Quality\$1.99	
DB25 Solder Tail Male	
DB25S Solder Tail Female\$1.99	
DP25P Rght Angle PCB Mount Male \$4.98	
DP25S Rght Angle PCB Mount Female \$4.95	5

DB25P Flat Ribbon IDC Crimp Type Male \$8.99	
DB25S Flat Ribbon IDC Crimp Type Female \$9.99	
DB25 Flat Ribbon IDC Crimp, Economy M or F\$5.95	
DB25 Shell (Economy Type)	
DB25 Shell, High Quality\$1.99	
DB37 Solder Tail Male	
DB37S Solder Tail Female\$4.25	
DP37P Rght Angle PCB Mount Male\$7.75	
DP37S Rght Angle PCB Mount Female	
DB37P Flat Ribbon IDC Crimp Type Male \$14.00	
DB37S Flat Ribbon IDC Crimp Type Female\$14.95	
DB37 Shell, High Quality\$2.95	
Female Screen Lock Assemblies for	
DB Connectors	

## **Delta Ribbon Connectors**

(Centronics Parallel Printer Connector)
36 Contacts Plug (IDC) Flat Ribbon Crimp Type
Male\$8.95
36 Contacts Socket (IDC) Flat Ribbon Crimp Type
Female\$9.95
36 Contacts Chassis Mount female\$6.95
36 Contacts Solder Cable Male\$8.85
36 Metal Shell (for solder male)\$2.95

#### Flat Cable Card Edge Connectors

#### (Disk Drive Connectors)

50 Pin Edge Connector (8" Drive)	\$5.95
40 Pin Edge connector	\$5.00
34 Pin Edge Connector (51/4")	\$5.85
20 Pin Edge Connector (Hard Drive)	\$4.79

#### **Quantity Discounts Available**

20 — Exceltronix Spring Catalogue 1985

Gold

#### Sockets

High quality AMP IC Soldertail Sockets (Double Wipe Action) 1.5 cents per pin

8 Pin12c	20 Pin30c
14 Pin21c	24 Pin36c
16 Pin24c	28 Pin42c
18 Pin 27c	40 Pin 60c

#### **Quantity Discounts Available**

Note: we also carry a cheaper brand of solder tall sockets at only 1 cent per pin.

#### Machined contact Solder Tall Sockets (RN)

8 Pin																						.[	).	80	)	1.29	
14 Pin																							1	.3	0	1.90	
16 Pin																							1	.4	0	2.10	
18 Pin.															 								1	.9	0	2.75	
20 Pin																							1	.9	0	3.10	
24 Pin															 					 			2	.4	0	3.80	
28 Pin																							2	.7	0	4.30	P
40 Pin																				 			3	8	0	5.80	
																-											
Wire	w	ı	e		1	9	ď	0	Œ	1 '	₹	B	E	9	(	١.	8	•									
Wire 8 Pin																										\$1.20	
8 Pin 16 Pin															 												
8 Pin	 														 											\$2.20	
8 Pin 16 Pin	 			 											 	 			 		 					\$2.20	1
8 Pin 16 Pin 18 Pin	 			 											 	 			 	 	 					 \$2.20 \$2.40 \$2.80	
8 Pin 16 Pin 18 Pin 20 Pin	 			 											 	 			 		 					 \$2.20	
8 Pin 16 Pin 18 Pin 20 Pin 24 Pin				 											 	 			 		 					 \$2.20 \$2.40 \$2.80 \$3.25	

#### **AMP ZIF Lock Sockets**

High Quality AMP

		•		•	-		J		0			•																								
16 Pin																																	9	12	95	
24 Pin																													 			/.	5	14	.95	
28 Pin																														ij.			9	16	.95	
40 Pin																																	5	18	.95	
Cor	M		9		•	8		•	M	H	14	-	1		ı	a	N	4	H	E	•		84			9	•									
		B	-	0	9		8			4		•		-	1		4	L	7		0	9		-	L		2	,								
14 Pir	1																																	.\$1	.89	ĺ
16 Pin																																		\$1	.99	1
24 Pir	1																																	\$2	.85	,
28 Pin																																		\$3	.60	1
40 Pir	1																																	. \$4	.99	-

#### Two Row Right Angle Header Strips (Male)

40 Pin 20x2.												3							.\$3.45
34 Pin 17x2 .																			.\$2.80
26 Pin 13x2 .											 	1							.\$2.45
20 Pin 10x2 .																			.\$1.95
16 Pin 8x2																			.\$1.40
10 Pin 5x2																			.\$0.95
TWO DO	200	4		a i	-	Be	24	•	-	L	8		-	8	M	100			

#### Strips (Male)

50 Pin 25x2		 										.\$3.90
40 Pin20 Pin 10x2.												.\$1.95
16 Pin 8x2												.\$1.40
10 Pin 5x2												.\$0.95

#### **Female Header Strips**

## (Flat Ribbon Crimp Type Socket Connector)

50 Pin Female Header 25x2	\$4.99
40 Pin Female Header 20x2	\$4.35
34 Pin Female Header 17x2	
26 Pin Female Header 13x2	\$2.95
20 Pin Female Header 10x2	
16 Pin Female Header 8x2	\$1.95

Two Position Female Jumpers (Shunts) 20 cents each

#### Wire Wrap Wire. All Colours (30 gauge)

25 ft								\$5.00
Wire Wrap /Unwrap Tool/ Strip To Wire Wrap Gun and Bit	00	١.						.\$16.25
IC Extractor								. \$3.99
IC Insertion Tool								.\$18.95
High Quality 24-40 Pin Extractor								.\$23.50

## Capacitors

TANTALUM CA	APAC	ITORS
0.1uF 35V	\$ 26	6.8uF 25V \$ .45
0.15uF 35V\$	.26	6.8uF 35V
0.22uF 35V	.26	10uF 25V \$ .58
0.33uF 35V	.26	10uF 35V
0.47uF 35V	\$.26	15uF 25V
0.68uF 35V	.26	15uF 35V \$1.79
1.0uF 35V	\$.27	22uF 25V \$1.30
1.5uF 35V	\$.27	22uF 35V \$2.25
2.2uF 25V	\$.25	33uF 25V \$1.95
2.2uF 35V	.30	33uF 35V \$2.49
3.3uF 25V	.35	47uF 10V \$1.25
3.3uF 35V	.40	47uF 25V \$2.70
4.7uF 25V	.40	47uF 35V \$3.99
4.7uF 35V	.50	68uf 10V \$1.90
6.8uF 16V	5 .40	68uF 25V \$2.79

Other Values Available on Request.

#### Ceramic

Ceramic Disc. Large Selection of Values All 10 Cents each.

Note, when ordering these, specify what voltage you require. Mosts are available in 50V and 100V.

#### BYPASS CAPACITORS

BYPASS CAPACITORS	
Monolithic	
0.1uF 50V	\$0.13
Fifty of the above for \$6.00	
We also have a wide selection of other values of t	hese
capacitors with a 50V rating, all 25 cents each or 5	o for
\$9.00	

Good In-Store Stock of Electrolytic Capacitors

Special Quantity Discounts Available.

#### **Cable Assemblies**

DB25 Male to DB25	
Female \$35.00	
RS232 Cable (6ft of round	
conductor)	

RS232 other lengths and connector configurations available on request.

Parallel Cable for IBM interface DB25 through 6ft of ribbon to 36 pin centronics with appropriate connections ... \$35.00

#### **DIP HEADER ASSEMBLIES**

Specification example: 14 pin-6in. means two DIP's, 14 pins each, separated by a 6in cable.

\$ 4.99
\$ 5.50
\$ 6.50
\$ 5.50
\$ 6.00
\$ 6.95
\$ 9.75
\$10.25
\$14.00
\$15.50

Any length and configuration made on request.

#### DIP Connectors for Flat Ribbon Cable

14 Pin																									. \$	1.	8	0
16 Pin																									\$	1.	9	9
24 Pin																									. 5	2.	9	0
28 Pin																									. \$	3.	9	0
40 Pin																									. \$	4.	9	9
-	10	_		_	_		10	_	_	_				 rů.	1/4	 _	_	_	-	_	-	-	-	_	_	130675	_	-

#### Card Edge PC Mount Connectors

50 Pin Connector (used on Apple Boards)\$2.45 62 Pin Connector (used on IBM Boards\$2.45	
S-100 Connector (S-100, Z-80 Systems)	
DIP Switches	
4-position\$1.30	

6-position ......\$1.55

#### 8-position \$1.75 10-position \$1.85

Momentary push-button switches	.\$0.99
Momentary push-button switches SPDT	3.95
On-Off Switch. SPDT	3.95

#### Resistors

We carry a full range of 1/4 Watt, 5% resistors...5 cents each.

#### **Parts for your Modem**

Small Speakers	.\$1.84
600 ohm to 600 ohm (1:1) isolation transformers	
Relay for your modem (HE721A0500) 5V	\$4.99
DAA1812 for Modem (Contains Built-in Transf	ormer,
relay and surge protector	\$39.00

#### **Heat Sinks**

TO220	)																		. \$0.3
TO3 .																			. \$2.9

#### LEDS

Large LEDs										
T-1 3/4 (Normal Size)										
Red (General purpose)									.\$	0.25
Green (General purpose).									.\$	0.39
Yellow (General Purpose)									.\$	0.39
Red (Extra Bright)									.\$	0.59
Green (Extra Bright)									.\$	0.65
Yellow (Extra Bright)									.\$	0.65

#### Small LEDs (T-3/4)

Red																		.\$	0.30
Green																		.\$	0.35
Yellow																		.\$	0.35

#### Rectangular LEDs 75 cents each

#### **Bar Graph Display**

8-	Segme	nt, (Re	ed, Green	or Yello	w)	 	 	.\$4.95
35	LED M	atrix 2	2' or 3'			 	 	.\$9.95
(0	ireat	for	Digita	I Sigi	ns)			

#### **GREAT QUALITY BREADBOARDS**

Ideal for Prototyping
1. Three strips for IC's, 5 power strips, 4 binding posts and a base plate
2. Econo Type. Two strips for IC's, 1 power strip, 2 binding posts and a base plate
3. Four strips for IC's, 7 power strips, 4 binding posts and base plate

#### **Designers Dreambox**

#### **Features**

- Fully enclosed power supply
- ON/Off switch with indicator light
- Voltages +5V at 5A, +12V at 2A +1-12V at 0.5A adjustable 28 to 2 Volts at 1A.
- With Prototyping Bread-Board mounted right on the slim power supply box

#### All this for only .....\$149.00

#### **Momentary Keyswitches**

Exceltronix Spring Catalogue 1985 — 21

# Special New Products A must in the educational field!

## **Intelligent Switchbox**

An interface for connecting up to 8 computers to a single printer. A must for any computer classroom situation or where computers outnumber printers. This intelligent Digital Switch interface will accept up to 8 computer RS232 inputs and will provide one RS232 output which plugs into the serial port of your printer. This interface can be selected by either manually by a switch or through software control. The option to print out can be made from any or all the computers including the option whereby the teacher can control and monitor the students' printer selection from the teacher's computer terminal. Connection between the selected computer and printer is totally transparent, as though it were a mechanical switch even though it is all done digitally. Since this digital switch has its own Z80A CPU microprocesor built in, along with software, it allows us to highly customize this unit to your exact needs. For example Priority Selection, Time Slots with time out and many other features totally unheard of and impossible to do with conventional mechanical switches which often cost as much or more than our unit.

#### Single unit ......\$399.00

Quantity discounts available. Any special customization available at extra but reasonable cost. We also have parallel Printer 8 to 1 switches available from \$250.00 and up. We recommend our Serial switch whereever possible. We can prepare entire cable harnesses and make custom cable assemblies for all your needs at unbeatable prices. Try us!

#### Serial A or B or C Switch Box ...\$99.00

#### Quantity discounts available.

Contains 3 RS232 connectors and a switch which switches all lines between A and output connector A and output connector C or connector B and output connector C. Example Applications. Switch between Serial printer and modem if you have only one serial port or switch on serial port or printer between two printers.

We make a wide range of Cable/Connector Assemblies for ourselves and for other leading companies. Let us do the same for you. We offer the most competitive quantity discounts — try us. Single quantity pricing for in-strock assemblies.

Note. We will make special cable assemblies to your request at reasonable prices, even single units. RS232 Cable (6ft of flat ribbon 25 conductors)

## Digital Modem

DO YOU HAVE A PROBLEM? Lack of wires for two-way communications? Do you have a single coax cable between four floors of a building?

If the above holds true for you, as it may well do, if you wish to put equipment in some older Government buildings which were wired years ago, using a single coax to communicate between main frames and which may now be obsolete, you need our solution. If you want to communicate using RS232 between your computers and all you have is a single coax between rooms or floors or buildings, now you can do it without rewiring using our economical solution.

About a year ago we were approached by a Government agency asking if we could solve the problem described above. Well, we solved their problem economically, in fact it worked so well that they bought hundreds of units from us.

The Digital Modem consists of two boxes (approx. 6" x 4") and two wall adaptors. Now you can simply have the RS232 of your computer terminal or other devices plugged directly into one of our Digital Modem boxes (which has a wall plug adaptor to get its power) and you can run up to 800 feet over a single wire to another of our Digital Modem boxes (which again has its own CSA approved power supply) and you again plug in the RS232 DB25 connector to your equipment. Now you can communicate at 9600 Baud or faster (or slower) simultaneously in both directions using your existing single coax cable wiring.

Digital Modem Pair . . . . \$350.00

(Two Boxes and two adaptors) Quantity Discounts. It works perfectly!

All prices and specifications in this catalogue are subject to change without notice. Please follow our ads monthly in Electronics Today and Computing Now!. Whatever market conditions exist, you will find our prices the most competitive in Canada.

#### **Designers Dreambox**

#### Features

- Fully enclosed power supply
- ON/Off switch with indicator light
- Voltages +5V at 5A, +12V at 2A +/-12V at 0.5A adjustable 28 to 2 Volts at 1A.
- With Prototyping Bread-Board mounted right on the slim power supply box

#### All this for only .....\$149.00

#### **Power Supply**


Fully enclosed and attractively packaged power supply with power switch, power indication and power card. +5V at 5A, +12V at 2A, +12V at 1.8A, -12V at 0.5A.

Boschert Switching supply attractively packaged along with RFI filter, switch and power cord. Outputs +5V at 6.5A, +15V at 3.5A, -15V at 3.5A. (can be easily modified to provide 12V at 3.5A using a 78H05 on the +15V.) Unbeatable offer at \$169.00

#### **KEPCO POWER SUPPLIES**

Rated at 90W Max.! RFI filter and fuse on board, 115/230V

Open Frame ...... \$ 49.00
Cased with no fan .... \$ 69.00
Cased with powerful 3" silent fan ..... \$99.00
Cased Dual Unit 150W .\$149.00
Quantity discounts availble.
Dealer enquiries invited.



Hydro approved. Cased version is designed so that the fan draws the air from inside of the system, through the power supply box and out. Beautifully quiet, switching power supply.

#### RATINGS

5V at 5.0A 12V at 2.8A

12V at 2.0A - 12V at 0.5A

Documentation and schematics are provided with each KEPCO power supply. Ideal for 8088 and other IBM Compatibles and Apple and compatibles. Will handle up to 4x51/4" disk drives with power to spare.

## **Versadigital Signs**

Every business needs attention. In today's competitive marketplace you need to get the customers' attention and you need to get your message across - as boldly and as dynamically as possible.

Two versions are available, single and double row. Each row holds up to 21 standard characters and can be expanded to up to 42 characters. The LED (Light Emitting Diode) display is available in red (standard or extra bright), green and yellow. Standard, wide (2", upper and lower case) and bold tall (4", upper case) come with the display. All can be displayed normally or in inverse (black characters on a lit background) image format. You can even program your own characters and graphic symbols. As well as the standard LED display, larger, brighter incandescent light bulb displays can be built to your specifications. All programming features are retained, and the standard LED display is included for ease of programming.

A wide variety of features allow you to catch the public's attention — choose from Wipe-On and Wipe-Off, Spell-On, Flash and Blink, Shift left and right, Scroll up and Down — in any order and at individually selectable speeds.

Up to six different events can be displayed simultaneously within dynamically selectable boundaries. Up to 128 labelled messages can be stored within the units memory for display at any preselected time and date and in any order. 12,288 character memory is standard on the Versadigital Display. This can be expanded to 36,864 with optional external read only memory modules.

Text can be entered through the Display's own keyboard, from an ordinary cassette recorder, from optional external memory modules, or optionally over telephone lines, radio or infra-red link or over AC wiring. A comprehensive set of commands allow complete control over the display's facilities. A powerful word processor type editor lets you easily write, edit, run, save (on cassette) and transmit messages.


## The Sign That Can Sell Your Product


Research has shown that digital displays can increase sales by up to 30%. The Versadigital Display virtually assures that figure by increasing the readers' involvement. An optional inter-



Versadigital signs are in use throughout the Toronto subway system. Send for reprint of article in Computing Now!, July 1984.

#### The sign that also talks





face allows up to 128 switches to be connected to the Display, enabling customers to select specific messages without having to wait for the sign to cycle through its repertoire.

The optional External Accessory Interface allows you to write messages that actually point to the product being discussed. At selected points within your message you can program the Display to turn on an external light or a bell. Thus your message might be saying "You won't find these shoes anywhere else . . ." and the Display will then activate a lamp

. . . " and the Display will then activate a lamp high-lighting the product. Up to 128 external devices can be controlled in this fashion. This feature alone makes the Versadigital Display the most effective sales tool you can have.

Versadigital Technology in conjunction with Multiflex Inc. also manufactures Time and Temperature displays and can build dynamic plaza maps to your specifications. Our extensive engineering experience enables us to design to a wide variety of situations. Whether it is modifying a current product, or designing new equipment, tell us what you need, we can deliver!

All prices in this catalogue are subject to change without notice.

Distributed by Digi-media Inc. 335 Evans Ave., Toronto, Ont. M8Z 1K2 (416) 252-9341

#### **Exceltronix Index**

6809 Computer	17
Apple and Compatible Produ	cts
128K Card	11
16K Card	1
80 Column Card	1
Accessories	14
Disk Drives	10, 15
EPROM Programmer	1
Floppy Card	1
Modem Cards	1
Parts	12
Printer Interface Card	1
Serial Card	1
Z80 Card	1
Apple Computers	10
Books	16
Bridge Rectifiers	20
CMOS	18
Capacitors	21
Capacitors	2
Cases	20
Crystals	20
DIP Headers	21
Delay Lines	12
Digital Modem	22
Digital Signs	23
Diodes	20
Disk Drives	0. 12. 15
EPROM Emulator	1
EPROM Erasers	13
EPROM Programmers	6 11 12
Edge Connectors	2
Edge Connectors	20, 2
Excel Computers	10
Floppy Diskettes	15
Hard Drives	12 15

#### **IBM** and Compatible Products

이 보기는 아무리를 하는데 하는 이번 하는 것이 없는데 나는 사람이 나를 받는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하는데 하	
A-d and D-A Card	7
Accessories	
BEST Computers	5
Bubbly Memory	7
Colour Graphics	6
Compatible Computer	1
Compatible Computer	7
Computers	4
Disk Drives :	
EPROM Programmer	6
	4
Elonny Controller	
Floppy Controller	0
Memory Expansion	7
Modem	4
Monochrome Card	4
Parallel Port Cards	6
Parts	12
Pentaram	7
Peripheral Cards	4
	6
Prototyping Board	7
Prototyping Board	
Quanta Board	7
Real Time Clock	6
Tape Drive Backup	5
IC's	
Joysticks	15
Keyboard Encoder	12
Keyboards1	2.14
LEDs	21
Linear IC's	. 10
Logic State Analyzer	13
Memory Chips	2, 19
Microcomputers 4. 10. 1	7.24
Microprocessor Chips	18
Modem Parts	21
Madama	
Modems	4, 22
Monitors4, 1	2, 15
Multiflex Z80A	24
Music Keyboards	9
Opto Devices	20
Dener	0.45
	8, 15
Power Supplies	
Print Wheels	8
Printer Interfaces	14
Printer Switchboxes	22
Printers	
Resistors	21
Ribbon Cable	20
Sockets	21
Software	
TTL	
	17
Terminal	17
Transistors	17
Transistors Triacs Trim Pots	17
Transistors Triacs Trim Pots	17
Transistors Triacs Trim Pots	17
Transistors Triacs Trim Pots U of T Computer XL Electronix Computer Music Centre	17 20 20 20
Transistors Triacs Trim Pots	17 20 20 20



Multiflex Z80A

5100 Starter System

complete, assembled and tested

## \$299

#### Options:

64K Dynamic RAM & Multiplexers ......\$39.00
Big Piggyback Board with
RS232 and Real Time Clock
......\$179.00
RS232 Option for Motherboard ......\$38.00
DC to DC Converter Option
......\$29.00
Extra S-100 Connectors

MULTIFLEX'S 280 computer is a versatile and expandable stand-alone computer system designed and built right here in Canada. It uses the newest technology to provide the user with the most capabilities for the smallest price-tag. Its adaptability to any situation and extremely low cost allow it to be used in many applications ranging from a trainer to a complete CP/M-based computer comparable to the best on the market, at a fraction of the price.

The actual layout of the system is a two board design. One board (the "motherboard") contains a 24-line parallel I/O chip for interfacing to the external world, an RS232C serial port with baud rates selectable from 110 to 9600 baud, a hex address and data display, a hex keypad, 14 monitor function keys, 2 user definable keys, a 40-chip wire wrap area with full access to all the bus signals, on-board provision for regulators so that the board can be supplied with standard S-100 voltages, an EPROM programmer which will handle 2708 (1Kx8), 2716 (2Kx8), 2732 (4Kx8), 2532 (4Kx8), 2764 (6Kx8) and the brand new 27128 (16Kx8)EPROMs, a DC-to-DC converter to supply the programming voltage to the EPROM programmer and four (4) slots for IEEE S-100 compatible boards for further expansion. This is an extremely useful and inportant feature as it allows expansion of the system with all boards using this industry-standard bus structure, which are available from MULTIFLEX, as well as from hundreds of manufacturers worldwide.

The other board is the CPU card. This card plugs in-



The monitor software that comes with the kit is a well-written extensive package which allows the user to have complete versatility in machine language programming and execution as well as control of all the features on the board. The monitor functions include: examine/modify memory locations, memory block moves, compare 2 blocks of memory, examine CPU register, ex-

machine can be set up for a very low cost as described

amine I/O ports, load and save from cassette calculate relative branch offsets, set breakpoints single step programs, execute programs, and program EPROMs. Each of these process is invoked by a single keypress. Also available to the use are 2 spare keys definable for special functions a required by specific applications and applicator programs.

Available as an option, there is a piggyback board which attaches to the CPU board and give the user a real-time/time-of-day clock with battery back-up, memory management for up-to 16M of memory in 4K blocks, 2 RS232C ports which have independent software selectable baud rates, vectored interrupts for the onboard I/O and clock devices, and a general interrupt controller designed to handle multiple intterupts for up to 7 other boards.

All these features make this a very impressive stand-alone unit and, when combined with the S-100 boards either from the MULTIFLEX line r from most other manufactures, give the user the potential for a very powerful microcomputer system.

very powerful microcomputer system.

The standard kit includes the CPU board with a
Z80A (4HMz) processor, 2K of RAM (a 6116), and 4K of
EMPROM (a 2732) as well as the motherboard with all
the features mentioned above except the RS232C port
and the DC-toDC converter. Also supplied are sockets
for all IC's and 1 S-100 connector.

#### Multiflex 5-100 Video Board

This board is an intelligent, I/O mapped, 80 x 24 Video Display Board. Based on the 8275 programmable CRT controller, the 8257 programmable DMA controller, and a Z80 processor. Provided on board is 8K of static RAM which gives the user 3½ screens of text. With simple commands, the user can easily scroll around in this buffer, clear the present page and home, home on the present page and go to the beginning of the buffer. There are also 4 field attributes (blink, reverse video, underline, and highlight) which can be turned on and off by software. Other software commands include a carriage return, line feed, clear to end of line; transmit cursor location; transmit character at cursor location; position cursor; disable control functions; reset control register; as well as all the standard functions such as tab return, line feed, and backspace. Also included in the software is a debug/setup program which completely tests the board and allows the user to set up various parameters on it. The output from the board is in either composite video or a video signal with separate horizontal and vertical sync signals (either normal or inverted).

\$199.00

#### Multiflex S-100 Floppy Disk Controller

The MULTIFLEX floppy disk controller is a state-of-the-art IEEE 696/5-100 compatible board. It allows the user to interface, simultaneously, up to four (4) 8 inch or 5 ¼ inch disk drives in any combination to his system with the flexibility of single/double sided and single/double density operation. If desired, all operations with the optional on-board controller or under processor control. Latest technology has been used in this design. The board is designed around the FD2793 controller chip for easy use under any operating system. However, this board is especially designed for easy use with the CP/M or MP/M operating system (available as an option) and the MULTIFLEX Z80 computer kit. With all these features and its reasonable cost, this board is one of the best buys in a floppy disk controller board on the market today.

\$199.00

DMA Option . . . . . \$100.00

#### MULTIFLEX 256k RAM CARD

Provides user with upto 256k of Dynamic RAM.
 Uses 4164 150ns. Refresh of RAM can be handled externally (if Z80 processor is available or internally if no refresh signal is available. ◆ Waitstates can be jumper selected. ◆ □ mpatible with CP/M and MP/M operating systems. ◆ Bank select feature. ◆ Write protect option.

## Complete RAM CARD With 64k of RAM — \$199.00


128k — \$225 256k — \$275.00 MULTIFLEX S100 64K STATIC RAM CARD

Uses 2k x 8 static RAM chips. • Static RAM eliminates problems with refresh. • Optional provision for battery back up provides you with ideal way to store data even when the power is turned off.

Complete board with

16k RAM — \$159 32k RAM — \$199 64k RAM — \$299

# The CP/M Disk Destroyer



If you find yourself with a bit of a meaty disk budget you'll probably be more than just idly concerned as to which brand of floppy can be expected to keep the BDOS errors at bay for the longest time. Here's a simple routine to test sample floppies until they cave in.

by Steve Rimmer

his is the April edition and I know that if I were looking at this thing kind of casually I'd think it was a joke. I mean, this program purports to be a very elaborate bit of code to brutally destroy disks.

There are people who will get into this just for its own sake. These are the same characters that go out on Friday nights and tie the tails of Hondas together, send two hundred and fifty dollars worth of pizza to Brian Mulroony and hire kids to go paint white lines on the lake... ya, they're fairly warped. However, aside from the obvious entertainment value... for heads that are easily entertained... the Mouse Factory Semi-Automatic Disk Destroyer is a very useful piece of software.

The trick, you see, is not to destroy the disks but, rather, to see how hard it is to destroy them. If you use a lot of disks and are

on first name basis with the BDOS error message, the quality of the mylar you're jamming into your drives will be of some concern to you.

The Disk Destroyer provides one with a moderately scientific way of determining how long differing brands of floppy disks can be expected to last. It subjects whatever it's run on to a fairly gruelling... if boring... series of disk accesses until it snaps under the awesome pressure.

Inasmuch as the program keeps a running count of the number of times it has accessed the disk the status of things at the instant of dissolution should be peering at you from the tube when the crash comes.

**Rat Traps** 

The Disk Destroyer is written in assembler using the BIGMAC macro library to keep the complex stuff down to a manageable hugeness. As such, you will need the aforementioned library... brought up to date through recent editions of Computing Now!... and MAC, rather than ASM, to get it happening.

The operation of the program is fairly simple. It reads in a specific track and sector of the disk it is residing on, as defined by the equates at the top of the listing. Because many BIOS's are reasonably clever, and won't actually access the disk twice if you have them read the same sector twice in succession, we'll also have it read track one sector one between each read of the sector under scrutiny.

The BDOS, as you may have noted in looking at the Digital Research manuals, lacks any way at all of manipulating the disk drives at the track and sector levels. None of the BDOS functions, the stuff you get at by calling location five, are the least bit of good in this respect. You can get it together, however, by using the BIOS.

In most cases the CP/M BIOS exists only for the use of the operating system itself. However, it can be accessed by other programs. Although each BIOS is unique... as is the hardware it is designed to support... there is a standard jump table at the beginning of the BIOS which is fairly mellow. You can work with this little fruit and, more to the point, you can find it programmatically.

The first part of the BIOS is simply a table of jumps into the rest of the code. The jumps are in a predictable order and, as such, can be handled by other programs. We can, in fact, copy these jumps into a table within another program and have our own local BIOS jump table complete with labels.

The VECTOR macro gets all this together. You can see how it works in the November 1984 edition of Computing Now!... it is used in all its stunning glory in the Electric Disk Troll.

Having read in a sector the program computes a checksum for it. Checksums sound really high tech and mathematical... there must be an algorithm in there... but actually that one means it's adding all the bytes in the sector together. The object of the exercise is to detect when two successive reads of the same sector turn up with different data... the sure result of a disk gorch. As this would cause the bytes of the sector to have different numerical values the checksums wouldn't match.

It's a lot simpler to compare two single byte checksums than it is to handle two one hundred and twenty-eight byte strings.

The DOSEC routine reads in the sector and computes the checksum. It also waits between each access... as things are set up here it will pause for about one second. You will probably want to shorten this time somewhat. The value loaded into B about five lines after CHKLP determines the number of tenths of a second between accesses.

# The CP/M Disk Destroyer

```
Mouse Factory Semi-automatic Floppy Disk Destroyer
               Copyright (c) 1985 Steve Rimmer
               Contains no artificial preservatives
                ... rots completely naturally
        MACLIB BIGMAC
BLANK
       MACRO
                SYSTEM UNSPECIFIC SCREEN CLEAR
        LOCAL.
               LOOPP
        PRINT
               CR
                B,25
LOOPP
       PRINT
       DCR
                LOOPP
        JNZ
        PRINT
               HME
        ENDM
        DEFINES
TTRK
                0003H
                                :TRACK TO TEST
        EOU
TSEC
                0003Н
                                SECTOR TO TEST
CLOCK
                                CLOCK SPEED IN MEGAHERTZ
        EQU
                0100H
        INTRO
                                ; SET UP STACK
        BLANK
                               ;CLEAR SCREEN
        PRINT
                <CR, LF, TAB, TAB>
        PRINT
                'Mouse Factory Destructive Floppy Disk Tester V3.2'
        PRINT
                <CR.LF.TAB.TAB>
        PRINT
                 PRINT
                <CR.LF. TAB. TAB>
        PRINT
                'Copyright (c) 1985 Steve Rimmer
        PRINT
        PRINT
        PRINT
                <CR, LF, 'Tests floppy disks to destruction '>
                <'by repeatedly accessing'>
<CR,LF,'the same track and sector until '>
        PRINT
        PRINT
        PRINT
                < the little troll snuffs'>
                <CR, LF, 'it. Use with very cheap disks '>
        PRINT
        PRINT
                <'for maximum satisfaction.'
        PRINT
                <CR.LF.LF.LF.LF.LF.LF.LF.LF.LF.LF.LF.
                'Hit any key to start the ordeal
        PRINT
        CONIN
                        :GET KEY PRESS
                        SET UP VECTOR TABLES
        VECTOR
        BLANK
                        CLEAR THE TUBE AGAIN
                DOSEC
                        GET THE INITIAL CHECKSUM
        CALL
        STA
                CHECK
                        ; AND INITIALIZE THE BUFFER
BIGLP
        LHLD
                        :GET THE NUMBER OF ACCESSES
                ACCESS
                        BUMP IT UP
        SHLD
                ACCESS
                        ; AND STASH IT
        XRA
                        :ZERO A
                        SEE IF HIGH ORDER OF ACCESSES IS 0
        CMP
                        ; IF NOT, WE HAVEN'T WRAPPED
        INZ
                NOCYC
                        SEE IF LOW ORDER OF ACCESS IS O
        CMP
        JNZ
                NOCYC
                        ; IF NOT ... YEP, CARRY ON
        LHLD
                CYCLE
                        :BUMP UP
                        CYCLE COUNTER
        INX
        SHLD
                CYCLE
        PRINT
                <HME.
NOCYC
        PRINT
                <HME, 'Cycle: '>
        DECOUT
                CYCLE
                       ; SHOW THE CYCLE COUNT IN DECIMAL
        PRINT
                          Access:
                        ; SHOW THE ACCESS COUNT IN DECIMAL
        DECOUT
                ACCESS
        PRINT
                <CR, LF, LF, LF, LF>
        CALL
                        :GET SECTOR AND CHECKSUM
        LXI
                H. CHECK : POINT TO CHECKSUM STASH
        CMP
                        ; SEE IF THEY MATCH
        JNZ
                CHKERR
                        ; IF NOT, WE HAVE A WINNER
        MOV
                        :UPDATE CHECKSUM
                 <'Checksum:
        PRINT
                CHECK
                        ; SHOW THE CHECKSUM
        DECOUT
                        ; AND HIT IT AGAIN
        JMP
```

```
CHKERR
        PRINT
                  <CR, LF, LF, LF, LF, 'Checksum error. The jig is up.'>
DISKER
         PRINT
                  <CR,LF,LF,LF,LF,'Disk read error. The jig is up.'</pre>
         JMP
                  OUIT
                  0000Н
ACCESS
                          ; ACCESS COUNT STASH
                           :CYCLE COUNT STASH
CYCLE
         DW
                  0000H
                           :CHECKSUM STASH
CHECK
         DW
                  0000H
DOSEC:
         SUCK IN A SECTOR AND CALCULATE CHECKSUM
         SETDMA
                 0080Н
                          ; SET UP DMA BUFFER
                           RESET TRACK AND SECTOR
         T.X.T
         CALL
                  TRACK
         LXI
                  B, 1
         CALL
                  SCTOR
         CALI.
                  READ
                         SELECT CHOSEN TRACK
        LXI
                 B, TTRK
        CALL
                          ; ... AND SECTOR
        TXT
                 B, TSEC
        CALL
                 SCTOR
        CALL
                 READ
                          ; AND READ IT
                          ; SEE IF WE BIT THE
        CPT
                 DISKER
                          : DUST
        JNZ
        MVI
                 B,128
                          GET LENGTH OF DMA
                          ; POINT TO DMA BUFFER
        T.X.T
                 H. DMA
        XRA
                           ; ZERO A
CHKLP
         ADD
                           ADD EACH BYTE (TO HELL WITH
         TNY
                 H
                           :THE CARRY)
                          ; ... AND LOOP
; 'TIL WE'RE DONE
         DCR
         JNZ
                  CHKLP
                  B.10
                          :WAIT 1 SECOND
         RET
         ;WAIT FOR .1 SEC * B
WAIT
         PUSH
                  PSW
WAIT1
         PUSH
                  B, 2083 * CLOCK ; FUDGE FACTOR
         LXI
WAITL
         MOV
                  A,B
         ORA
                  WAITL
         POP
         DCR
         JNZ
         POP
                  PSW
         RET
         EXTRO
                           ; CREATE STACK AND REFUDGE
QUIT
                 60
         END
```

#### Bite the Bullet

The results of using this ravenous little troll can be quite revealing. In some preliminary... and, admittedly, only marginally well controlled... tests we found, for example, that generic white label disks died almost before the program was booted. Actually, some of them croacked when I was copying the destroyer onto them... they knew what was coming and took the honourable way out.

The better disks... the ones that actually have brand names you've heard of... fared considerably better. We'll probably publish the results of all this destruction in a future edition when we're sure that the cleaners aren't sneaking in during the unseen hours and having at the things with nail files.

I generally buy disks for many of the wrong reasons. For example, I have a lot of Elephants because I can imagine what an elephant looks like. None of the zoology books in the library have listings for either Memorexes or Dysans. The former sounds vaguely like some sort of giant snail. I don't think I want a lot of giant snails around the house.

Elephants, on the other hand, can be tethered in the yard. If you buy the really clumsy ones they serve to keep the cat population down to a manageable hugeness, a decided advantage. In a pinch an elephant will provide one with ready transportantion which no one will dare honk at. Finally, it is true that they never, ever forget anything. However, being fairly thick, they rarely have anything to forget. It's a questionable talent.



# DISKETTE DISCOUNT

AS LOW AS

90¢ EA

51/4" COMPLETE WITH JACKETS

SSDD

1000 Diskettes

100 Diskettes

.90 ea.

1.00 ea.

DSDD

1000 Diskettes

1.30 ea.

DSDD

100 Diskettes

1.50 ea.

Diskette Offer Expires April 30, 1985



DOUBLES DISKETTE STORAGE SPACE!!!

- Unique Position Guide Assures Accuracy
- Square Notch Cut
- Easy Leverage Handle
- Enamel Finish
- All Metal Compact Design

DOUBLES DISKETTE STORAGE SPACE

ONLY \$9.95



We accept Certified Cheques, Money Orders, Bank Transfers, C.O.D.s, VISA and Mastercard. VISA and Mastercard add 3%. Cheques require bank clearance. All orders shipped Freight Collect. All subject to availability, acceptance and verification.

All sales final. Prices subject to change without notice. Orders normally shipped within 48 hours of payment.

Quality Products and Services Discount Prices dana's computer discount
P.O. Box 6295, Station C
Edmonton, Alberta, Canada
T5B 4K6 Tel: (403) 429-4718

Circle No. 10 on Reader Service Card

# Some New Calls from Bell

In the next few years your phone rates will probably increase and Bell may put in a few hooks to make itself a lot less attractive to computer users. Here's a look at some of the proposed changes.

#### By Sonia Brock

change in the way we use the telephone system is approaching a little more swiftly than some of us might wish. More to the point, unless you spend your time watching the bottom feeders of the communications bureaucracy, you probably don't know a thing about it. However, what it will probably mean to you... especially if you use the phone system with your computer... is potentially higher costs for some types of telecommunications and more restrictions on the use of Ma Bell's wires.

Many of the changes which the minions of Bell are even now working to put in place are a result of the recently changing nature of the way in which people use their phones. The billing structure which was in place ten years ago... one which all concerned were fairly comfortable with... had been in existance, largely unchanged, for half a century.

With the advent of large scale computer communications and other technological innovations which have largely descended on an otherwise unsuspecting phone company, Bell is looking to change the way it charges us for what it does.

#### Pay Phones

While the changes that Bell is looking at are complex, the basic effects on its subscribers if it is given its way will be pretty easy to understand. Telephone costs will go up and the once universal flat rate for home users of the phone service will disappear.

Long distance charges have in the past cross subsidized local rates, as has the leasing of equipment such as home phones. In other words, you've been getting a break on your monthly bill, which was paid for by overly high long distance charges.

Bell is now facing competition from CNCP on long distance rates, a competitor that does not have an expensive and aging local plant to maintain. Bell also has to compete with inexpensive telephone receiver imports... you don't have to have a Bell phone anymore.



Cantel may have the edge in a very promising new market called "cellular radio telephones" which, with the use of computer controlled relays, allow for private mobile phones.

There are also satellite linkups and local area networks to account for. These involve a large percentage of the money that business spends on telecommunications, and will probably involve a lot more as these still infant industries grow.

With all these things eroding Bell's income, it is also looking at a number of things which have the potential of increasing its operating expenses considerably as well. The use of computer communications on the common carrier is certainly one of these. An individual with a computer and a modem typically makes a lot more use of... and demands on... the phone system than does an individual with nothing more than a phone.

The existing hardware of the phone system is presently being stretched to accommodate the demands which are being placed on it, demands which are still growing

Bell's answer to all of this imminent doom is an initially frightening concept which they call "local measured service", or LMS. This means that individual users of the phone system would be paying for local calls in a manner similar to the way in which we already pay for long distance service.

This change probably will come to pass... we'll likely see it withing the next five years. However, as unpleasant as it may seem, it is a solution to a real problem. The other alternatives, like a financially unsound... and technically inefficient... phone system are rather less appetizing.

In the meantime Bell Canada is talking very seriously about increasing their local phone rates. They have an application for interim relief and in the fall of this year they will be applying for a general rate increase.

I'm told that Bell would like to see an increase of twenty percent over the next five years. If they're granted the right to get it, there are a number of ways it might be reflected in the phone bills they subsequently send out.

There may be a straight increase in the phone rates amounting to twenty percent

spread over five years. However, they might charage residential phone users by the call. This is being done in parts of the United States. Finally, they might introduce a locally measured service, in which the bill is based on the time one spends on the line.

#### The Meter is Running

LMS has existed, in one form or another, under one name or another, for some time in the United States. Forty—two states, at last count, had LMS either on a trial basis or permanently. Bell has the capability to do such measuring right now and has had it for some time. In electronic switching centres the measurement of calls can be implemented by a simple change in software.

Let's assume that the charges on your phone billing have become what Bell called "unbundled". You are allowed a certain number of local calls of limited duration per month. Any calls over this set number are extra at a rate of perhaps four cents a minute or a bit more or less depending on where you are calling and whether or not you call in off peak hours.

Charging more for phone service during "peak hours" is intended to persuade users to spread their use of the system out more. Obviously, the phone system needs be large enough to handle the peaks... Bell would very much like to see smaller peaks.

While a locally measured service sounds a bit Orwellian, it has a few advantages. Bearing in mind that the phone rates are going to go up in any case, it offers users the potential of having some control over the sizes of their phone bills. Long distance rates may actually decrease, as they won't be responsible for subsidizing the local phone systems as much.

All long distance calls do originate locally but advances in technology make the transmission of a local call cheaper over distance.

All of this will, of course, affect the way we use computers and telephones. Twelve hundred baud modems, for example, would become almost essential for users with locally measured service. One would also expect the casual use of bulletin boards as a form of recreation diminish... it might be extremely expensive entertainment.

Bell feels that a typical residential telephone call lasts for four minutes or less. Anything beyond this is "excessive" use of the system.

#### APPLE and MACINTOSH OWNERS! JOIN



#### CANADA'S LARGEST NON-PROFIT APPLE COMPUTER USERS' GROUP

Searching for public domain software? Members receive a catalog of over 200 low-cost disks crammed with APPLE II programs and an expanding selection of MACINTOSH programs.

As a member, you also receive MAPLE ORCHARD, LOGIC's informative computing magazine.

Do you have a special interest? LOGIC's many Special Interest Groups provide user support in a number of specialized areas of computing.

As a service to members, LOGIC regularly offers special prices on hardware and software.

LOGIC monthly meetings feature guest speakers, technical forums and software/hardware demonstrations.

And LOGIC maintains a superb Bulletin Board with free access for members.

Expand your horizons! Just \$30 a year.

LOGIC
DEPT. C
P.O. BOX 696, STATION B
WILLOWDALE, ONTARIO,
CANADA M2K 2P9 (416) 881-8120
Circle No. 14 on Reader Service Card

# TORONTO RCP/M SYSTEMS is now CANADA REMOTE SYSTEMS

9 Remote access systems. \$30 per year access charge. Datapak available. 150 Megabytes online. 24 hour service.

30,000 Programmes available by mail. From \$10 per disc. For over 200 CP/M, MSDOS and IBM computers.

Full line of commercial software and modems

#### 416-239-2835

For a free mini-catalog, to join or to order:

# CANADA REMOTE SYSTEMS

Circle No. 12 on Reader Service Card

# This Month In

# Software Now!

#### **DBase III**

An in-depth review of one of the most popular data base packages available for microcomputers.

#### **Crossword Magic**

Tired of doing everyone elses puzzles? Check into this nifty crossword generator that lets you create your own word teasers.

#### By The Boards


SN!'s regular look at what's happening on the bulletin board scene.

#### Arcade

A look at some of the popular micro entertainment software. This month they reveal Hitchhiker's Guide to the Galaxy, Dam Busters, Airport, and Ultima III.


#### **Word Processing Reviews**

Looking for writing packages? SN! looks at Leading Edge and Powertext.



For subscriptions call 423-3262 For advertising call 423-3263

# Two Shots at Concurrency for the PC



Given enough memory and the right software you can have your PC run more than one program at once, flipping between them as you feel like it. There are a number ways of going about it... here's a peer at two of them.

by Steve Rimmer

ot all that long ago it was moderately difficult to get a computer to perform one task concurrently with the operation of its warranty. Knowing when to blow itself into oblivion, wiping out all the data on its disk and any other disks lying in close proximity to it took most of the processing overhead of those machines.

Times have, of course, changed. The newer sixteen bit systems have heaps more power and can handle three or four tasks all at the same time... wiping out four, rather than one, applications when the whole affair degenerates into a puddle of fuming slag. The potentials of this sort of technology are really staggering. One could crash a whole accounts department with a single machine.

The potential for crashing concurrent systems is only exceeded by the potential for actually doing something productive with them. In fact... assuming that you don't pop for one of those PC compatible systems which offer you sixteen bits for a dollar a bit... one can all but ignore the destructive potential of one of these things and really get into the bells and whistles.

The phrase "concurrent operation" refers to the ability of the computer to run two or more programs at the same time. In this feature we're going to check out what one can really expect from some of the more commonly found concurrent operating systems... or portions thereof. In fact, we'll be looking at two in particular... Concurrent PC DOS and DoubleDOS.

Place your right finger on the Alt key...

#### Memories Are Made Of...

To begin with, one can run just about any computer as a multi-tasking, or concurrent, system. This includes the always popular Commodore 64. The principle is fairly simple.

If you sit down and start typing at a system the computer has to hang around and kill time between each keystroke. Even if you type like the wind almost all of the system's ability is going to be tied up in waiting, because computers are just a world faster than humans. It's okay... we have other attributes.

It's quite practical to have the system running a second program while the first has it waiting for input. In fact, with a sufficiently sophisticated operating system one can have each of two programs running in the idling time... the period between human inputs... of the other.

Of course, we still only have one screen and one keyboard... what the suits call the console. The suits dream of being astronauts, you know. As such, we'll designate one program as being in the

foreground and the other one as being in the background. The foreground one shows up on the console, while the background one is invisible, although it's still running. If, for example, it had to access the disk drive we'd see the access light come on.


The great power of an arrangement like this is in being able to swap between these programs... or *tasks* as they are properly called. Hitting some predetermined key or sequence of keys will make the invisible background task show up on the console and relegate the previous foreground task to the background.

For example, one could place one's spreadsheet in the background and one's word processor in the foreground. Thereafter, one could write a document while being able to refer to the spreadsheet or, perhaps, write letters during long recalculations of the sheet.

Now, I said that you could handle multitasking on almost any computer.... in a theoretical sense this is true. In a practical one, however, it takes a really massive computer to be able to do it. What we really have happening here are two complete computers sharing the same hardware. Among other things, this entails having enough memory to run the two aforementioned complete computers.

Applications for the PC being traditionally a bit memory hungry, most multitasking operating systems will laugh uproariously at anything less than a quarter megabyte of RAM... and would really like to see five hundred and twelve K. You should bear in mind that, aside from requiring enough memory to run two programs, the system code of a multiuser system is much larger than that of a single user computer, and its housekeeping and scratch memory requirements are immense by comparison.

In fact, concurrent operating systems don't usually handle the decision of their time between tasks by just waiting on the keyboard input. The example of a spread-



sheet recalculating in the background would lock up such a system until it was finished, as it wouldn't look at the keyboard at all.

What actually happens is the maintenance of what are called *time slices*. This is very easy to understand under Unix like systems, like QNX. There's a look at QNX in the September 1984 edition of Software Now! and we'll be having an updated peer shortly.

A time slice is a fraction of a second. At the commencement of each time slice the processor looks at the top of a priority stack. Each task is assigned a number on this stack. In the case of the word processor and the spreadsheet, we might assign the word processor a priority of one and the sheet a priority of two, because it's in the background. After all, it will be less inconvenient to have the spreadsheet wait a while to do its calculations than it would be to have the word processor come to a grinding halt every so often.

There is a third task on the heap, which has a priority of fifteen. This is called the *idle administrator* under QNX. Its job is to wait.

At the beginning of a time slice, then, the operating system looks at the highest priority task. If it requires attention the processor does whatever the task wants and goes to look at the second one. If it's calling for help the processor will handle its requests and then move on to the next task down the line. Assuming there's anything left of the time slice, it will eventually get down to the idle administrator, where it will wait until the slice is over and the next one begins.

This may seem like it wastes a lot of processor time... it doesn't. If any of the tasks can occupy the processor for the whole time slice, they are allowed to. However, the higher priority tasks get dibs on it first. If the word processor, for example, could completely tie up the system, the spreadsheet would never get touched in this model. In practice this never happens.

CP/M Again

Perhaps the most approachable of the two concurrent things we're going to check out is Concurrent PC-DOS, by Digital Research. Digital Research is the creator of old faithful CP/M, as well as CP/M 86, the operating system for the PC you've probably never heard of. Bear in mind that regular old PC-DOS, or MS-DOS, is done by Microsoft.

Concurrent PC-DOS is something of a masterpiece of code... not without its slavering trolls of madness here and there, but pretty slick nonetheless. If you boot up under Concurrent PC-DOS you can

## Two Shots at Concurrency for the PC

thereafter work with programs and files on Concurrent disks, MS-DOS disks or CP/M 86 disks. Sporting, what...

The Concurrent operating system is also rife with menus. You can actually banish the menus entirely, once you get used to the commands, but they're pretty handy to begin with. The menus handle everything from installing the system to running programs and manipulating files.

In fairness to the gnomes of Digital Research, who obviously didn't whip this one off overnight, we're not going to have a running tour of Concurrent in this article. The manual that comes with it takes a medium sized phone book to do it, and there's probably still more to say. However, we will look at how this whole party works when you want to make it schizophrenic.

Concurrent PC-DOS runs in at least two hundred and fifty-six K of RAM. After it gets through booting it sets up four windows. Windows are a bit of a head bender, I know, because everyone takes them to mean something slightly different.

In fact, a window under Concurrent is just a screen. Under normal old DOS or CP/M you get one window. Concurrent gives you four. At any one time one of these windows can be showing, with the other three invisible.

Actually, this last bit is only partially true. You can have more than one showing. We'll get to that.

At pretty much any time you want to you can select any window by hitting the control key and one, two, three or four on the numeric keypad. The number of the current window is displayed on the status line at the bottom of the page. Optionally, one can create a batch file to change the display colour of each of the windows at startup, which makes it immediately apparent which window you're in.

Each window is like a separate computer running MS-DOS... or, at least, the peculiar hybrid of MS-DOS and CP/M that this operating system turns out to be. In fact, the commands from both will work. As such, one could select window one, run

BASIC, hop over to window two and run WordStar, blast into window three and run a telecommunications terminal and so forth. You could be downloading software in window three and having WordStar print a document in two while writing a program in one.

Seeing what's happening in any window is easy... one would just hit control and the appropriate number to swap the window in question into the foreground. Under normal circumstances, leaving a window in the background doesn't affect what's going on in it. WordStar would keep plugging away even if you decided to ignore it.

You can, in fact, specifically instruct the computer to suspend the action in any window if you don't want to tend to it. You can also tell it to kill a task in a particular window. Killing a task doesn't erase it from the disk or anything quite so dramatic. It just stops the program and returns that window to the DOS prompt.

Concurrent allows for split windows as well. You could, for example, set up a pro-

# TYCOR® THE POWERful SOLUTION

Over 98% of all micro-processor based equipment problems are caused by voltage spikes, surges, oscillatory transients and common mode "noise" superimposed on AC power lines.

Tycor® In-Line (Series) AC Power Line Filters effectively protect equipment against . . .

1) MEMORY LOSS
COMPONENT DAMAGE
SYSTEM FAILURE
LIGHTNING DAMAGE

2) PROGRAM ERRORS
READ/WRITE ERRORS
COSTLY DOWNTIME
MEMORY LOSS
RE-BOOTS

Actual field evaluations by national companies show an 81%\* decrease in service calls.

## National Outlets (All Locations)

Andor 800+387-2024
Canlab
ComputerLand
Future Electronics
Olivetti Canada

#### Sweda

TRW East 800-268-3316 West 800-268-3236 Wang 800-268-7830

#### Wesco

Xerox

#### **Regional Outlets:**

Calgary - Powerco

Montreal - Franklin Electrical

Ottawa - Finlay Moylan & Associates

Toronto - Scarsdale

- Intl. Computer Xchange

Vancouver- Power Protection Systems Group

Manufactured by TYCOR®, Calgary, Alberta

<sup>\*</sup> user figures based on — 200 sites over eight months and 100 sites over twelve months.

gram which would display its status in the upper right hand comer of the screen. You can use the Concurrent window manager to open a hole in the foreground window that looks onto the window with the program you want to keep an eye on. You can actually split up the screen among all four windows if you want to, although few applications will be of much use if you do.

Concurrent PC-DOS will run MS-DOS and CP/M 86 applications... or you can use the ones that come with it. Some of these are better than others. DRTALK for example, the telecommunications software which comes with the package, is actually PC Talk, a public domain bit of "freeware" with the name changed. It's worth about what it costs... if you get it for free.

There are a few limitations in using Concurrent, but none of them are particularly heavy. Like most concurrent operating systems, you'll have to tell the system how it is allowed to subdivide its memory. In fact, it has to be told how much space each window is allowed to allocate for COM files and EXE files. It's not at all difficult to run out of RAM with three or four windows going at once.

Most of the software that one is likely to want to run under PC-DOS is fairly happy with it. Among the hassles are things like running two or more copies of BASIC. It barfs on this very notion, perhaps under the principle that an operating system as sophisticated as itself shouldn't really even have to put up with one copy.

This also applies to running business applications which use BASIC.


While it's not cheap by any means, Concurrent is probably the most practical solution to using the PC concurrently for most straight up tasks. It's reasonably compatible with the software it will be used for, supported by one of the really venerable software producers and nicely documented. Furthermore, a lot of thought has gone into it, and its human engineering is superb.

We'll have a more complete look at what Concurrent PC-DOS is up to in a later edition of Computing Now!

#### **Twins**

If you aren't up for acquiring a whole new DOS... or figure that four windows are more than you'll really ever need... you might want to consider DoubleDOS by SoftLogic Solutions. It's a bit like Concurrent PC-DOS, except that rather than replacing MS-DOS it just adds a degree of concurrency to it.

DoubleDOS is one of those really tricky little bits of code which does something



unexpected. Once it is in place with its hooks in DOS it splits the system RAM into two chunks and allows you to run two individual programs... one in each chunk.

The system overhead which DoubleDOS sucks up for itself is actually reasonably small in comparison with other concurrent operating systems. A system with two hundred and fifty-six K of RAM winds up with two one hundred and eleven K blocks to work with. These are large enough to run BASIC, WordStar and most other medium sized applications.

Obviously, if one has more system RAM DoubleDOS will make the chunks larger.

Although there are a number of ways to invoke DoubleDOS, the easiest is to simply run it after the system has booted. Well, it's more or less simple... there's a catch we'll get into in a moment. This brings up a menu which allows one to select the size of each of the two program memory chunks... if you just hit return it splits the affair neatly in half.

Once DoubleDOS is in place you can get to its main menu by hitting the control alternate delete key combination... which is normally reserved for rebooting the system. Obviously, DoubleDOS plays with quite a few of the system interrupts, this one included. Rather than jumping for the grand

retrash, this brings up one of two menus, depending upon whether or not one has programs running on the system.

The usual reboot is, in fact, one of the options of both menus.

One can get to the DoubleDOS menu at any time, whether from the DOS prompt or while lodged firmly in a program. The menu allows one to kill or suspend a task in either window, as well as to switch the foreground and background tasks around. The menu starts out on the first option, so, in fact, one can simply hit control alternate delete and then return to swap windows.

If you've been into using a PC for a while your fingers will recoil from the thought of hitting control alternate delete halfway through an edit... and well they should.

DoubleDOS is pretty decent little sloth, but it has some limitations which one should be aware of. Some are a bit annoying... some are downright weird... and one is barbaric, pointless and, more to the point, deliberate. Many applications won't be affected by any of them... but some will be grabbed by the feet and flung into the gorge of screaming death without warning.

The first thing that potential users of DoubleDOS should bear in mind is that unlike as in the case of Concurrent PC-DOS, the windows of DoubleDOS are only somewhat isolated from each other. They can interact, and, when they take it upon themselves to do so the results are always colourful. For example, having something textual happening in the visible window while BASIC is using the high resolution graphics in the wings is profoundly uncool. Strange coloured characters will turn up on your screen... unless, of course you have a monochrome monitor.

This latter variation doesn't in any way obviate the problem. It just makes it less kaleidoscopic.

DoubleDOS is at its best running straight up business applications... and gets a bit flustered if it's given unusual software to chew on.

One of the really promising potentials of any concurrent operating system is to have it handle telecommunications as a background task. Most of the system use involved in, say downloading a file, is tied up in waiting for the next character to crawl through the modem port. In turn, if one is getting one's head into modems, one spends an awful lot of time waiting.

If you've got a handle on concurrency, on the other hand, you should be able to do something during those long waits while you're downloading text or doing something equally as cool. This is fairly

# Two Shots at Concurrency for the PC

reasonable under some concurrent things... it may not happen for you under DoubleDOS.

DoubleDOS behaves fairly unpredictably with telecommunications programs. Simple ones which access the PC's ports directly tend to lose characters... quite a few characters... if the other task running under DoubleDOS decide to hog the party. Interrupt driven terminals occasionally hang the thing completely.

The second, and perhaps more disagreeable restriction of DoubleDOS is that it slows down the screen access and keyboard input of both programs running under it. The exact magnitude of this reduction in speed varies with the system use. Two really hungry programs... such as BASIC and WordStar... will very easily take it down to about the rate of a twelve hundred baud modem.

In all fairness, WordStar isn't really useable under these sorts of restrictions... I don't think that any program that does a lot of screen updates would be if it's to be used with another processor intensive application happening in the other window.


The next peculiarity of the system is that if you try to load a program into a memory section which is larger than the available RAM in that section the whole works comes to a crashing halt. You can occasionally kill such a task and get control of the window back... but not always. On a few shots at this my copy of DoubleDOS hung the whole computer, trashing the other window as well.

There is, in fact, some software which will hang the machine even if it has enough memory to run. The more obscure stuff really gets into this. The DoubleDOS manual doesn't offer any suggestions concerning what will and will not run with the package.

One thing you can't do is to run BASIC or BASIC based applications in both windows. It's also worth noting that with BASIC in even one window the system clock shifts into overdrive and starts counting like the world is about to end.

All of these hassles, however, are of questionable import if you're planning to use DoubleDOS with the right sort of applications. Ideally, you should endeavour to try your software out with it before you buy DoubleDOS, as it comes complete with a license agreement under which all your options turn into a pumpkin as soon as you open the envelope the disk comes in.

Programs which basically handle data, and don't do a lot of screen manipulations or graphics will probably run quite acceptably under DoubleDOS... so long as they don't do anything that upsets it.



The real technological gorch in DoubleDOS, however, is in that the master disk is copy protected. You can't back it up. As such, if you get anything really good going with it and the master disk decides to pop for the old disk read error message you are well and truly fried.

Actually, this is even more of a nuisance under DoubleDOS than it is under most other copy protected packages, in that you can't practically use DoubleDOS on a hard drive either... unless you keep the master floppy on line too.

I can relate that software manufacturers suspect that there are pirates out there... I do object to their assuming that I'm one of them


While a bit funky and of restricted usefulness in some areas, DoubleDOS is an interesting approach to concurrency. However, both its advertising and its manual should be a lot more specific regarding what it can and cannot manage.

#### Reboot

It's actually amazing how much of one's time one spends waiting for the wait flag to vanish or the prompt to re-appear. Having two or more interactive tasks on line at once can do astounding things for one's general productivity and general head space.

ELEPHANT MEMORY SYSTEMS®

# Elephant Disks . . . by Dennison






A full line of top-quality floppies, in virtually every 5½" and 8" model, for compatibility with virtually every computer on the market.

Guaranteed to meet or exceed every industry standard, certified 100% error-free and problem-free, and to maintain its quality for at least 12 million passes

(or over a lifetime of heavy-duty use).

Dennison



1-800-387-5037 B.C. 112-800-387-5037 TORONTO (416) 495-9353

# Shades for the PC

Here's a look at a simple utility which allows one complete and utter domination over the colour of every wretched, pleading peasant of a character on the whole vast expanse of the IBM PC's screen. The rush of power certainly makes one feel feudal, doesn't it...

#### by Steve Rimmer



astering the instruction set of the 8088 is only part of the really bizarre odyssey of learning how to program the IBM PC. You also have to handle the DOS calls and figure out how to interact with the operating system in general. Some of this stuff can be highly weird. The guys who wrote MS-DOS went on to work as guest attractions in John Carpenter movies.

One of the most mind warping groups of instructions in the 8088 is the string manipulation set. This thing... ahem, when properly tickled... will do all sorts of things that programmers for other chips had to write fairly complex routines to get together. Instead, all you have to do is to set up a handful of parameters and let the chip loose on them.

Most of the time they seem to want to throw "parity check" errors, I know.

This month we're going to have a look at one of the string manipulation instructions... the string compare... which, when come upon in the quiet, pastoral surroundings of the accompanying screen colour attribute utility, is a moderately useful little wombat.

Gentlemen, start your assemblers...

#### Colour With a "U"

The code that accompanies this feature allows one to decide what colour one's screen will be. This presumes that one has a colour monitor atop one's PC.

COLOUR is fairly easy to use. If you type

#### A►COLOUR RED

the screen will clear and the prompt will re—appear in red on a black background. If you give COLOUR a bad option, or none at all, it prints a menu.

This arrangement allows COLOUR.COM to be used in a batch file. If you always want your system to come up with, say, yellow type... it makes the screen look more or less like that of an amber monitor... you could include the appropriate COLOUR command in an AUTOEXEC.BAT file.

In order to get COLOUR together we have to be able to do a number of things. To begin with, we'll need to be able to get an argument from the command line. We saw how to do this in the February 1985 edition of Computing Now!, but this incarnation of the problem is a bit different because we will be comparing strings of alpha characters, rather than numbers. Alpha characters, as you may have noted, can be in one of two cases, which somewhat confuses the issue.

The next... and fairly fundamental problem.. is in comparing the command line argument to some fixed strings to decide which option has been selected.

Finally, the program has to actually do what it has been told to do... easily the simplest part.

Checking out the code, the OPTION subroutine gets the command line argument. There are a number of interesting things happening here... well, they're certainly interesting if you're a microprocessor.

The fairly unusual line that reads

#### MOV BUFFER[DI],AL

may be a bit confusing for a start, as it's of a form which isn't used as often as most of the other permutations of 8088 code. It also uses the DI register, which most people leave alone unless it barks.

This line could also be written

#### MOV [BUFFER + DI],AL

which is a bit more descriptive.

The DI register is just another register, like AX, as far as this bit of code is concerned. What makes it special is its ability to index a pointer, or serve as an offset. This line is telling the 8088 to move the contents of AL into the location in memory pointed to by the value BUFFER added to the contents of DI.

This is a very convenient way to handle strings, which are generally manipulated in this form.

The other catch in this subroutine is the call to UCASE. The UCASE procedure takes whatever it finds in AL and converts it to

# ADVANCE-INTERFACE ELECTRONIC INC.

Section   Sect			
	8000 SERIES LSI	8088 KIT	NEC LSIS
	80C35       \$ 9.00         8035L       \$ 7.80         80C39       \$ 9.80         8039       \$ 8.20	8088 8259A-5 8288	uPD720IC         \$22.00           uPD7210C         \$26.00           uPD7220D         \$46.00
2885	8085A-2 \$ 14.60 8086 \$ 21.50 C8087-2 \$449.00	8237A-5 8253-5 <b>\$65.00/set</b>	DIGITAL LSIS         D-CONNECTORS           FD1771         \$22.00         9P         \$2.50
2022A	8088. \$ 14.50 8089A \$155.00 8155. \$ 9.60	2816A\$65.00	FD1793       \$42.00       15P       \$2.80         FD1795       \$47.00       15S       \$3.20         FD1797       \$58.00       25P       \$3.30
Second	8202A\$ 49.50 8212\$ 3.10	2016AP-10. \$ 7.00 2114AP-12. \$ 1.90 4116-15. \$ 1.15 4416/81416. \$ 8.50 MK4801A. \$17.50	FD2793       \$52.00       37P       \$3.80         FD2795       \$57.00       37S       \$4.20         FD2797       \$59.00       50P       \$4.80         WD1691       \$23.00       50S       \$5.50         WD2143       \$21.00       \$23.00       \$5.50
150ns TOS/NEC/MIT   \$34,00/kit of 9 pcs.   DS/DD, 1/2 Ht.   \$142.00 - 50 pcs. up	8243. \$ 8.50 82C43 \$ 8.80 8250AN \$17.00 8250BN \$17.00 8251A \$ 6.60 8253C5 \$ 7.50	6116LP-15 \$ 7.00 6264LP-15 \$38.00 <b>64K RAMCHIPS SPECIAL!!</b> 120ns \$48.00/set of 9	FLOPPY DISK DRIVE Pànasonic/Shugart \$175.00 — 1-9 pcs.
2262	8255A-5	150ns TOS/NEC/MIT\$34,00/kit of 9 pcs. For quantity more than 1,000, please call!!!  256K RAMCHIPS SPECIAL	DS/DD, 1/2 Ht. \$142.00 — 50 pcs. up
\$ 8.00	8282       \$ 8.80         8283       \$ 6.50         8284A       \$ 7.50         8286       \$ 7.90	\$22.00/per piece or \$190.00/set of	
## 1574	8287       \$ 8.00         8288       \$ 15.50         8289       \$ 34.00         8741A       \$ 32.00	Any quantity	
\$\frac{27256-300ns}{cpu}	8748       \$ 33.00         8749       \$ 36.00         8751A       \$265.00         8755A       \$ 85.00 <b>6500 SERIES LSI</b> 6502A       \$6.00         6520A       \$6.00         6522A       \$6.20         6532       \$9.80	2716-450ns       \$ 4.50         2716-300ns       \$ 8.80         27C16-450ns       \$24.00         2732-450ns       \$ 6.30         2732-450ns       \$ 6.90         2532-450ns       \$ 8.50         2764-250ns       \$ 8.90         27C64-250ns       \$24.00         27128-450ns       \$18.50	2-side/2-density by 3M \$33.00/box of 10 pcs. Card boxed (5 boxes or up- \$30.00/box) 1-side/2-density by VERBATIM DATALIFE (5 boxes or up-\$23.00/box)
SIO/1	ZBOA SERIES LSI       CPU     \$ 4.50       CTC     \$ 5.20       DMA     \$15.00       DART     \$10.50       PIO     \$ 5.20	27256-300ns \$88.00  IC PROGRAMMING SERVICE  2716 — 27512  27C16 — 27C256  2816A — 48016	CRT CONTROLLERS         6545-1       \$14,90         6845       \$ 9.90         68B45       \$14,90
MISC ICS   ULN2001A   \$1.55   ULN2074   \$4.80   ULN2002A   \$1.55   ULN2075   \$4.80   ULN2003A   \$1.55   26LS29   \$3.30   ULN2003A   \$1.55   26LS29   \$3.30   ULN2004A   \$1.55   26LS30   \$3.30   ULN2004A   \$1.55   26LS30   \$3.30   ULN2004A   \$1.55   26LS30   \$3.30   ULN2004A   \$1.55   26LS30   \$3.30   ULN2005A   \$2.20   26LS31   \$3.30   ULN2005A   \$2.20   26LS31   \$3.30   ULN2005A   \$2.20   26LS31   \$3.30   ULN2005A   \$2.20   26LS31   \$3.30   ULN2005A   \$2.20   26LS33   \$3.30   ULN2005A   \$3.30   ULN2	\$10/0 \$15.00 \$10/1 \$15.00 \$10/2 \$15.00 B-CPU \$10.50		REGULATOR ICS CLOCK
AY3-1015D \$ 7.00 AY5-1013A \$ 5.90 IUN2005A \$ 2.20 IUN2005A \$ 2.20 IUN2005A \$ 3.30 IUN2005A \$ 3.30 IUN2005A \$ 3.30 IUN2005A \$ 3.20 IUN2005A \$ 3.30 IUN2005A \$ 3	2651A \$23.00 2661A \$23.00	ULN2001A\$1.55 ULN2074\$4.80 ULN2002A\$1.55 ULN2075\$4.80	TL494\$ 2.30 6809P\$15.90
REAL-TIME CLOCK CHIPS       MSM5832RS     \$13.00       MM58167A     \$19.50       MM5817AA     \$19.50       FSK MODEM CHIPS       TMS99532     \$19.00      ULN2068   \$4.670   WC3486P   \$2.60   WC3487P   \$2.60   F7-30500 (Solder Pin)   \$10.50 plug   F7-30500 (Solder Pin)   \$10.50 plug   F7-40500 (Solder Pin)   \$11.50 socket       FSK MODEM CHIPS       TMS99532     \$19.00	AY3-1015D       \$ 7.00         AY5-1013A       \$ 5.90         IM6402IPL       \$19.00	ULN2004A \$1.55 26LS30 \$3.30 ULN2005A \$2.20 26LS31 \$3.30 ULN2064 \$4.80 26LS32 \$3.30 ULN2065 \$6.70 26LS33 \$3.30	57F-30360 (Flat Cable) \$ 6.50 plug 57-30360 (Solder Pin) \$ 5.50 plug
TMS99532 \$19.00 uPD765A/P8272A \$ 14.00 MON-FRI 9:00 to 6:00	REAL-TIME CLOCK CHIPS         MSM5832RS       \$13.00         MM58167A       \$19.50         MM58174A       \$19.50	ULN2067	57-30240 (Solder Pin)       \$ 6.20 plug         57-40240 (Solder Pin)       \$ 5.00 socket         57-30500 (Solder Pin)       \$ 10.50 plug         57-40500 (Solder Pin)       \$ 11.50 socket
	FSK MODEM CHIPS TMS99532 \$19.00	uPD765A/P8272A	

\*All prices and availabilities are subject to change without notice

\* \* Call us for quantity pricing & delivery information \* \* \*

Mail Orders add \$5.00 for shipping and handling. Ontario residents add 7% P.S.T. VISA, Mastercard, Money Order and Certified Cheque accepted.

ADVANCE—INTERFACE ELECTRONIC INC.

TELEX = 06-218660 FAX = 416-495-1214 (G2/G3) TEL = 416-591-8433

## Shades for the PC

an upper case alphabetic letter if it happens to be a lower case one. This is necessary because of a quirk of MS-DOS which doesn't convert the command line argument to all upper case characters. Thus,

#### A►COLOUR RED

would be a valid argument to COLOUR.COM, while

#### A►COLOUR red

would not.

The command line argument is always terminated by a carriage return. As such, we can move each byte to the buffer until one of them turns up as ODH, at which point the routine has done its stuff.

The TABLE entries, which is what we'll be comparing the argument to in a second, consist of eight byte strings. Each string is a potential argument padded out with spaces. By defining the buffer as

#### DB 8 DUP(' ')

we can assure that when it has been loaded with the command line argument it will look like a TABLE entry.

The next important function of the program is in the GETOPT procedure. It assumes that the command line argument is alive and well and living in BUFFER. It compares it to each of the entries in TABLE.

This code uses the string comparison instruction, CMPSB. There is a similar string movement instruction which we might well have used in the OPTION procedure. However, as useful as the string manipulation instructions are, it's often the case that they don't provide any real advantage in the resultant size or speed of the code they generate... and they're always strange to debug

In moving the command line argument we had to move a string of undefined length, which would have meant two string operations...one to scan for the carriage return, to determine its length, and one to actually do the move. In this case, however, the string compare is fairly advantageous to use. We can set all of its parameters fairly easily.

The form of the string compare instruction is fairly easy. The two strings to be compared are pointed to by the SI and DI registers. The length of the strings is poured into CX and the instruction itself is thrown. It goes

#### REPE CMPSB

which means to compare the strings one byte at a time and to continue to do so until the CX register hits zero. Having done this, the E flag will be set if the strings matched. A JE will thus branch if both strings were the same.

With the table of strings neatly padded out to a fixed length it's fairly easy to scan through them, comparing the buffer contents to each in turn.

#### Go For It

Having finally ascertained which colour the command line argument called for, actually getting the colour onto the screen is pretty straight up. Not surprisingly, there is an interrupt to do it.

The DOS calls provided for screen manupulations allow for, among other things, the clearing of screen windows. In this case a window is just a rectangle on the tube. You can select any four co-ordinates as the corners of the rectangle and, having done so, scroll the contents of it up or down by as many lines as you feel like.

```
COLOUR
           Copyright 1985 (c) Steve Rimmer
           Changes the foreground colour of the IBM display
           in accordance with the command line argument
           Also whitens, brightens and sharpens the teeth of
           your children.
SUBVERS EQU
                                   ;TAB CHARACTER
                                   LINE FEED
           EOU
                       10
                      13
0082H
COMTAIL EQU
                                  ; COMMAND TAIL
          SEGMENT
CODEX
MAIN
           PROC
            PROC FAR
ASSUME CS:CODEX
           ORG
                      0100H
START: JMP
                       START1
 ;Be careful with this table. The literals must be 8 bytes
; long. Make sure you don't use tabs instead of spaces
                        'BLUE
                       'GREEN
           DB
                       'RED ',4
'MAGENTA ',5
'BROWN ',6
'LGREY ',7
'DGREY ',8
'LBLUE ',9
           DB
           DB
           DB
                        'LBLUE
                       'LGREEN ',10
'LCYAN ',11
'LRED ',12
'LMAGENTA',13
            DB
            DB
                       'YELLOW ',14
'WHITE ',15
            DB
BUFFER DB
                       8 DUP(20H)
                       OPTION
START1: CALL
                                                           :GET COMMAND ARGUMENT
                                                          ; IF ERROR
;...SHOW HELP MESSAGE
            CMP
           JE
           CALL
                       GETOPT
                                                          : COMPARE COMMAND ARGUMENT
                                                          ; WITH TABLE... IF ERRO
; ... SHOW HELP MESSAGE
           JE
                       BADOPT
           PUSH
                       AX
                                                          :COLOUR CODE IS IN AH
                                                          ; SET SCREEN MODE
            MOV
            INT
                       10H
                                                          ;THIS WHOLE MESS
            POP
                       AX
                                                           SCROLLS THE SCREEN; TWENTY FOUR LINES
                       BH.AH
                       AH,6
AL,0
CX,0
            MOV
                                                           :AND PUTS THE CHOSEN
                                                           ;ATTRIBUTE ON THE ;NEW LINES
            MOV
                       DH. 24
            MOV
            INT
                       10H
           INT
                                   ;BACK TO DOS
QUIT:
                        CR, LF, TAB, TAB, 'Colour Version ', VERS+'0', '.', SUBVERS+'0', '. CR, LF, TAB, TAB, 'Copyright 1985 (c) Steve Rimmer'
            DR
                        CR, LF, TAB, TAB, 'The available colours are:'
            DB
                       CR,LF,TAB,TAB, 'The available colours are:'
CR,LF,TAB,TAB,'
CR,LF, 'BLACK ',TAB,'BLUE ',TAB,'GREEN
TAB,'CYAN ',TAB,'RED
CR,LF,'MACENTA',TAB,'BROWN ',TAB,'LGREY
TAB,'DGREY ',TAB,'LLUE
CR,LF,'LGREEN ',TAB,'LCYAN ',TAB,'LRED
TAB,'LMACENTA',TAB,'YELLOW '
CR,LF,'HUHTE
            DB
            DB
            DB
            DB
DB
                        CR, LF, WHITE CR, LF
             DB
                        CR, LF, TAB, TAB, 'Typical key blast: A>COLOUR RED'
             DB
            DB
JMP
            ENDP
```

# **Moorshead Publications**

# Almost Free Software

# Almost Free Software #1

# Almost Free Software #2

# Almost Free Software #3

Almost Free Software #1, #2 and #3 are for CP/M and are available in a variety of formats: Apple # + CP/M, 8 inch SSSD\*, Access Matrix, Morrow Micro Decision, Superbrain, Xerox/Cromemco\*, Epson QX-10VD, Sanyo MBC 1000, Neima Persona, Kaypro II, Osborne Single\* and double densities, Televideo, DEC VT-180, Casio FP-1000, Zorba.

\*single density formats require two disks. The package cost for these formats is \$22.95.

Modem7. Allows you to communicate with any CP/M based system and download files. Complete details were in Computing Now! November 1983.

PACMAN. You can actually play PAC-MAN without graphics, and it works pretty fast.

**FORTH.** A complete up-to-date version of FIG FORTH, complete with its own internal DOS.

**DUU.** The ultimate disk utility allowing you to recover accidentally erased disk files, fix gorched files, rebuild and modify your system. A real gem.

D. A sorted directory program that tells you how big your files are and how much space is left on the disk.

USQ/SQ. Lets you compress and uncompress files. You can pack about 40% more stuff on a disk with this system.

Finance. A fairly sophisticated financial package written in easily understandable, modifiable Microsoft BASIC.

BADLIM. Ever had to throw out a disk with a single bad sector? This isolates bad sectors into an invisible file, making the rest of the disk useable.

DISK. Allows you to move whole masses of files from disk to disk without having to do every one by hand, you can also view and erase files with little typing.

QUEST. A "Dungeons and Dragons" type game.

**STOCKS.** This is a complete stock management program in BASIC.

SEE. Also known as TYPE17, will TYPE any file, squeezed or not allowing you to keep documents in compressed form while still being able to read them.

Order as AFS #1 and specify system

All of this software has been obtained from public ac-

cess sources and is believed to be in the public domain.

The prices of the disks defer the cost of reproducing them and mailing them, plus the cost of the medium. The software itself is offered without charge. A few

items include messages imbedded in the code asking for voluntary donations on behalf of the authors.

is readable and if there are defects in the medium, we

will replace it free of charge. While considerable effort

has been made to ensure that programs are thoroughly debugged, we are unable to assist in adapting them for

Moorshead Publications warrants that the software

BISHOW. Th ultimate file typer, BISHOW version 3.1 will type squeezed or unsqueezed files and allow you to type files which are in libraries (see LU, below). However, it also pages in both directions, so if you miss something, you can back up and see it again.

LU. Every CP/M file takes up unnecessary overhead. If you want to store lots of data in a small space, you'll want LU, the library utility. It permits any number of individual files to be stored in one big file and cracked apart again.

RACQUEL. Everyone should have one printer picture in their disk collection.

MORTGAGE. This is a very fancy mortgage amortization program which will produce a variety of amortization tables.

NSBASIC. Large disk BASIC packages, such as MBASIC, are great... and very expensive. This one, however, is free... and every bit as powerful as many commercial programs. It's compatible with North Star BASIC, so you'll have no problem finding a manual for it.

Z80ASM. This is a complete assembler package which uses true Zilog Z80 mnemonics. It has a rich vocabulary of pseudo-ops and will allow you to use the full power of your Z80 based machine... much of which can't be handled by ASM or MAC.

VFILE Easily the ultimate disk utility, VFILE shows you a full screen presentation of what's on your disk and allows you to mass move and delete files using a two-dimensional cursor. It has heaps of features, a built-in help file and works extremely fast.

ROMAN. This is a silly little program which figures out Roman numerals for you. However, silly programs are so much fun.

CATCHUM. If you like the fast pace and incredible realism of Pacman, you'll go quietly insane over Catchum... which plays basically the same game using ASCII characters. Watch little "C's" gobble periods while you try to avoid the deadly "A's"... It's a scream.

Order as AFS #2 and specify system

OIL. This is an interesting simulation of the workings of the oil industry. It can be approached as either a game or a fairly sophisticated model.

CHESS. This program really does play a mean game of chess. It has an on-screen display of the board, a choice of colours and selectable levels of look ahead.

**DEBUG.** The DDT debugger is good but this offers heaps of facilities that DDT can't and does symbolic debugging... it's almost like being able to step, trace and disassemble through your source listing.

DU87. The older DUU program does have some limitations. This version overcomes them all and adds some valuable capacities. It will adapt itself to any system. You can search, map and dump disk sectors or files. It's invaluable in recovering damaged files, too.

ELIZA. This classic program is a micro computer head shrinker... It runs under MBASIC, and, with very little imagination, you will be able to believe that you are conversing with a real psychiatrist.

LADDER. This is... this program is weird. It's Donkey Kong in ASCII. It's fast, bizarre and good for hours of eye strain.

QUIKKEY. Programmable function keys allow you to hit one key to issue a multi-character command. This tiny utility allows you to define as many functions as you want using infrequently used control codes and to change them at any time... even from within another program.

RESOURCE. While a debugger will allow you to disassemble small bits of code easily enough, only a true text based disassembler can take a COM file and make source out of it again. This is one of the best ones available.

Order as AFS #3 and specify system

# Almost Free PC Software #1

For IBM PC's and genuine compatibles. Available in Double-Sided or two Single-Sided Disks.\*

PCWRITE. While not quite Wordstar for nothing, this package comes extremely close to equalling the power of commercial word processors costing five or six bills. It has full screen editing, cursor movement with the cursor mover keypad, help screens and all the features of the expensive troils.

SOLFE. This is a small BASIC program that plays baroque music. It's also a fabulous tutorial on how to use BASICA's sound statements.

PC-TALK. A Telecommunications package for the IBM PC which does file transfers in both ASCII dump and MODEM7/X-MODEM protocols and comes with... get this... 119424 bytes of documentation.

SD. This sorted directory program produces displays which are a lot more readable than those spewed out by typing DIR.

FORTH. This is a small FORTH in Microsoft BASIC. You can build on the primitives intregral with the language.

LIFE. An implementation of the classic ecology game written in 8088 assembler.

MAGDALEN This is another BASIC music

CASHACC. This is a fairly sophisticated cash acquisition and limited accounting package written in BASIC. It isn't exactly BPI, but it's a lot less expensive.

**DATAFILE.** This is a simple data base manager written in... yes, trusty Microsoft BASIC.

UNWS. Wordstar has this unusual propensity for setting the high order bits on some of the characters in the files it creates. Here's a utility to strip the bits and "unWordstar" the test. The assembler source for this one is provided.

HOST2. This is a package including the BASIC source and a DOC file to allow users with Smart-Modems to access their PC's remotely. It's a hacker's delight.

Order as AFPCS #1 Specify Double-Sided or 2x Single-Sided.\*

See page 64 for AFPCS #2
Software Services
Moorshead Publications
25 Overlea Boulevard,
Suite 601,
Toronto, Ontario M4H 1B1
Phone orders using Visa,
Mastercard or American Express:

(416) 423-3262

\$19.95 each

Except for 8" disks and those with two disks which are marked with an asterisk (\*) above which are:

\$22.95

Ontario Residents add 7% P.S.T.

Computing Now! April 1985

your own applications.

## **Shades for the PC**

	END	START	
CODEX	ENDS		
CETOD	MOV RET	AH,[BX]	GET IT IN AH
	MOV ADD	AX,8 BX,AX	; POINT TO APPROPRIATE BYTE
GOTOPT:		СХ	;CLEAN UP STACK
	MOV RET	AH, 20H	; SHOW BAD OPTION
	POP LOOP	CX	;GET POINTER BACK ;LOOP 'TIL DONE
	ADD	BX,AX	
	MOV	AX,9	OTHERWISE, LOOK AT NEXT ENTRY
REPE	CMPSB JZ	GOTOPT	;DO COMPARE ;IF EQUAL, GO DO FETCH
DEDE	MOV	CX,8	GET LENGTH OF ENTRY
	MOV	DI, BX	; POINT TO TABLE
ODDE:	MOV	SI, OFFSET BUFFER	; POINT TO BUFFER
OLLP:	MOV	CX,16	;SIXTEEN ENTRIES IN TABLE ;SAVE LOOP COUNTER
	MOV	BX, OFFSET TABLE	; POINT INTO TABLE
GETOPT	PROC	NEAR	
ILPRT	RET		
	PUSH	BX	
ILPRET:		BX	
		BX ILPLP	
		BX	
	INT	21H	
	MOV	AH, 2 BX	
		ILPRET	
	CHE	DL, U	
	MOV	DL,[BX]	
	POP	RY	NE PRINT
NOCASE:	RET		
V0010F	SUB	AL, 'a'-'A'	;IF SO
	JG	NOCASE	;SUBTRACT OFFSET
	CMP	AL, 'z'	; 'a' TO 'z' AND
	CMP JL	AL, 'a' NOCASE	;SEE IF CHR IS ;IN THE RANGE OF
; CONVER		CASE TO UPPER CASE	.CEP IF CUD IC
	PROC	NEAR	
OPTION	ENDP		
CMOVE2:			, AND DOOR
	INC JMP	DX CMOVE1	;ALL POINTERS ;AND LOOP
	INC	BX	;BUMP UP
		BUFFER[DI], AL	; PUT CHARACTER IN BUFFER
	MOV	DI,DX	GET POINTER INTO DI
	CALL	UCASE	; IF SO, RETURN NO ERROR ; CONVERT CASE
	CMP JE	AL, ODH CMOVE2	; SEE IF IT'S END
CMOVE1:	MOV	AL,[BX]	GET BYTE OR ARGUMENT
		DX,DX	;ZERO POINTER INTO BUFFER
	CMP JE	AH, 20H CMOVE2	; IF SO, RETURN WITH ERROR ;SCOOT
		AH,[BX]	; SEE IF IT'S BLANK
	MOV	BX,OFFSET COMTAIL	

If you scroll the window by more lines than it has in it you effectively clear it.

Any lines that are scrolled so that the real estate where they used to reside is now a vacant lot can be filled with an attribute, such that whatever next comes to graze in them will come up in the colours defined by that attribute.

If you define the whole screen as a window and scroll it all out of existance you can change the whole screen's attribute. This is what the last part of COLOUR.COM's main procedure does.

The byte which defines the screen's attribute is fairly complex. However, it's a bit easier if it's looked at in binary. The bytes goes

#### WBBBFFFF

which probably still looks pretty mysterious.

The low order nybble of the byte, the last four bits here, marked with F's, are the foreground colour. Being four bits long this value can range from zero to fifteen. The colours these values produce can be found in TABLE of the source listing.

The three B bits are the background colour bits. This can be one of eight values. The eight colours are the first eight entries in TABLE. To get yellow letters on a blue background, for example, the attribute byte would be figured as fifteen, for yellow, plus sixteen times one. The one is the blue attribute and multiplying it by sixteen rotates it up four bits into the background colour position.

The final bit, which I've called W because both B, for blinking, and F, for flashing, are already spoken for, decides whether the character printed with this attribute will be flashing. If the bit is zero, which is normally the case, the character is steady. If this bit is set the character blinks.

The attributes which accompany the strings in TABLE are simple because they set the background colour to zero... black... and the blinking bit off. You could, for example, make the background blue by adding sixteen times one to each of them.

#### Divine Attribution

The colour program, aside from being convenient and reasonably useful, is a good example of a number of programming techniques for the 8088. You can probably lift a few routines from it

Bear in mind that this thing generates a COM file, rather than an EXE routine. Check out the February 1985 edition of Computing Now! for more about these things.

With the resurgence of interest in day glow, colour displays on computers seem to have taken on a new meaning of sorts. I mean, it used to be really painful to walk around outside and check out the girls wearing day glow green sweaters. They got into your eye balls and rattled around in the rods and cones for a long time... sort of like an optic pinball machine. However, set up the screen so it shows you WordStar in screaming yellow on green with the menus in light cyan and you'll have no problems with day glow at all.

The flashing boxes which persist in your vision will all but eradicate it.

# **BUDGETRON INC.**

#### IMPORTER/DISTRIBUTOR

1601 Matheson Blvd., Unit 3, Mississauga, Ontario L4W 1H9 Tel: (416) 624-7323 Telex: 06-960172

## DEALERS/OEM's ... come to the SOURCE for:



# ★ CSA PENDING ★ 130 WATT SIDE SWITCHING POWER SUPPLY

- Upgrade IBM™ PC & XT at Lower Cost Now!
- Direct Replacement for IBM™ 63.5 Watt.

Model

Rating

Output

CPS-1130M 130W

+5V +12V -12V -5V 15A 4.3A 0.5A 0.5A

- Two (2) IBM™ Type Power Connectors to PC Mother Board.
- Fits our PC/XT Side Switch Case.

# BACK SWITCH POWER SUPPLIES FOR PC/XT COMPATIBLES



MODEL CPS-1130 \*CSA PENDING\*


> -5V 0.5A

Model	Rating		Ou	tput
		+5V	+ 12V	- 12\
CPS-1100	100W	10A	3.5A	0.5A
CDS-1130	130\\\	15.0	131	054

# IBM™ COMPATIBLE PERIPHERAL CARDS

- Floppy Drive Controller with Cable
   Ram Card
   Multifunction
   Parallel
   Serial
- Colour Graphics Monochrome Monochrome Graphics with Parallel

IBM is a Registered Trade Mark of IBM Canada Ltd.



#### 8 Slots XT Compatible Mother Board

- Fully IBM PC/XT Compatible
- Supports PC DOS, MS DOS, and CP/M 86
- 256K of parity checked RAM
- 8 expansion slots
- Double sided board 8-1/2" x 12" exact fit to our cases.
- All new components/No Bios

Unitech K-150 Keyboard



#### IBM™ PC/XT PLUG COMPATIBLE

- · Uses German made Cherry Keyswitches.
- Call for Special April Prices.

Shugart

SA455

- 5-1/4" - 1/2 Height - DSDD

- 360K

- \*Fits IBM™ PC, XT, Port & PC Jr.\*
- \*Auto Insert/Eject
- \*50% Quiter

SA712 10 MB 1/2 Ht. Hard Disk Subsystem

#### 8 SLOT CASES

#### PC/XT Case

Exact fit to our 100/130W Back Switch Power Supplies


#### PC/XT Case

Exact fit to our 130W Sides Switch Power Supply

IN-HOUSE TECHNICAL SUPPORT 90 DAY WARRANTY ON ALL PRODUCTS

CALL (416) 624-7323

# **Built In Canada**



Not all microcomputers are imported from the States or the far East. There is a thriving... if somewhat unusual... manufacturing community right here in beaver land.

#### by Frank Lenk

icrocomputers are awfully useful and usually quite a pile of fun. They look truly impressive perched in a corner of your desk with a potted geranium next to them. They can give even the most slovenly work space a certain je ne sais quois, that much admired aura of high tech.

You might well wonder where they come from, these off white technological toadstools that seem to be springing up all over the place. One imagines them being assembled in sterile environments by robots and blank faced individuals in white lab

coats... or perhaps materialized by jolly little munchkins living in a hollow tree.

After a tour of a few of the local dens of the techno beasts, I'm forced to the conclusion that the munchkin hypothesis is closest to the truth. Far from being corporate megalyths, the companies that build microcomputers in Canada are generally quite small and approachable. They're interesting, too... some people go through their entire lives without ever seeing a wave soldering machine.

#### Multiflexibility

Eugen Hutka's Exceltronix empire has to be a local success story as far as home grown microcomputer operations go. When I visited Hutka late last year, he was busily moving his operations to larger premises in his Evans road commercial park. At this point the company was making some fifty different products, employing over sixty people, and occupying fifty-five hundred square feet of production space plus another five thousand feet for research and development.

Most of the Multiflex products will be familiar to local buffs. They include S-100 Z80 based systems and 6809 development systems designed for the University of Toronto. The "Surf Board" 6502... an enhanced Apple compatible... system is made for the Surplustronix arm of Hutka's empire, while the "BEST" IBM PC compatible is built under the auspices of BEST Incorporated, yet another offspring.

· Similarly, Multiflex has been putting together scrolling news and time display signs for the Toronto subway under contract to its sister company Versadigital.

All the Multiflex design work is done in house, although some board layout work is farmed out to local CAD specialists. Multiflex itself is equipped for the flow soldering, assembly and testing of all its systems.

Upon my arrival at Evans road, I was greeted by several racks of BESTs getting their forty hour burn in... winking their disk drive lights at me. The rear section of the premises was filled with benches at which a number of capable looking individuals were

performing arcane acts with assorted electronic equipment.

At the far back a number of women were engaged in poking and soldering zillions of red LEDs onto Versadigital displays.

Though I didn't know it at the time, I was gazing on one of the most complete computer manufacturing operations in the Toronto area. From board stuffing in the back to assembly and testing at the front... all of the essential operations take place under one roof. Only the printing of the raw circuit boards has to be farmed out.

Through the doors still further back I happened on a substantial looking machine which I was informed was the wave soldering system. Unfortunately this beast was not in use on that particular day. I eventually found that it represented one of the high point as far as local manufacturing equipment... and operational integration. Even the larger companies prefer to farm out their soldering. A wave soldering machine isn't something one buys out of petty cash.

Tucked away into the new office section I discovered some real development under way. A cheerful sort of fellow sat hunched over a drafting table, laboriously laying out circuit traces using several colors of narrow tape. Although the layout is done oversize, you could easily see the benefits of using computer aided drafting.

#### The Ham Sandwich Theory

At the extremely low end of the size spectrum there exists the "plant" of JLS Elec-



The main plant, executive office and retail outlet of JLS Electronics. Joe Sutherland is hard at work on one of his XT Clones.

tronics. JLS translates as just one individual, Joe L. Sutherland.

Since the time I visited him, Joe has relocated his operation several times. I can be fairly sure of this because the building he was in was condemned when I saw it, and in fact ceased to be almost immediately after my visit.

When I was given a Yonge street address for JLS I thought that it would be a large, prosperous company that should be nice and easy to find. It wasn't. I walked past

the place twice, then noticed a big oriental import bazaar that had had a paper banner taped above its doors announcing that despite all appearances to the contrary, this was indeed the home of JLS Electronics. Pushing through the crowded aisles of the store, I finally discovered a narrow staircase leading up to the second floor.

A shelf of disk drives and a very sedate reception desk met me at the top of the stairs. However, beyond these two articles of furnishing, the top floor was largely bare, except for a rack of greeting cards apparently left by the last tenant and a large table surface on which sat several IBM XT compatibles in assorted stages of completion. Joe Sutherland himself, in jeans and rolled up sleeves, was prodding around in one of these boxes... screwdriver, soldering iron and ham sandwich all close at hand.

As Joe says, his is "without a doubt the most hand built" of the local IBM clones. To my eye, it is certainly one of the most appealing. Amazingly, the machine fits into a box about a third smaller than that of a name brand PC. The case was designed by Sutherland himself and built by Fox Metal, with a foamed plastic front face. It is perhaps the only such case that allows the circuit board to extend under the disk drives, saving a whole pile of room.

It is also unusual in that Joe rips his power supplies out of their individual steel enclosures, which contain mostly empty space. These and other tricks allow the case to be unbelievably small, while still allowing room for eight completely unobstructred expansion slots.



Partially assembled JLS XT Clone. Note the custom front panel, key lock (at lower left) and half eaten sandwich (at lower right).

## **Built In Canada**

Joe has even added a couple of other luxury touches. His new plastic front panel... custom molded at great expense so that it could proudly bear the JLS initials... is provided with an easily accessible key lock power switch. The keyboard cable socket is mounted at the side of the metal case, not the back, giving the user an extra couple of feet of usable keyboard coil cord.

JLS started its meteoric climb to success with the fabled "Big Board", a highly regarded CP/M single board system... which is unfortunately no longer available. After the Big Board, Joe created own PC compatible kit, a relatively straightforward clone of the IBM. This system was so successful that soon there were Taiwanese clones of the clone being shipped into town.

Flattered but undismayed, Sutherland had already moved on, evolving the original into the present improved XT board. Joe sold this design to Aftek Business Machines, which in return supplies him with high quality wave soldered motherboards. Even though Aftek is selling its own computer based on this board, Joe goes on hand building about one system a day, doing all the assembly himself.

Fearing assaults from IBM, and suspicious of the existing knock off BIOS programs, Sutherland actually had an IBM compatible BIOS custom written for his machine... even though the hardware is sufficiently compatible to run under the original copyrighted version. Joe's efforts were not in vain, however. IBM, he says, "was our first customer." The JLS BIOS has been pronounced legal.

Of course, all these computing activities are just a sideline for Joe Sutherland. "I'm really a moviemaker," he says. The sale of his XT design to Aftek financed a major film entitled Freeloading, based on the operation of the CBC, and produced by Sutherland's own company, "Beyond 1984". The film was eventually to be aired on pay TV, so keep your eyes peeled for it.

The last news of JLS has it that an IBM PC AT clone was in an advanced drawing board state, and that a new 80286 accelerator card for the PC was already complete and on sale.

Don't blink... at press time, JLS was moving into spacious quarters at 2026 Yonge Street.

#### The Aftek Tapes

Having read the preceding section attentively, you should have some idea of where Aftek Business Machines, my next visit, fits into the scheme of things. This is a company that is trying to get respectable on the basis of technology spawned in Joe Sutherland's attic.

Actually there is little kinship between Aftek and JLS, beyond the fact that the latter does design work for the former.

The Aftek computer is a fairly standard... full size... PC XT clone. It's about as nice a system as these things come, being built around the impeccable JLS motherboard. Aftek hopes to parlay this machine into a major stake in the business computing game, and has followed up by getting involved in the esoteric world of streaming tape backup. Service for the Aftek creation is being provided under a contract with Control Data.

Aftek takes a pretty matter of fact approach to manufacturing. Its premises in the North end of Toronto include a plush office space as well as assembly, testing and

# MICROSHARE



#### PET/CBM MULTI USER DISK SYSTEM


- ALLOWS UP TO SIXTEEN USERS TO SHARE DISK DRIVES AND/OR PRINTERS
  WORKS WITH ALL PET/CBM EQUIPMENT
  100% HARDWARE INTERFACED
  NO ALTERATIONS TO SOFTWARE OR SPECIAL SOFTWARE RE-

- SOFTWARE TRANSPARENT WORKS WITH ALL PET/CBM SOFTWARE
- SOFTWARE

  LANGUAGE TRANSPARENT WORKS IN ANY LANGUAGE

  NO SPECIAL COMMANDS USED

  PROTECTS AGAINST SYSTEM LOCKUP



#### COMMODORE 64 MULTI USER DISK SYSTEM

- ALLOWS UP TO EIGHT USERS TO SHARE DISK DRIVES AND/OR PRINTERS

- AND/OR PRINTERS

  WORKS WITH ALL 64/VIC EQUIPMENT

  BUILT IN IEEE AND 64/VIC SERIAL PORTS
  (WORKS WITH ALL IEEE DEVICES)

  100% HARDWARE INTERFACED


  NO ALTERATIONS TO SOFTWARE OR SPECIAL
  SOFTWARE REQUIRED SOFTWARE TRANSPARENT

  NO SPECIAL COMMANDS USED

  BUILT IN 16K PRINT BUFFER

  DISK DRIVE PRIORITY

#### GREATER PRODUCTIVITY & LOWER COST FOR BUSINESS AND EDUCATIONAL USE



#### 40 TO 80 COLUMN CONVERSION

- EXTERNALLY SWITCHABLE FROM 40 TO 80 COLUMNS
  EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS
  EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS
  CONVERSIONS FOR BOTH 4032's AND 8032's
  100% SOFTWARE COMPATIBILITY IN EITHER MODE
  HARDWARE (NOT SOFTWARE) MODIFICATION
  ALL KEYS FROM 8032 EMULATED ON 4032
  SPECIAL FUNCTION KEYS



#### MICROSHARE 64K PRINT BUFFER

LOW COST
REDUCES LONG WAITS — SAVES TIME
ALLOWS YOU TO PRINT AND PROCESS SIMULTANEOUSLY
IEEE INPUT — IEEE OR CENTRONICS PARALLEL OUTPUT
WORKS WITH ALL PET/CBM SOFTWARE
NO INSTALLATION REDUIRED
ELIMINATES THE FRUSTRATION OF WATING FOR YOUR
PRINTER

COMMODORE 64, PET, AND CBM ARE ALL TRADEMARKS OF COMMODORE BUSINESS MACHINES, INC.

DEALER INQUIRIES INVITED

MANUFACTURED BY: COMSPEC COMMUNICATIONS INC. 153 BRIDGELAND AVE., UNIT 5, TORONTO, ONTARIO M6A 2Y6

(416) 787-0617

storage areas. The actual production facility has just been expanded by the addition of an adjacent unit in the commercial complex. One side is now used for the assembly of motherboards and tape drives, with the other dedicated to their final assembly and storage. An affable gent by the name of Bill Leary... a former employee of JLS... gave me a guided tour of the works.

Aftek produces a complete range of systems, starting with a one hundred and twenty-eight K single drive PC and going on up through loaded PC+, XL with hard drive, DL with hard drive and tape backup, and the DL+... a loaded system with two floppy drives, hard disk and tape backup.

There's only a minor amount of solder spilt at Aftek. Like a lot of small and even moderately large manufacturers, Aftek opts to leave the soldering to specialists. Thus the motherboards are wave soldered elsewhere, and arrive ready to be stuffed... loaded with the unsolderable parts that get popped into sockets. Some small modifications were being jumpered onto the boards as I watched, pending a final revision of the design.

Following their assembly, the boards are visually inspected... which saves a lot of chips down the way a bit. Anything that can't be put right in about a half hour goes off the line into a repair and prototyping area.

Boards that test out successfully then get inserted into cases. Aftek has been using stock cases with a custom backplate, but has also been considering the creation of a custom box. No disk drives are inserted during the production process. Instead, Aftek tries to keep a stock of about fifteen systems which can be configured to suit specific orders.

Before leaving, all units get a forty-eight hour burn in, running from eight in the morning to six at night.

The keyboards and peripheral cards that plug into the Aftek computers are all off the shelf. Aftek has been favoring Keytronic keyboards, with the new Keytronic 5151 Selectronic available as an option. The cards come from fairly well known manufacturers, such as Persyst or Quadram. However, Aftek should have its own disk controller cards by the time you read this. The disk drives are from Microscience... they're half heights to leave room for the addition of an optional tape backup.

When I popped by, there were lots of projects brewing at Aftek. The one they were keenest on was a new tape drive from Inter-Dyne. In fact the man from that company's California operation was there to demonstrate the system. It's a self threading cartridge which runs off the disk controller



One section of the assembly area at Multiflex an Apple compatible 6502 system is going together.



The testing area at Aftek Business Machines. A motherboard is getting checked out.

board and allows file by file or streaming backup. A special version of MS-DOS was to be configured for Aftek to support the extra features.

The latest project from Aftek is introduction of a new *Attack* card. Presumably the same piece of hardware mentioned by JLS, this board features the superfast 80286 processor and up to 256K of RAM. This is a real serious bit of hardware, selling for the really serious price of just under five grand.

In spite of its professional, businesslike bent, Aftek is a friendly company. It sells its machines only through dealers, but I was told that buyers "are welcome to call" for technical support... or whatever.

#### **Everybody Else**

Oddly enough, it turns out that companies like Multiflex, Aftek or even JLS actually do represent the highest level of personal and business microcomputer manufacturing around. This is not on account of their higher technology or bigger volume. It's just that they're typical of the few companies that bother to do much production at all.

In fact Multiflex was the only operation I came across that goes the whole route in house... from board layout through wave soldering and stuffing right up to final assembly and burn in.

Even a fairly big name company like Nelma doesn't bother with that level of integration. I talked to Adam Naiman, the director of product planning at Nelma Data's Mississauga plant. He said that virtually all of Nelma's real production chores are farmed out. The company deals with wave soldering specialists, sheet metal specialists and even board stuffing specialists.

The usual components... power supplies, drives, keyboards, monitors... are imported whole, or purchased from other companies in Canada. A plastics company named Amnicon is the local specialist in low cost urethane moldings, and supplies decorative case fronts for Nelma... and other local manufacturers.

In the end, what Nelma does sounds a lot like what Aftek does... only on a rather larger scale. Nelma has a total of about twenty–five thousand square feet of plant, comprised of about eight thousand for production, six thousand for service and three thousand for research and development. Production amounts to some board stuffing plus all the final assembly and wiring up.

There's another league of name brand computer companies around town that really does no local manufacturing at all. Teo, run by Carl Teo, produces an Apple type 6502 based computer. Although Teo is bas-

## **Built In Canada**

ed here and had "some design input" on the system, all the production happens in the far East. STM, producers of the Pied Piper CP/M system, are somewhat in the same boat. Apparently the "entire machine" was designed here down to the layout of the circuit board... but it now manufactured in STM's own Hong Kong plant. The same

route was taken by the newer STM personal computer... based on an eight megahertz 80186, and complete with built in modem, full sized backlit LCD display, two 720K disk drives and a thermal printer.

#### Mountains of Silicon

There are, of course, many other Canadian

high technology manufacturers. Many of the ones scattered around Ottawa, for example, are involved in other areas of computer use, creating sophisticated terminals and minicomputer support hardware.

The microcomputer builders, however, are all decidedly small. They're run by individuals, rather than by boards of directors, and produce what is probably the most essential... and overlooked... commodity of the advance of microcomputer technology.



INTERNATIONAL LTD.

(416) 298-3280 Telex - 065-26150

Service Centre and Retail Outlet. 4051 Sheppard Ave., East, Agincourt, Ontario M1S 1S8

Japanese Parts Specialists — Parts 100% guaranteed

	A	RA	'S
n V	н	W	0

4116-200NS or 150NS	\$ 1.25
4164-150NS	\$ 3.75
41256-150NS	\$25.00

#### STATIC RAM'S

2114 200NS	1.85
2016, 2116, 4016	\$ 7.00
6116P 150NS	\$ 7.00
HM6264 LP-15	\$35.00
5514AP-2	\$ 4.50
4416, 120NS 4K X 16	\$ 9.00
5514 AP-3	\$ 4.50

#### 8088 SYSTEM 65/SET

(8088, 8237A-5, 8255A-5, 8259A-5, 8284, 8288D) 7 Chip Set





\$19.95

DX85 5-1/4 Floppy Disk Case (storage up to 150 diskettes)
Lock included .......\$ 24.95
5A Hydro approved Switching
Power Supply (for Apple) .\$79.00
15A, 130W Switching Power
Supply for IBM PCB's
Japan .....\$169.00

#### Apple Compatible Peripherals

Apple companion only	oraro
a) 128K RAM Card	\$150.00
b) 16K RAM Card	\$ 49.00
c) 80 Column Card	\$ 69.00
d) Disk Controller Card	\$ 49.00
e) Z80 Card	\$ 49.00
f) Communication Card	\$ 79.00
a) 40/80 Col. soft switch	\$ 19.95

#### **EPROM'S**

	26.5			174				1									
2532 450NS																.\$	7.25
27128 250NS		100		20	15		85		-		8	6	-	1	-	No.	
27128 300NS	3															. \$1	8.75
2764 250NS																.\$	8.00
2732A																.\$	7.99
2732 450NS																.\$	6.99
2716-450NS																.\$	4.99

#### CPU

6502															\$	5.	50	
6502	A														\$	5.	75	
6522														. :	\$	6.	99	
6845														. !	\$	9.	95	
8035														. !	\$1	1.	00	
8039																		
8279														. :	\$	9.	00	
8085	A														\$1	2.	50	
8086															\$1	9.	95	
8088															\$1	6.	00	
UPD:	76	35	5												\$1	4.	00	

#### DISK DRIVE

IBM Compatible	
Panasonic JA551-2	
(same as Shugart SA455)	\$175.00

# XT PC PERIPHERALS a) Super XT Main Board (No ROM)

	\$420.00
b) 512K RAM Card (OK)	.\$139.00
c) Multifunction Card (OK)	
AST Compatible	.\$399.00
d) Monochrome Card	.\$170.00
e) Monochrome Graphic Card	.\$299.00
f) Disk Drive Card	.\$119.00
g) RS-232 Card	.\$119.00
h) Printer Card	
i) Game I/O Card	.\$ 69.00
IC Socket (Double Side)	
28 pin Double Side 10 fe	

#### TRANSISTOR

2N3904 — .18 ea. 10 — .15 ea. 2N3906 — .22 ea 10 — .20 ea.

Mail Orders: Send a certified cheque or money order plus \$4.00 for shipping and handling. For Special Delivery, please add \$1.00 extra. Ontario residents add 7% P.S.T. Visa & Master card accepted.




The board stuffing line at Multiflex, with an 8088 motherboard being populated.

They do up affordable, reliable computers with short delivery times and easy access.

Much of the success of the small local builders can be attributed to their size. In the time it takes a company like IBM to get everyone together for a strategy meeting regarding the next system to start thinking about, the likes of Joe Sutherland can be half way through building a prototype.

# Last Year 12,416 Canadian Businessmen spent \$19.95 for Computing Now! Magazine... They Also Spent Over \*\$39,000,000 on Computers and Related Materials



\*In fact the total readership spent over \$133,000,000.

COMPUTING NOW! is purchased and read by more businessmen than any other computer magazine in Canada: 47% more! When searching for the right advertising venue to reach the Canadian business market you should bear in mind that 12,416 readers of COMPUTING NOW! are businessmen who will specify the purchase of \*\$39,000,000 worth of computers and related materials this year.

68% of reader service card respondents are in management, executive or top scale professional positions, and 98% stated that the advertising in COMPUTING NOW! influenced their buying decisions.

COMPUTING NOW! delivers the largest paid circulation to Canada's pre-qualified computer business market.

Please call or write for a media information kit. MOORSHEAD PUBLICATIONS 25 OVERLEAD BLVD., SUITE 601 TORONTO, ONT. M4H 1B1 (416) 423-3262



"THE STRONGEST ADVERTISING BYTE IN CANADA" COMPUTING NOW! SOFTWARE NOW! ELECTRONICS TODAY COMPUTERS IN EDUCATION

# Almost Free PC Software Volume II

A good program is like a good politician . . . no, wait, we've succeeded in finding some good programs. However, it did take a lot of searching. Presented here is a selection of some of the best utilities, games, programmers' tools and business applications ever to order the bytes on a disk.

**Sweep** is a turbocharged Ferrarri of a disk utility which makes the COPY command look like a goat herd by comparison. It allows one to do mass copying, deletion, renaming and other disk functions all in menu driven comfort. It supports essentially the same command structure and behavior as the CP/M Sweep and Disk programs.

**Worldmap** is a sophisticated graphics program which draws a very detailed picture of the planet we live on and daily endeavour to blow up. It will display its wares on the tube or send them out to a printer.

**Anitra** plays Anitra's Dance by Edvard Grieg, PC music programs are a gas . . . everyone should have a disk full of them.

**Ramdisk** is among the most useful of all the utilities you'll ever plug into your PC. It creates a virtual drive on your system out of memory. You can pop your files over to it when you boot the beast and thereafter experience disk accesses that take less time to complete than real drives take to turn on their LEDs.

**Alien** plays a bizarre adventure game. It leads you into some pretty warped places. It comes with a massive data file for an adventure that you won't get tired of 'til the dragons come home for the evening.

FOS is a personal financial manager which will, among other things, make your cheque books into servants of humanity as opposed to denizens of the aforementioned adventure game. It's thunderously slick.

**Jukebox** represents yet another PC music system. This one comes with a host of songs to play and some really electric graphics.

**Asmgen** is one of the best text disassemblers we've come across. It takes any executable COM or EXE file and produces an assembler listing. It's surprisingly good at distinguishing between code and imbedded data or text. If you have need to patch or modify code this thing will outdo DEBUG by light years.

**Struct** will appeal to the rabid programmer in everyone. It allows MASM to be used to assemble a sort of higher level language. Included also is a test file to illustrate the syntax.

**Prtsc** replaces the internal PC screen dump code with something more suited to reality. It allows one to hit the PrtSc\* key and then select what the screen dump will look like from a menu. It supports a number of popular printers.

**Breakout** plays a PC version of the popular game. It will accept input from either a joystick or the keyboard. The graphics are good and the action is adjustable from a beginner's level right up to fast and nasty.

**Util** is a collection of system utilities all under one menu driven roof. Among its many talents are a sorted directory, keyboard redefinition and the facility for scrolling up and down through a text file.

All of this software is available on a single disk. It comes with extensive on disk documentation to explain how to make it do its things. The whole works cost a mere

\$19.95

Almost Free PC Software Volume II
Computing Now! Magazine
25 Overlea Boulevard, Suite 601
Toronto, Ontario M4H 1B1
Ontario residents please add 7% sales tax.

Or Order it by phone on your Visa, Mastercard or American Express. Call 1-423-3262 during regular (EST.) business hours.

Fine Print: This software is all in the public domain. It is offered here without charge. The price of this package defers our cost in collecting and preparing it, the cost of the media, postage and handling.

While we have made every effort to ensure that this software is functional and will do what it's supposed to, we are unable to offer technical assistance in adapting it for your application.

# The Most Valuable Computer Product In Existence

#### We Offer You Answers

It has been said that computers are the most flexible tools human beings have ever created. This flexibility, however, comes with its price. They are also the most complex.

You are probably an expert in your own field of endeavour but, unless that field happens to be microcomputer applications, you will quite possibly find that you'll be unable to apply computer technology to its fullest potential.

Computers bring with them incredible power . . . and a whole universe of perplexing difficulties.

In creating Computing Now!, Software Now!, Computers in Education, Electronics Today and numerous special publications we have had to become experts in applying microcomputers. We write about them and we use them in the creation of our magazines.

For the first time we are offering our expertise and experience on a consulting basis. We will sit down with you and find solutions to your problems on a one to one basis. We will do it impartially . . . we are not connected with any software or hardware manufacturers and, most important we will advise you based on the latest developments in the industry. We very often know about things which affect microcomputer decisions long before they are released.

For more information contact

Moorshead Publications Consultation Services 1-416-423-3262

or write
Halvor W. Moorshead
The Moorshead Group
25 Overlea Boulevard, Suite 601
Toronto, Ontairo M4H 1B1

## OVERLEM TECHNICAL SERVICES

Moorshead Publications has the capacity to serve you economically in two areas of expertise:

**TECHNICAL WRITING:** The combination of technical understanding, literary ability, and a grasp of the reader's needs can be a rare talent indeed. Our writers have extensive experience at writing documentation and articles for both technical and non-technical audiences.

PRODUCT PHOTOGRAPHY: Studio photography with small or large format cameras, in either colour or black-and-white, can show your product in its most appealing way. Various sets and backgrounds can be arranged, as well as special processing effects through professional colour labs.

If you cannot support full-time employees for these services, or you just need to reduce the workload, contact us at the address shown below:

William Markwick
Overlea Technical Services
A Division of Moorshead Publications
25 Overlea Blvd.
Toronto, Ontario M4H 1B1
(416) 423-3262

# Macro Assemblers for the Apple



The splendid glacial slowness and funky syntax of BASIC soon loses its charm. If you think you've taken your Apple about as far as fruit can go it's probably about time you got into an assembler. Here's a look at two of the best.

by Frank Lenk

and the wonders of Integer BASIC, you'll probably begin questing around for a decent high level language for your Apple. Chances are you discover that there just is no huge assortment of languages for the machine. In reality, machine code is about the only way of getting the most out of the prehistoric 6502.

The Apple comes with its own assembly language tools... in the form of the mini-assembler tucked into Integer BASIC. Mini-assemblers aren't terribly good even for doing small patches, and are hopeless for writing expansive programs even if you are unspeakably determined.

There's no doubt about it... a good assembler can make programming a pleasure. Fortunately there are at least a couple of really fine macro assemblers now available for the venerable Apple II +... and its illegitimate relations.

#### Not the BASICs

To qualify as a bona fide assembler all a program has to do is translate mnemonic commands into the kind of binary pseudo-garbage your CPU feels happiest with. That is, it takes source code... a somewhat readable set of instructions, or "opcodes"... and turns it into object code that the processor can actually execute.

A true assembler lets you substitute labels of your own choosing for numerical constants or memory addresses. This lets you define logic branches in relation to the logic itself, rather than to arbitrary and rigidly defined locations in memory.

Most assemblers add commands called assembler directives or pseudo ops that can be used just like the standard CPU opcodes but which are executed by the assembler program itself. For example, the directive ORG has no binary equivalent and is meaningless to the 6502. It simply tells the assembler where to put your object program. It defines the starting address, or origin of the machine code.

Pseudo ops such as DFB, for "define byte", or ASC, for ASCII text, are a convenience, allowing the programmer to insert data into the object code.

A macro assembler goes a bit beyond this. It allows one to define brand new, custom made pseudo opcodes which will be substituted by the assembler for chunks of actual code. For instance for a machine language program to ouput a line of text it will have to find the ASCII data, loop through the data while calling some sort of screen handling routine in order to spew out the data a byte at a time and then recognize when the data has run out.

# Macro Assemblers for the Apple

This often used subprogram could be written once and then saved as a ten to twenty line macro, say PRINT. Now when you want your program to print, you can insert the PRINT command, just as you might in a BASIC program.

Naturally there's a price to this. If you define an operation as a subroutine then execution will be delayed while the CPU does the relatively slow JSR and RTS to find the actual code. A macro looks about the same in your source program, but will actually insert the entire subroutine into the object code every time it is invoked... taking up a lot more room in RAM, but running a good

This is much like what happens in your typical compiler... high level instructions are replaced by stock machine language routines from a large library. Any decent macro assembler will come with some sort of library of macro functions.

Good commercial assemblers, macro or otherwise, will also include lots of little amenities. For instance, some sort of editor is pretty much a necessity. Most word processors will fill the bill, but an integrated, co-resident editor is quite a luxury.

Furthermore, because memory is limited and must hold both the source program and the assembled object code, any good assembler must have some commands for disk interaction. The programmer

A good assembler can make programming a pleasure.

generally gets the option of assembling object code directly onto the disk rather than into RAM, and of assembling a series of source code files directly from the disk.

In the case of the slightly bizarre Apple system an assembler should save RAM space by residing in the sixteen K language card... a highly recommended bit of hardware if you plan to do much programming. The software should also support the common eighty column display adapters. Assembly code runs long and narrow, but a forty column screen can easily become overgrown if you like to add comments.

There are really only a couple of choices in macro assemblers for the Apple. The two chief competitors nowadays are Merlin, from Roger Wagner Publishing... originally Southwestern Data Systems... and the S-C Macro Assembler, from S-C Software Corporation. These two packages have managed to survive a shake out that saw the demise of several other assemblers. The once popular LISA... Laser Interactive Symbolic Assembler... failed to make the upgrade into macros, while ORCA/M from Hayden turned out to be too powerful... and too hard to use.

#### P.C. Compatible



ECS1-PC \$1295.00

 8088 processor • optional Intel 8087 numeric coprocessor • 64K memory exp. to 256K • double sided double density disk drive • detachable keyboard ocolour-graphic board • 100 watt power supply • support PC software • 90 day warranty

#### **ECS6** Portable Introductory Offer \$1195.00



- 64K Ram Controller Card
  Hi-Res 9" Amber Monitor
- · Detachable Keyboard with
- Special Functions.
- · Disk Drive
- 90 Day Warranty



#### **ECS4 Systems**

#### \$1179.00 **Special** \$995.00



• dual processor 6502 and Z80 • 64K RAM • controller card • disk drive • Hires lilt amber monitor • colour graphics · detachable keyboard with special function • 90 days warranty.

#### XT/PC MAIN BOARD \$375.00

- PC Compatible bare Board
- \$ 39.00 • Multi function card \$175.00
- · PC Compt. Case \$ 79.00 • PC Compt. Power Supply
- \$139.00 15 amps 130 watts
- PC, Half height Hitachi Drive \$219.00 D.S.D.D.

#### \$219.00 DISK DRIVE

- · Apple II Compatible Shugart 390L
- Slim Line Teac \$249.00 • Z80 \$ 49.00
- 16K Ram \$ 55.00 Disk Controller \$ 45.00
- 80 Column \$ 69.00 • Light Pen \$199.00 · Joy Stick \$ 38.00
- 5 Amps Power Supply \$ 79.00
- · Modem, Auto Dial, \$159.00 Auto Answer



#### ELECTRONIC CONTROL SYSTEMS

1590 Matheson Boulevard, Suite 1 & 2 Mississauga, Ontario L4W 1J1 (416) 625-8036 Hours — Mon. to Fri. 10-6. Sat. 10-2

# Don't Be Anyone's APRIL FOOL

### Why Pay Up To \$25 A Box When Buying Diskettes?

Impressive Names, Performance Claims and Packaging mean only one thing . . . HIGH PRICE.

#### **Chameleon** has the Alternative

HIGH QUALITY, FIRST GRADE, blank box diskettes at LOW, LOW WHOLESALE prices.

Made for us by a major manufacturer, with your satisfaction guaranteed.

Single Side, Double Density . . . . . . . . \$14.95/box/10 

MAIL ORDERS: We accept Certified Cheques, Money Orders, VISA, Mastercard, AMEX (include Card Number, expiry date and signature). Add 10% for shipping and handling. Ontario residents add 7% P.S.T.

#### **Chameleon Universal Products**

186 Norfolk Ave., Richmond Hill, Ontario L4C 2C8 Dealer Inquiries Invited

#### **Kick the Tires**

Merlin, by Glen Bredon, is a comprehensive tool kit for dealing with the mechanics of Apple assembly code. It calls itself "a TED based editor assembler"... that is, one which "adheres to almost all of the conventions associated with TED II+." For those not familiar with TED, suffice to say that it is one of the nicest little pieces of freeware you can aguire. In fact, a shocking amount of commercial software has probably been developed using TED.

The S-C Macro Assembler has also gone through several public domain incarnations before arriving at its present form. Like Merlin, the S-C assembler is also the work of one individual... in this case, Bob Sander-Cederlof. However, S-C is quite different from Merlin in character.

The neatest thing about the S-C assembler is that it thinks it's Integer BASIC. Like Merlin, S-C can live in the language card. However, S-C uses the same system tie ins as Integer BASIC. This lets you use any DOS command directly from the S-C command prompt just as you would in

BASIC. Thus, where Merlin uses the VID command to switch to 80 column display, in S-C you use the well known PR#3.

Furthermore, typing FP at the prompt drops you into Applesoft. Type INT at the BASIC prompt and bingo, you're back in the assembler.

Merlin uses a simple menu for file operations. This menu greets you when you boot, and can be reached later on by typing the command Q at the editor prompt. From the menu you can: save and load source files, save object code, see a disk catalog, re-enter the editor assembler proper, and quit entirely.

The append command merges programs by dropping a second source file just below whatever's already in the editor. The read and write text file commands input from or output to various other assemblers, or even a word processor. The S-C Assembler does somewhat the same thing, but using its TEXT command. This outputs source as a text file, with or without the line numbers. Thus it is possible to transfer programs between S-C and Merlin, if you're willing to search and replace for the mismatched pseudo ops.

Quitting the Merlin menu drops you into dreaded Applesoft. However, fear not, for you can re-enter the assembler menu by entering the command ASSEM. Merlin is heavily tied into DOS in order to intercept this command, thus making it incompatible with most of the fast custom DOS's. Earlier versions seemed to use this tie-in as part of their copy protection mechanism, a feature mercifully missing from the latest Merlin.

The editing environments of Merlin and S-C are extremely similar. Both use a colon as a prompt. Both implement line editors that conform to the standards set up by the GPLE Applesoft line editor. In Merlin you type E and a line number... in S-C you use control E and a line number. Either method brings up the desired line and puts you in the edit mode. The obvious insert and delete control codes... control I and control D... do their usual magic in both systems.

Merlin's editor commands come in all shapes and sizes... four letters long, such as TABS, MOVE, TEXT, three letters, MON,





# Macro Assemblers for the Apple

ASM, two letters FW, HI and single letters for deleting lines, editing, inserting lines, adding lines and list. The single letter commands are certainly the most welcome.

Many of the commands are as inscrutible as they are powerful, even when one is armed with the manual. W, for example, gives the location in memory in hex of the start of a source line. TEXT converts all spaces in the source file to inverse spaces. I still haven't quite figured that last one out, but don't despair... FIX undoes the effect.

Merlin's edit, change and find commands can have W appended to them, ... as in FW, CW, FW... to act only on complete words. Also included are very neat line COPY and MOVE commands, as well as C, for change, which does a search and replace on strings. VID lets you switch back and forth between the forty and eighty column displays.

The editing commands in S-C are not quite as comprehensive, but are generally more straightforward. All the prompt level commands are three letters long. Thus you can use LIS for list, REP for search and replace and REN for renumber. The only exception is MNTR, which drops you into the Apple monitor. Of course, the DOS commands must be entered exactly as usual, such as CATALOG or SAVE.

In Merlin the line numbers are arbitrary and not associated with specific lines. The insert command is used to add code by pushing the existing lines down. S-C, on the other hand, emulates BASIC's line numbering, complete with auto numbering if you want it.

Though not as invisible as the mandatory auto numbering of TED and Merlin, the S-C method would be easy enough to get used to if only the renumber command worked like the Applesoft of the same name. The S-C renumber has no delimiting option, so you can't renumber blocks of lines. Renumbering always goes from a starting line to the end of the source.

The only good reason to have redefinable numbers at all is so that you could use specific numbers to identify block sections of source code. For instance, it would be nice to stick all of your label definitions in lines one hundred to nine hundred and ninety-nine. Unfortunately, the lack of block renumbering spoils this notion.

This same scheme probably results in the absence of a block move command in the S-C Macro Assembler. The move function is taken over by COP, for copy, which is really the same thing but without deleting the original block. However, COP does not modify the line numbers automatically, thus getting you into another renumbering situation.

```
S-C ASS'Y EXAMPLE
              not to be preceeded *
by funny header msg *
0006 * 0007 * (C) F Lenk, Now
0011 ZZ.BASE .EQ $6000 start of object code
0013 .OR ZZ.BASE init byte counter
0015 * .TF EXAMPLES.# (remove * to save obj
0016 *------
                                                   init byte counter
(remove * to save object code)
 0100 * Constants:
0102 CR .EQ $
0100 * Constants:
0102 CR .EQ $BD
0104 SF .EQ $AD
0120 * Apple locations:
0122 HOME .EQ $FCS8
0124 COUT .EQ $FDED
0132 PRLOC .EQ $33
0142 KEYIN .EQ $0200
                                                    <carriage return>
                                                    <char output>
cprompt loc'n>
                                                    <input buffer>
 0158 KEYC
                           .EQ $C010
                                                    <clr buffer .. >
0160 GETLNZ .EQ $FD67
0172 PROMPT .EQ $81
0182 CHRN .EQ $09
                                                    <input a line>
<new prompt..>
<storage... >
 0200 *:::: MACROs :::::*
output a message
init counter
load 1st char
                                                    output a char
next char...
 0235
                 INX
                                                    any more?
if so, loop back
the end.
 0245 BNE :1

0250 .EM

0255 * ]1=out address

0260 * ]2=no. of chars
 0575 *:::: add16 :::::*
                                                   16-bit adder
clr carry bit
get low byte
add to other low byte
                   MA ADD16 N1,N2
                 .MA ADD
CLC
LDA ]1
ADC ]2
STA ]2
                                                    add to other low byte
store over top of it
get first high byte
add to other high byte
store over it
...and you're done!
  0600
  0610
                  LDA 11+1
  0615
  0630 *.answer onto P2...
  0640 * ]1=first number
0645 * ]2=second number
  input a line
clr buffer
get a nifty new prompt
..and set it up
                  STA PRLOC
  0675
                  JSR GETLNZ
                                                     get a line
store # of chars
                  STX CHRN
  1000 **** main! ****
  1009 START
  1009 START
1010 >INPUT what the heck, get a line, eh...?
1020 >EMITS HIYA,10 send a message
1030 RTS and come home again...!
8000 HIYA .AS -/WELL HELLO/. (the message...)
9900 ZZ.SIZE .EQ *-ZZ.BASE calculate length of object
```

#### A typical S-C assembler source.

The assembler directives are largely similar in Merlin and S-C, but Merlin definitely wins on the number of specialized pseudo ops. Directives like PAU, for pause, and ERR give one interactive control during the actual assembly process. The opcodes LUP and 'can be used to surround a section of code you want repeated a given number of times. My favorite is CHK, which automatically inserts a checksum in the object code.

Still, S-C gets points for friendliness. All of its pseudo ops are defined by a period and two letters. For instance, ORG for the object origin becomes '.OR'... This may not be totally standard, but it sure makes pseudo ops easy to spot when you're plowing through many pages of code.

S-C and Merlin both handle macros in very standard fashion. In Merlin a macro starts with the macro pseudo op MAC... labelled with the macro name... and ends with either EOM or  $\blacktriangleleft\blacktriangleleft$ . In S-C the same thing is accomplished by .MA macroname and .EM directives. To insert the macro in your code Merlin uses the form PMC macroname or  $\blacktriangleright\blacktriangleright\blacktriangleright$  macroname, while S-C expects just  $\blacktriangleright$  macroname.

Both Merlin and S-C use use a square bracket followed by a number to represent quantities to be replaced from a set of parameters given by the macro call statement.

S-C offers the immense convenience of private labels... a colon followed by a number... which are local to the macro and can be freely re-used elsewhere. Actually, local labels can be defined anywhere within an S-C program using a period followed by the label. These are read as extensions of the last explicit label, and are valid only until the next real text label. This sort of thing is a fabulous comfort to those of us who tend to run short of label names or screw up our code entirely by re-using labels we've already assigned.

Both systems allow for conditional assembly. Surrounding a section of code by the structure DO expression... ELSE... FIN will cause the commands to be inserted into your object code only if the expression following DO evaluates as true during assembly. This lets you easily create multiple versions of a program using a single source listing. Merlin is more interactive... it can even prompt the user to make a decision during assembly on just what should be included or excluded.

#### Four on the Floor

Neither of these two assemblers has much of a lead in terms of computing power. S-C still lacks one or two features of Merlin, but makes up for this in general ease of use. Where Merlin tends to be sort of mechanistic, S-C is much more organic.

The S-C assembler is supported by its own publication, *Apple Assembly Line*, which has been responsible for maintaining feedback between S-C Corporation and the users of its software. The result has been a program with virtually no rough edges.

On the other hand, the Merlin system throws in some excellent utilities. The star attraction is SOURCEROR, a really slick disassembler that has the ability to insert standard labels into its source listing to identify important Apple addresses. XREF lets you print a cross reference listing of all the labels in a source file. STRIP shortens a source file by removing all the comments. PRINTFILER saves object code as a text file,

for inclusion in documents or shipping over the phone by modem.

The latest version of Merlin comes with a paperback manual. Suspicious as ever, I flexed the heck out of the binding, but it never dropped a page. As for the contents... the layout of the commands and pseudo ops is by 'logical' sequence of what the operators do. I didn't find this layout as obvious as it might have been, but it's still among the better manuals I've seen. A fold out reference card would be a neat addition... and Roger Wagner Publishing mentioned that something may be done about this in the near future.

The manual also includes tutorial sections for the beginner, as well as some high level background on using the Sweet 16 interpreter and on programming the new 65C02 CMOS 6502 chip.

The S-C Macro Assembler scores high on convenience. Witness such commands as MGO... equivalent to a BASIC CALL or a monitor G. To use MGO, you assign a label to the entry point of your object program... let's say it's START. Now when you run an assembly on your source you can test the assembled code by entering the command MGO START. Assuming that you haven't attempted to clobber anything actually used by the assembler, you'll see your program in operation. When it hits an RTS instruction you'll drop back into the S-C editor with your source program intact and ready for more editing.

SYM is a command that lets you view the symbol table... a listing of the hex values for all the assigned labels... at any time. By comparison Merlin doesn't make its symbol listings quite as accessible, but it does provide two tables on each assembly... one in numerical and a second in alphabetical order.

Appending source files in S-C is not as easy as it is with Merlin's Append command, but it is sensible. S-C uses the same system as the Applesoft renumber utility. You type HID, for hide, load your second source file and finally use MER to combine them.

Another neat feature under S-C is that comments don't have to be preceded by the usual semicolon. Any text clear of the normal operand field is assumed to be a comment. Furthermore, S-C accepts lower case entries anywhere... provided you've suitably souped up your old II+ or clone.

The S-C manual is a minor masterpiece. The commands and directives are well laid out and well explained. The appendices are very clear on memory usage, customizing procedures, printer interfacing and such. The chapter on 6502 programming is an invaluable reference, being a good condensation of things that even real wizards will rarely bother to memorize.

Even the S-C index is top notch... and far superior to Merlin's. Where as Merlin indexes only its commands, S-C indexes everything. For instance, look for entries under "lower case", "language card" or "comments". The S-C quick reference card condenses virtually everything you really need to know about both the assembler and the Apple system, making a manual almost superfluous.

#### ASM and Quit

It's really hard to choose between Merlin and S-C. These are both uniquely well crafted pieces of software. If you're still a bit intimidated by those hulking MS-DOS systems, try comparing either Merlin or S-C with the standard 8088 assembler, Microsoft's ungodly MACRO-86. You'll find that the Apple has been blessed by a couple of the slickest programming environments ever devised.

If you're into serious programming you owe it to yourself to get into one of these programming tools. Macro assemblers are really the way to go if you want to squeeze a bit more juice out of an eight bit fruit.

# Introducing the Smart-Money Modem

At \$550 or less, Signalman Mark XII gives you more smarts for the money than any other intelligent modem.

Features like: All low-power CMOS circuitry including microcomputer. Hayes command structure. RS-232C interface with built-in cable. Bell 212A compatibility. Limited two-year warranty. Automatic or manual answer/originate calls at 1200/300/110 bps. And the support of the leading independent modem maker – Anchor Automation.

All this for a price that saves you important money. How can an Anchor 1200-baud modem cost so little?\* Why not ask the others how they can cost so much! For the name of the Smart-Money modem dealer near you, call Computron - Toronto (416) 477-0828 Edmonton (403) 489-8400.


# Computron

Head Office: 17507-107 Avenue Edmonton, Alberta T5S 1E5 Toronto: 55 Torbay Road, Unit #2 Markham, Ontario L3R 1G7



\*Ask about volume discounts

Signalman is a trademark of Anchor Automation, Inc. Hayes is a trademark of Hayes Microcomputer Products, Inc.



## to the Second Volume

Looking back into the mists of time... it might just be smog, actually... might not we see a glorious and sweeping history. Yes, it's volume two of Computing Now!...

**April 1984** — Computer Survey Survey of 150 Computers Add CP/M to Your 64 Macintosh Review Three Packages Assembler on the IBM CBM Printer Interfacing Clef Hanger for the Apple SID Symphony DFX Review The Toronto Stock Exchange Converting the Heathen Program Index to the First Volume

May 1984 — Printers Revenge of All the BBS Numbers Poker Data Base Managers Turbo Pascal The New Printers C64 Peripheral Survey Morrow Review The Apple II Something Don't Shoot the Printer Software Buccaneers The Fruit Crate BBS LIST! Special SSM Modem Review Get SMARTS Search for WordStar Word Processing Survey Forth The Doctor's Little Black Computer

June 1984 - PC Special

MacWrite What is a LAN? Hexes and How to Throw Them Three Blue Clones **IBM** Bandit Charlie Meets the Interrupts What is MS-DOS Rescue your 64 Nybble Copiers Stockboy III Charts Unlimited

July 1984 - Portable Computers

Lug Abouts InfoMart Digging up CP/M Drum Card Review Attack of the Metrons HP 150 Touch Screen Review Portable Computer Survey The Hacking of MDM7 **Joy**Graf Big Mac Popular Business Software Outsmart the SmartModem The IBM Serial Interface Stockboy IV

**August 1984** — Paraphernalia Directory of Paraphernalia Xerox Service Centres Harbourfront CNI's Most Asked Questions dBASE II Report Generator Dimension 68000 Review TRS-2000 IBM Telecommunications CP/Mapper Opening the Magic Window Business On Line A Small Potful of BASIC Routines

September 1984 — Computer Survey Godzilla Meets All the BBS Numbers Survey of 150 Computers Computerizing the Accounts Computer Museum
Sight and Sound for the Apple Classic Music Machine Graphics Tool Kit Review CBM 8296 Character for the IBM PC Down to the Ships in C Stockboy Menu CP/M's Good Host

October 1984 - Programming Computers Across The Pond

Birth of a Hero

New Shoes for the Commodore 64 A Night Out With IRMA Celestial Mechanic for the IBM PC The Apple IIc Reviewed The IBM PC AT A Plethora of Languages BDOS in BASIC Two Apple Hacks Hashing on the Apple The CP/M Sorted Directory

November 1984 - PC Special

The Legal Computer Replicate in VisiCalc Educational Software Programming in dBASE II The Otrona 2001 Review The PC Proto Card Survey of PC Compatibles A Voice for the PC New Tricks for an Old DOS The Electric Disk Troll Apple WordStar Lightning Two Bits More for the 64 The Bitcracker

December 1984 — Computer Music Inside MIDI Software Piracy and the Law Ten Months After Great Ways to Fry A Floppy

Rumours from My Bookshelf Bondwell 14 Review Invasion of all the BBS Numbers in the World Time for the PC Green Eyes Computer Music Survey CP/M Silicon Printing Press Apple MuGraph New Digital Orchestra

January 1985 — Telecommunications Interactive Video The Dark Halls of MS-DOS Phone Busts Making Your Modem Dance Grokking Modem7 HP Portable Review JLS Mouse Silicon Lathe Modem7 for the Macintosh Roland MPU-401 Review Modem Survey Blort! for the Apple The Hacking of ZCPR2 BASterm for the IBM PC

Mixing up a Modem Program

Flexidraw for the 64

February 1985 - Home Computers

Commodore Plus 4 Review Commodore 16 Review iNet ADAM Star Patrol A Small Cat for CP/M Searchmart The WordStar Backrub LIST! Special
Dem PC Utility Blues Chirpee for the Commodore 64 Survey of Home Computers Colour Computer Print Utility Apple Encryption PreBAS The Keyboard

March 1985 — Computer Graphics The Hitch Hiker's Guide to the Clone Stores Hewlett Packard's Laser Printer The Tandy 1200 Reviewed Fresh Apples Technical Drawing on the Mac The Curse of All the BBS Numbers

Star Powertype Review QuickDraw in BASIC on the Mac The Art of the MDM Overlay The Mortgage Program BeatNix for CP/M Assembling Graphics on the PC Commodore Listing Debugger

CNI

# What do you get when you cross an Apple with an IBM?


A FREE software disk... if you subscribe NOW!

We've heard tell of many of our readers braving snapping winter frosts and slushy spring sidewalks just to pick up copies of their favourite Canadian magazines. The rumours appear to be true, and every time there's an influenza epidemic, the Board of Health raises their eyebrows at us.

Fortunately, there's an alternative to all this human suffering... and a very good one, indeed.

If you subscribe... or extend your subscription... to Computing Now!, Software Now! or Electronics Today magazine before the May issues go to press, we'll not only send you the best in Canadian publishing every month at a substantial savings over newsstand prices, but we'll also send you some software to keep you indoors... away from the cold and the viruses.

The Completely Free Software Disk is actually two disks in one. One side has a plethora of Apple DOS programs, and the other side is laden with IBM files. Blessed are the subscribers with access to both computers...



Apple Binary Encryption and Apple Binary Decryption, with source files: Programs to keep peering eyes from your valuable data. See the article in the February 1985 issue

Racquel.Pic: An Apple HiRes implementation of the CP/M teletype drawing offered in Almost Free Software Volume II.

HGR Dump: A BASIC editor that lets you preselect options before sending your HiRes picture to the printer. Written for a Dumpling-GX card, but easily modified.

HGR Invert: A fast binary program that displays the 'negative' of any HiRes picture in memory. BRUNning it again restores the picture.

Magfiler: A magazine article database in Applesoft BASIC. The February issue of CN! has already been entered to get you started.

Miniature Golf: A binary HiRes game of golf, with a truly wicked course. The sixth hole's a dandy

Memtest: This short, two-sector binary program comes in handy when your Apple starts to hiccough. It writes and reads to memory fr \$0800 to \$BFFF. Three passes and your RAM's in fine shape

Forced Read, with source: A short binary program originally appearing in Electronics To day, this program has incredible error handling.

APCP/M: A handy utility for the Applesoft user who also dabbles in CP/M, this program will read a text file up to 16K in length from an Apple CP/M disk and write it to a DOS disk. Known affectionately as 'Reverse APDOS'.

DM II: From the Apple User Group of Sweden comes forth this DOS modifying program that allows you to change commands, error messages, catalog headers and volumes, and even fiddle with DOS entry points

Star Patrol: An Applesoft implementation of the HiRes ADAM program appearing in the February edition of CN!. Your mission is to shoot elusive space bats.

Attenuators: An Applesoft BASIC program to aid calculating resistance and loss.

Capacitors: A similarly Applesoft BASIC program to help calculate capacitance and frequen-

#### Side Two: IBM files

SD: An acronym for Sorted Directory, this program produces a more visually appealing directory than can be had from the MS-DOS DIR

FORTH: A small BASIC implementation of FORTH. You can expand the primitives or add new ones as they become necessary

Datafile: Everyone needs a database manager. This one's written in Microsoft BASIC

**Blueterm, with source**: A terminal program for the PC. Suggested hardware requirements include a modem


Poker!: A BASIC program pitting you against your PC. Where's that straight flush when you

Bandit: An alternative to that Las Vegas trip you've been planning. Appearing in the June issue of CN!, this BASIC program simulates a one-armed bandit.

CalcNOWI: A spreadsheet program written in BASIC. While very good at what it does, we don't expect Lotus to be nervous.

Cashacc: Written in BASIC, this is a cash acquisition and limited accounting package for the

UnWS, with source: When you TYPE a Word-Star file, you usually get garbage. This program strips the high bits from the WS file of your choice to make it legible again.



As its title implies, the Completely Free Software Disk is just that... FREE. However, it's only being offered to readers subscribing now or subscribers extending their present subscriptions, and only for a limited time. We regret that we'll be unable to supply the Completely Free Software Disk as a subscription bonus to orders postdated after May 1, 1985, so please subscribe or extend your subscription today to avoid disappointment.

MS-DOS are copyrighted disk operating systems, property of (respectively) Apple Computers Incorporated and Microsoft Corporation. In order to read the files on the Completely Free ten in-har Software Disk, first boot a disk with either DOS domain. 3.3 or MS-DOS on it, then either CATALOG or DIR the side that's relevant to your machine.

The Completely Free Software Disk is available only in Apple/IBM format.

Note: Neither the Apple nor the IBM disk sides From this point, you'll be able to run the applica-are bootable. Both Apple DOS 3.3 and tions programs, though it's suggested that you copy the files onto another disk.

All of the programs appearing on the Completely Free Software Disk have either been written in-house, or are believed to be in the public

### SAVE UP TO 55% AND RECEIVE A FREE DISK!

To: Moorshead Publications, 25 Overleg Blvd., Suite 601, Toronto, Ontario, M4H 1B1 (416) 423-3262

YES, please extend $\square$ start $\square$ my subscription(s) today! I understand that I may cancel my subscription at any time and receive a refund on the unexpired portion.							
Software Now!	1 Year \$22.95						
☐ Cheque/Money Order	enclosed. $\square$ Visa $\square$ MasterCard $\square$ Am. Exp.						
Card No.	Expiry Date						
Name							
Address							
City							
Province	Post Code						

# COMPUTER PRESS

continued from page 13

tape recorders. Your guess is as good as ours...
Other Apple news, not yet officially announced, has enhancements for the Apple //e computer in the works. In efforts to make the //e more compatible with the //c, Apple will be replacing the 6502 processors in their pro-

duction //e computers with 65C02 processors

and offering a kit to present Apple //e users.

The second planned enhancement is the replacing of the //e's ROMs for mouse interface support and to supply some text-graphic characters necessary for Mouse Paint.

#### **Fast Company**

At least two modem manufacturers are making efforts to further interest the public in their

2400 baud products, as well as 2400 baud communications in general.

Gandalf Data Limited is offering to buy back full-duplex 1200 baud modems from any North American users wishing to upgrade to Gandalf's 2400 baud SAM 24. 212 modem owners will receive a \$200.00 per modem credit when they initiate the trade. The standalone SAM 24 is priced at \$995.00 Canadian.

Atlanta-based U.S. Robotics Incorporated have reduced the American suggested retail price of their newly introduced 2400 baud modems 22 per cent, to \$699.00 from \$895.00. The price cut is effective for both their Courier 2400 and Microlink 2400 models.

Most 2400 baud modems aren't dedicated to 2400 baud communications exclusively, and are quite content to communicate with 300 and 1200 baud modems as well.


#### **Software Survey**

SOFTWARE NOW! — Featuring a major survey of over 1000 software packages, the latest issue of *Software Now!* is now on the stands. A valuable reference guide for Canadian personal computer owners and businesses, the survey provides straight facts on software for business, home, educational and technical applications. Along with program descriptions, the survey also includes hardware requirements, formats, Canadian list prices and company addresses for each product.

#### Correction

COMPUTING NOW! — The Mortgage Program appearing on page 48 of Computing Now!'s March 1985 issue is missing Line 10, a line number referenced on page 50. The missing line is a REM statement identifying the author as Jim Buchner of Pembroke, Ontario.

The Brother 2024L dot matrix printer is being distributed in Canada through Sak Data Products. Among its attributes, the printer offers a 24-pin matrix printhead with variable pitch control at 180 steps per inch, nine international character sets and several programmable fonts. Draft quality speed is 160 characters per second and letter quality is from 80 to 96 cps...




Canadian General Electric is distributing the **Davong** line of hard disks. Included in the distribution are the MultiLink — a LAN for

# WHY PAY MORE FOR LESS?

Other modem manufacturers offer warranties that vary from three months to two years — and are proud of it! One has even offered to extend their warranty for a fee.

Who cares? Anchor Automation is rocking the industry with a full five year no-

a full five year nocharge warranty on Volksmodem 12.



The warranty says simply: "We will repair or replace at our option — parts and labour — at no cost to the original owner for a full five (5) years from date of original purchase, any Anchor Automation Volksmodem 12 which fails in normal use . . ."

#### **Unparalleled Compatibility**

**Software:** The Volksmodem 12 is compatible with the "AT" command set used by Hayes and others.

Hardware: Inexpensive interface cables are readily available to connect the Volksmodem 12 to almost any computer on the market today (Or tomorrow!). The list currently covers almost everyone from Apple, Atari and Commodore to IBM, Tandy and Compaq — in fact almost 95% of the



machines on the market today made by almost anyone.

Speed: The Volksmodem 12 operates at both 300 and 1200 baud.

Ease of use: A builtin on-line help menu is always availble.

Telephone: Volksmodem 12 simply

plugs into a standard modular wall jack. The phone plugs into the modem. When the modem is off, the phone works normally. And, because the Volksmodem 12 is D.O.C.\* approved, its use will not disrupt telephone service.

Price: An amazing

\$399.00

\*Department of Communications, Government of Canada

Anchor Automation is distributed in Canada by Computron. Call or write for the dealer nearest you.

Toronto: 55 Torbay Road, Unit #2 Markham, Ontario L3R 1G7 (416) 477-0828

**Head Office:** 17507-107 Avenue Edmonton, Alberta T5S 1E5 (403) 489-8400 Telex: 037-42881

Computron


Circle No. 2 on Reader Service Card

IBM PCs — and Mac Disk, hard storage for the Macintosh of up to 43 megabytes...

Covered by a one year warranty, the **Roland DG CC-121** RGB monitor is being distributed by *Amdek Electronics Canada*. Specifications include a crisp colour definition on a 12 inch jet black picture tube with a .37 millimeter pitch, special circuitry for difficult colours... such as brown... and a remarkably small 'footprint'...

Not a lot of IBM software is available on 720K diskettes, and IBM PC/AT users have noted problems when using some PC format IBM software. *Personal Computer Products* is offering 360K drives for the PC/AT in either black or 'AT white'. The drives feature quiet operation and the same closing mechanism as the higher capacity PC/AT drives...

The Microtrainer 68K is a 68000-based single board computer designed especially for teaching microelectronics and microprocessors. Available from Waterloo Distance Education, the computer includes RS232 and parallel ports, card-edge sockets, a cassette interface and on-board RAM expandability up to 80K. Software includes an assembler/editor and a monitor/debugger...



Successful business presentations often require professional overhead transparencies. Hewlett-Packard is offering a free brochure entitled 'How to Design Effective Overhead Transparencies'. Offering tips on style, presentation and production, the brochure also shows how to design transparencies at about a dollar each using a computer and plotter...

Magic Screen from *Graphware* is both a set of 18 ampersand screen-handling utilities for Applesoft programmers and a screen designing program. The utilities will significantly help reduce data entry coding and debugging time. The screen generator allows simple screen design. Protected and unprotected fields as well as attributes for data entry fields may be specified...

Addresses: Gandalf Data Limited, 100 Colonnade Road, Nepean, Ontario K2E 7M4 (613) 226-6500 ● U.S. Robotics Incorporated, 8100 McCormick Boulevard, Skokie, Illinois 60076 (312) 982-5010 ● Sak Data Products Limited, 1590 Matheson Boulevard, Unit 26, Mississauga, Ontario L4W 1J1 (416) 624-6763

● Canadian General Electric, 189 Dufferin Street, Toronto, Ontario M6K 1Y9 (416) 530–2918 ● Amdek Electronics Canada Limited, 6691A Elmbridge Way, Richmond, British Columbia V7C 4N1 (604) 273–4453 ● Personal Computer Products, 1400 Coleman Avenue, Suite C-18, Santa Clara, California 95050 (408) 988–0164 ● Waterloo Distance

Education Incorporated, 279 Weber Street North, Waterloo, Ontario N2J 3H8 (519) 884-4340 • Inquiries Manager, Customer Support Centre, Hewlett-Packard (Canada) Limited, 3710 Nashua Drive, Unit A-E, Mississauga, Ontario L4V 1M5 • Graphware Incorporated, 5084 Mosiman Road, Middletown, Ohio 45042 (513) 424-6733

# TURBOPASCAL

- Fast, Fast, Fast!
- Lots of extensions
- Optional 8087 support
- Automatic Overlays
- Locates run-time errors in source code

**#**00 0F

Only \$69.95 (plus shipping)

Available for IBM/PC/XT/ir...

CCP/M-86 and CPM-Z80.

Apple CP/M, MS-DOS, CP/M-86,

8087 version **\$119.95** 

Turbo Tutor \$49.95 Turbo Toolbox \$69.95



For the IBM PC/XT/jr. and 100% compatibles

- A calculator
- An appointment calendar
- An ASCII table
- A notepad
- · An auto dialer
- and much more

No matter what program your computer is running, just a single keystroke gives you access to all of Sidekick's features! Another keystroke, and you're back where you left off in your program.

Copy-protected version

\$69.95

Copyable version

\$109.95



Praxtek Computer Corporation 514-880 Wellington Street P.O. Box 2636, Stn. D Ottawa, Ontario K1P 5W7

Tel:(613) 232-4225 Telex: 053-4332

We accept VISA and MasterCard, no cheques or purchase orders.

Dealer enquiries are welcomed.

Circle No. 42 on Reader Service Card.

#### SOLDERLESS




#### READBOA


Solderless prototyping boards are the best way to quickly breadboard up a circuit. The holes are made especially for IC's,

with 22-28 gage wire leads, takes WW pins too.	
WB-106\$42.95	
3 IC strips, 5 power strips	ı
4 Binding posts, Aluminum plate	k
WB-104-3 \$29.95	ı
2 IC strips, 1 power strip	ı
2 Binding posts, aluminum plate	ı
WR-108 \$50.05	ı

4 IC strips, 7 power strips 4 Binding posts, aluminum plate 2 IC strips, 4 power strips 2 Binding poets




#### EXTENDED 80 COLUMN for Apple IIe




#### "NICE PRINT" APPLE II + , IIe CARD

An APPLE II+, APPLE IIe precision parallel printer card for use with EPSON and GEMINI (and similar) to generate multiple fonts, sizes and near letter quality printing. The printer steppers are controlled to give multiple and incremental strike capability to achieve the above.

COMPLETE WITH CABLE \$119.00





A great buy, a pack of 7 brand new GE NICADS giving 8.4v at 4 Amp hours. Each cell is 1.2v and separates easy. Used as 5V backup through a 7805. Gives 5v 

#### TRANSFORMERS

#### CONNECTORS



#### **DB SERIES**

DB-25 M solder	1.95
DB-25 F solder	1.95
DB-25 M IDC, Flat cable	5.95
DB-25 F IDC, Flat cable	5.95
DB-25 M Right angle PCB	4.95
DB-25 F Right angle PCB	4.95
DB-25 Shell	1.00
DB-15 M solder	
DB-15 F solder	\$1.95
DB-15 F IDC, flat cable	
DB-15 M right angle PCB	
DB-15 F right angle PCB	
DB-15 Shell	
DB-9 M solder	
DB-9 F solder	
DB-9 M right angle PCB	
DB-9 Fright angle PCB	
DB-9 Shell	

### FLAT CABLE

DKIAE COMMECIOKS	
50 Pin Edge C, 8" drive	
40 Pin Edge C,\$4.95	
34 Pin Edge C, 5-1/4" drive \$5.95	
20 Pin Edge C, Hard drive \$4.95	
34 Pin Fem header 17 x 2 \$3.50	
26 Pin Fem header 13 x 2 \$3.00	
20 Pin Fem header 10 x 2 \$2.00	
16 Pin Fem header 8 x 2 \$2.00	
16 Pin DIP header	
10 Pin Fem header 5 x 2 \$1.00	

### **2 ROW STRAIGHT**

	HEADERS	
50 Pin 25 x 2	\$4	.00
40 Pin 20 x 2		.50
34 Pin 17 x 2	\$3	.00
26 Pin 13 x 2	\$2	.50
20 Pin 10 x 2		.00
16 Pin 8 x 2		.50
10 Pin 5 x 2	\$1	.00

#### 2 ROW RIGHT ANGLE HEADERS

40 Pin	RA 2	20 >	(2									\$3.50
34 Pin	RA 1	17)	(2									\$3.00
26 Pin	RA 1	13>	(2									\$2.50
20 Pin	RA 1	10>	(2									\$2.00
16 Pin	RA 8	3 x	2.									\$1.50
10 Pin	RA S	5 X	2.									\$1.00

#### **1 ROW STRAIGHT HEADERS**

Gold .	 	 \$8¢ per pin
Tin	 	 \$4¢ per pin

#### 1 ROW RIGHT **ANGLE HEADERS**

Gold .											\$8¢	per	pin
Tin											\$4¢	per	pin

#### CENTRONICS CONNECTORS

36 Pin solder cable male
36 Pin Flat cable make IDC\$8.95
36 Pin Chassis female \$6.95
S-100 Edge Connectors



As you know AMP makes the best IC sockets. With a double wipe action and a very wide open target for easy insertion, the best.

6, 8, 14, 16, 18, 20, 24, 28, 40 Pin in stock at only 1.5¢ PER PIN

#### **ASSORTED SEMI-**CONDUCTORS AND OTHER STUFF

(A) RED LED S/M/L
INFRA-RED
NPN VISIBLE
(F) LDR (LIGHT DEP RESISTOR) \$1.00 (G) FET ELECTRET MIKE,
TINY 10MM
(H) 1N4001
(I) 1N4004
(K) 25AMP-600V BRIDGE \$2.95
(L) 25AMP-600V BRIDGE \$3.50
(M) 6AMP-200V BRIDGE\$1.50
(N) 3AMP-200V BRIDGE \$1.00
(O) DIODE 3AMP-600V 3/\$1.00 (P) 1N914/1N4148 Silicon diode 10/\$1.00
(Q) 7805 1AMP-5V regulator2/\$1.00
(R) 7812 1AMP-12V regulator \$0.75
(S) 78M12 1/2 AMP-12V regulator 2/\$1.00
(T) LM317 Variable 1AMP regulator .\$1.50
(U) LM323 5V 3AMP regulator \$2.95 (V) LM350 Variable 3AMP reg \$3.95
(W) 2½" 80hm mini speaker \$1.50
(X) MINI TOGGLE SWITCH SPDT\$1.95
(Y) MINI PUSH BUTTON SWITCH,
NO\$0.50



A clever copy of the AST I/O + TWO board with real time clock, game I/O calendar, and parallel and serial ports. A real good short card with assembly ....\$24.95 data

#### GREAT IBM DEAL

Here's a new great IBM deal that is really good for those of you who are getting into your own system building. This deal includes...

- \* ONE 8 SLOT HINGED LID IBM CASE \* ONE MBE-XT 8 SLOT CPU BOARD
- \* ONE 130 WATT POWER SUPPLY
- \* ONE IBM STYLE KEYBOARD \* ANY 4 BARE IBM PCB

please add \$60.00. A real value.

All for \$475.00 A very good value if you were going to buy all this stuff anyway. Complete with all parts lists and assembly data. For same in Megaboard

#### **GREAT CASE DEAL**

This is a smaller deal than the above but still a very good one.

- \* ONE 8 SLOT HINGED LID IBM CASE \* ONE MBE-XT 8 SLOT CPU BOARD
- \* ANY 4 BARE IBM PCB

All for \$199.00. A good value for any smart builder. With all parts lists and assembly data. For same with Megaboard please add \$60.00. A real value.

\$199.00

COMPUTER

## PARTS GALOREING

316 College St. Toronto, Ontario M5T 1S3

> **Toll Free Orders Only** 1-800-387-1385

Order Checking (416)925-8291

Technical Data (416)925-1105

#### **VEP 46 EPROM** PROGRAMMER/ERASER

The VEP-46 programmer programs 16K to 128K EPROMS four at a time, with each bit programmable via the host computer. Will also erase up to 10 EPROMS at a time. Ideal for small production runs or EPROM development work. Specify Apple or IBM host adapter \$449.00

#### SWITCHING POWER SUPPLY

SPECS: + 5 VDC 5 AMPS MAX. #1 + 12 VDC 2.8 AMPS MAX

+ 12 VDC 2.0 AMPS MAX.

12 VDC 5 AMPS MAX.

INPUT: 115 or 230 VAC 60Hz A Best Buy at

#### APPLE® DETACHED KEYBOARD \$159.00



The excellent MAK-II Apple detached keyboard using serial cata (IBM) format. Plugs directly into Apple PCB

## GREAT

THE GREAT DEAL CARRIES ON FOREVER AND GETS BETTER

Our proven 6502 motherboard plus a numeric case plus a black beauty powersupply plus a numeric function keyboard plus any 4 bare pcb for \$225.00

# 

\$59.95

#### **OUR 6502 BOARD**

Now only \$29.95 still with all the versatility of the original and a full 8 slots.





Now, we have a new keyboard, micro controlled with 3 levels of pre-coded func-tions for Basic, CPM etc. and at the same

old price as before.
Function Keyboard, Numeric ....\$89.95
Function Keyboard, Standard ....\$79.95

#### KEYTRONICS

PROGRAMMABLE KEYBOARD

An excellent ASCII Keyboard, fully Apple Compatible. Full size with numeric pad, fully programmable key switches with full .. 49.95



Our Famous "BLACK BEAUTY" power supply now reduced in price but not in quality Our ratings are 5V-5A; 12V-2.5A; 5A-1/2 A -12V-1/2A for real . . . . . . \$79.95

#### COMPUTER

## PARTS GALORE

316 College St. Toronto, Ontario M5T 1S3

#### **Toll Free Orders Only** 1-800-387-1385

Order Checking (416)925-8291 Technical Data (416)925-1105

MAIL ORDERS: We accept VISA; MC; AMEX; credit cards. Money orders, cheques (2 week wait) are also OK. Minimum packing and handling fee \$5.00 or 5%, whichever is larger. The only COD we use is via CANPAR (Add \$4.00 COD fee) or setter fields. motor freight. We do not use postal COD at all. All Ont. res. add 7%. All prices are subject to change without notice. Returns are subject to a 20% restocking

#### SCII KEYBOARD



This is a high quality Hall Effect keyboard made by Microswitch of Canada for AES data and now bought by us for 10% of the \$169.00 that AES paid for them in 10,000 lots. They are a very good word processing keyboard with both serial and parallel data outputs for use with APPLE and IBM type systems and come complete with a ribbon cable connector and complete pin-

#### IRED CARDS

16K \$ 45.00	Applaext 128K . \$140.00
128K no IC \$ 34.95	Sprite gr \$ 69.95
128K OK \$ 55.00	TMS9918A IC \$ 18.95
128 64K \$ 99.00	DISC SHMRCK \$ 45.00
128K 128K . \$150.00	80 Column \$ 65.00
MC3242 IC \$ 12.00	80 Col. Sofsw \$ 69.00
DISC\$ 45.00	Nice Print \$ 69.95
Z-80 \$ 45.00	Grippler \$ 50.00
Applacard . \$150.00	Grip cable\$ 19.95
THE RESIDENCE OF THE PARTY OF T	AND DESCRIPTION OF THE PERSON

#### **NEW LOW BARE**

#### PCB PRICES GROUP 1 \$7.00 each

· FPROM

· WILD CARD

SAM TALKS

Sprite graphics

ADD ON

• APPLACARD 128K

- · Real time clock
- · Rana 4 drive
- 9 V Music
- Disc Controller
- · Disc Controller
- · COMMUNI-(Shamrock) CATIONS

#### GROUP 2 \$9.00 each • RGB

- Grippler • 80 Column
- 80 Column Soft Switch
- Z-80 GROUP 3 \$11.00 each • SSM MODEM • APPLACARD • APPLACARD • APPLACARD • 16K • 128K

All boards come with a parts list and placement diagram. We have all the parts of the PCB's just ask for them.

\*Prices so low we require payment with order.

#### IEMORY FLASH

256K-150Ns DRAM											\$19.75
64K-150Ns DRAM .											\$ 3.25
64K-200Ns DRAM .											\$ 3.25
Prime stock, limited	d	(	וב	u	a	n	ti	t	1.		



Another great bargain from PARTS GALORE, A small power supply switching style that give +5v-4A;  $\pm 12v$  1A and -5v (adjustable) on a compact 4x8" open frame PCB. Cost Northern Telecom \$50.00 when they bought 5000 pieces. We got em when a subcontractor went belly up for 10% of that price and we are selling em for \$18.95NEW IN BOX TESTED AC power cable (3 Wire) for above . . \$2.50

IBM is a registered trademark of International Business Machines



with schematic, ap. notes and theory, etc. \$19.95
MEGA-BIOS®, a fully MS—DOS, PC-DOS compatible non-infringing BIOS \$29.95

(A) Tested 64K MEGABOARD with
MEGABIOS, Manual and
Schematics
(B) Socketed and wave soldered
MEGABOARD with detailed
parts list\$195.00
(C) Memory expansion,
each 64K tested \$ 59.95
(D) Memory chips 4164-150ns
9 pcs \$ 45.00
(E) 256K DRAMprice on request

The basic MEGABOARD system with 64K, one 1/2 size DS/DD Disc Drive, Drive conand Color Video board with MEGABIOS and manual and schematics

The basic MBE-XT system with 64K, one 1/2 size DS/DD Disc Drive, Drive controller and Color Video board with MEGABIOS, manual and

schematics. Take note both the above systems are 8 expansion slot systems and are XT compatible with 0.8" slots

10 MB 1/2 HT Hard Disc Drive and controller are available for only .\$1195.00

#### BARE PCB FOR IBM (A) Color Graphics (PERSYST) ....\$27.95 (B) Monochrome Graphics ..... \$24.95

C) Disc Controller	\$17.95
D) Disc Controller with game port.	\$24.95
E) Disc Controller with parallel po	rt
	\$24.95
F) Multifunction (11) card	\$24.95
G) Parallel printer card	\$17.95
H) Serial RS-232 card	\$17.95
I) Simple Modem card	\$17.95
J) Diskette for above	\$ 8.00
K) 512K Memory card	\$24.95
L) 256K small memory card	\$19.9

(M) IBM Extender card, 6" . . \$19.95 (N) WW Prototype, D89, 25 Full size **\$24.95** (O) WW Memory Prototype, a unique card with 1/2 the area WW holes with a 256K/1M byte memory gridded in for

64K/256K RAMS . . . . \$24.95 All card come with a parts list and placement diagram. We have all Proms and H

INTEL/AMD	62 Pin edge	
chip set \$79.95	conn\$	2.50
8253-5 \$ 7.95	50 Pin edge conn .\$	2.50
8259A\$ 7.95	5 Pin DIN \$	0.75
8237A-5 <b>\$17.95</b>	IBM Power conn\$	1.50
8255A-5 <b>\$ 9.95</b>	4.7Kx 6 SIP\$	0.90
8284\$ 7.95	4.7Kx 9 SIP\$	1.00
8288 \$16.95	4.7Kx 15 Res net .\$	1.00
8087-3 \$199.00	8.2Kx 15 Res net .\$	1.50
8088\$16.95	33x 8 Res net\$	1.50
8272\$10.00	Megaboard prom .\$	9.95
UPD765\$10.00	Mega bus bars ea. \$	1.50
100NS time	0.1Uf .1 or .2"	
delay\$ 6.00	\$	0.14
7Ns Time	Mega trim cap\$	1.00
delay\$14.95		
delay\$14.95		



Here it is, a 256K XT compatible 8088 machine that works like an IBM. Note has 8 slots on 0.8" spacing to use modern XT peripherals, unlike the BEST which has only 5 on 1" spacing. The MBE-XT will hold any legal or illegal BIOS or BASIC. We suggest the MEGABIOS, one of the better ones available.

(A) MBE-XT with assembly data and parts list ......\$49.95 (B) Complete schematics and manual\$ 4.95 (C) Wave soldered MBE-XT board without any IC's, all sockets, edge con. R.C. Et-chwith manual and full schematics. You and 64K of RAM on board with BIOS and

#### SA/455A3

#### 5-1/4"HALF SIZE DRIVES

•40 Track per side · Double-sided. double density

•Latest head & •Fast access til

Two of These Half Size Drives will Fit in the Same Space as 1 Full Size Drive

#### CHERRY IBM®\$124.00 STYLE KEYBOARD

At last a good low cost keyboard for the IBM PC, XT or compatible machine. Uses capacitive keys, has a very good feel", and has TYPEWRITER LAYOUT for easy wordprocessing at the very low price of . \$124.00

We have the case for you, the newest type with 8 slots to the MBE-XT board, has hinged lid and all mounting hard-ware .....\$89.95 Economy Version .....\$74.95 Same as above for MEGABOARD, 7 Slot \$99.95 Older type, top opening for Apple PCB to look like IBM system, holds 2 drives . \$69.95

## SWITCHING POWER

SUPPLY 110V. 60Hz with Fan and two rear switched outlets.

power supplies fit the above case 100 WATT +5v--10A; +12v-3.5A .\$139.00 130WATT +5V-14A; +12v-4.2A .....\$169.00 12V-1/2A

# INTRODUCING: THE NEW STANDARD FOR IBM PC/XT COMPATIBILITY

The ACS-1000 Super Computer



- 1 Megabyte On-Board Memory
- Built-in Disk Controller
  - up to 4 Floppies
- SASI Hard Disk Interface
- 32 KB User Definable ROM
- Switchable: 4.77 or 8 MHZ
- Built-in Multifunction Board
  - Parallel Printer Port
  - 2 Serial Ports
  - Time-of-day Clock

#### Seize Control of Your Hardware Destiny

If you are using board level microcomputers you can have greater power, versatility and reliability by using the ACS-1000 single board Super Computer.

The ACS-1000 is compatible with both software and hardware designed for the IBM PC/XT. It even has the same mounting holes and the same power supply connections. The difference that the ACS-1000 offers a much higher level of integration and costs less than \$500 when ordered in quantity.

Save your Expansion Slots for true expansion Disk Controllers, I/O ports and extensive memory are already builtin, simplifing production and freeing the 6 expansion slots to take on specialized work of your process control, CAD/CAM or office automation applications. There's even a special port for a low cost piggyback modem.

See for yourself. For a limited time we are offering a system evaluation kit for \$950. The 128K system includes bios, documentation, and an XT compatible power supply.

#### To order call 604-888-2606 or write: Soltech Industries Inc.

9274 — 194th Street Surrey, B.C. V3T 4W2

IBM, PC, XT and PC DOS are registered trademarks of IBM Corporation

# MPF-PC "More talented than the others!"

Offers You More For Less!





#### \*IBM-PC Compatibility. . . And More

The stylish MPF-PC is designed to run the vast amount of IBM-PC software, such as Lotus 1-2-3, Framework, Symphony, Sidekick, AutoCad, Flight Simulator, etc. It has five full-length expansion slots to take a variety of plug-in peripheral cards for the IBM-PC.

#### \*Multitasking/Windowing. . . And More

The key to the enhanced productivity offered by MPF-PC is the ability to perform up to four different tasks at the same time and display them on the monitor with split screens. Any screen can be enlarged to occupy the entire monitor display providing user convenience. The user can print a lengthy report, sort through a database and still make forecasts all concurrently. Being able to handle so many aspects at one time not only increases productivity, but also profitability and quality of work.

#### \*Two Operating Systems. . . And More

With Digital Research's latest Concurrent CP/M-86 and Microsoft's popular MS-DOS operating systems, the MPF-PC can adapt to application software written for both environments. What more can you ask for?

#### \*Ready To Go Bundled Software. . . And More

The MPF-PC comes with a powerful integrated software. . . T/Maker III. With T/Maker's integrated word processing, spelling checker, electronic spreadsheet, relational database and bar-chart graphics, you can begin to write reports, analyse expenses, forecast sales, plan budgets, file customer lists, chart productions. . .and more!

#### \*Ready To Go Hardware. . . And More

The MPF-PC standard features include 8088 CPU (socket for 8087), 256K RAM, a colour graphics board, a RS-232C serial communications port, a Centronics parallel printer port. 90-key detachable keyboard, and dual ds/dd disk drives. Many more options available. For example, the MPF-PC/XT has a 10MB hard disk.

Clearly Buy! Only \$2499.00"
The Best Buy! Only \$(monitor not included)

\*Plus freight where applicable.



Exclusively distributed by:

TITHES BUSINESS SYSTEMS (CANADA) INC.

971 W. Broadway, Vancouver, B.C. Canada V5Z 1K3 Tel: (604) 733-8999 Telex: 04-53436

Dealers' Inquiries Invited

# **Product Mart**

# Where Buyers Find Sellers

SOFTWARE for all leading computers at discount prices. Tell us your computer model and receive our free catalog. COMP-CAN, 1477 Hunt St., Sarnia, Ont. N7S 3M8.

FANTASTIC SAVINGS EPROM's first quality branded stock 2732 (450 ns)... \$6.49, 2764 (300 ns)...\$7.99, 2716 (450 ns)... \$4.99, GB ELECTRONICS, Box 24, 206 – 6414 Travois Place, N.W. Calgary, Alberta, T2K 3T2. Add \$2.50 Shipping.

ALL kinds of electronic projects and books. Send self addressed stamped envelope for free catalogue. SIMPLIFIED TECHNOLOGIES, 214 King St. E., Hamilton, Ontario, L8N 1B5. Special this month, Free C.O.D.'s.

SOFTWARE CLEARANCE \$9.95 for VIC20, TI99/4A, Atari & TRS80 Free listing, specify computer T.M. COMPUTERS, 786 Bath Road, Kingston, Ontario K7M 4Y2.

SOFTWARE - Hardware - Computers Apple & Compatible 50 page catalogue. Send \$3.00 to cover postage and handling. No Prov. Sales Tax. COMPUTER DISTRIBUTORS, P.O. Box 8217, Stn. 'F' Calgary, Alberta T2J 2V4.

APPLE SOFTWARE RENTAL. The Pacific Apple Computer Club lists over 500 apple programs. Most rentals only \$6.00 you keep the disk. For catalog send \$1.00 canadian to **P.A.C.C.** Box 25, Point Roberts W.A., 98281.

MULTITASKING on IBM PC, XT, AT & Compatibles using DOS 2.0, 2.1, 3.0 with DoubleDOS. Works with standard software-Lotus, dBase, etc. Retail \$399.00. Introductory offer \$199.00, Visa, Mastercard, Moneyorder. COMPUTERIZ-ED BUSINESS SYSTEMS, Box 2965, The Pas, MB. R9A 1R6, (204) 623-2453.

"PROJECT GENESIS" (64K Coco) \$24.95. Now shipping! UPS, cables, software, Ribbon re-inkers, Apple IIc or Coco parallel printer interface \$99.95. Catalog \$1.00. BETTER SOFTWARE, Dept. ETI Box 2203, Charlottetown, P.E.I., C1A 839.

APPLE & IBM SOFTWARE RENTAL. Try before you buy and rent software at a fraction of the cost. Games, Business, Utilities. Write for a free catalog and state computer. BIG BLUE SOFTWARE, Box 15896, Station 'F' Ottawa, Ont. K2C 3S8.

TURBO PASCAL VERSION 2.0 AND SIDEKICK. Authroized Borland Dealter — Specify Computer — Each Only \$69.95 + \$5.00 for Special Delivery — VISA/MC OK — VECTOR COMPUTER SERVICES, 32 Falconer Terrace N.E., Calgary, Alberta, T3J 1W4, (403) 280-4185.

MUSIC SYNTHESIZER & accessories for your Apple — digital oscillator, interface card; hardware & software compatible with Soundchaser & alphasyntauri systems. 61N keyboards from \$349. Write for list. Dealter inquiries invited. CLASSIC ORGAN CO., 300-12 Don Park Road, Markham, Ont. L3R 3A1 (416) 475-1263.

Advertising in the Product Mart section allows you to reach thousands of Canadian readers nation wide effectively and economically. Please contact Dierdre Whitehead, Advertising Service Manager, (416) 423-3262, for further details on the various sizes and styles available.

WHAT DO YOU DO?

Send us your typewritten or clearly printed words, your permanent address and telephone number and your payment (no cash please). Make your cheque or money order payable to Moorshead Publications. We're at Suite 601, 25 Overlea Blvd., Toronto, Ontario, M4H 1B1.

WHAT DO WE DO?

We typeset your words (and put the first word and your company name in **BOLD** capital letters). Your advertisement will appear in the first available issue.

#### Computers In Small Business




Small companies across Canada are hungry for knowledge about the microcomputer revolution. Many of them believe that they alone are ignorant about what is going on and what equipment is available.

This Special publication is addressed exclusively to this market. The articles comprise reprints of the very best material already published in Computing Now! magazine together with several specially commissioned features to form a well balanced publication. We believe this Special is of real use to the hundreds of thousands of small companies on the verge of buying a microcomputer.

#### First Published March 1984

\$3.95 plus \$1,00 postage and handling. Ontario Residents add 7% PST. For a copy call (416) 423-3262 or write:

Moorshead Publications 25 Overlea Boulevard, Suite 601, Toronto, Ontaro, M4H 1B1




## **Computing Now! — Advertisers Index**

Advance Interface Electronics Inc
Budgetron Inc
CAW Displays
Chameleon Universal Products
Computer Mail Order
Computer Parts Galore
Computron
Comspec Communications Inc
Copp. Clark. Pitman Ltd
Dana's Computer Discounts
Dennison Manufacturing Canada Inc
Electronic Control Systems
Emulex Corporation
Exceltronix
Gentek Computers Inc
Griffco Marketing Inc
Hunter Nichols
IBM Canada Ltd.,
Kitstronic International Ltd
LOGIC45
Management Graphics
Memorex
Microhmega Electronics 11
Micron Systems Corp
Phase 4 Distributors Inc
Praxtek Computer Corp
Programmers Guild
Protec Microsystems Inc
Soltech Industries Inc
Surplustronics
Tithes Business Systems (Canada) Inc
Canada Remote Systems
Tycor Electronic Products Ltd
2 1 002 Macon Onto 2 10 due to Millian

#### COMMUTEX

A SYSTEM DESIGNED FOR AN EFFICIENT MANAGEMENT OF A LIMITED NUMBER OF PRINTERS SHARED BY SEVERAL MICRO-COMPUTERS.



#### This intelligent controller features:

- Menu-Driven software configuration.
- No manual commutation.
- Use of different types of printers and computers.
- Up to 40 computers and printers can be handled by Commutex.

Obviously there is a lot more to tell about **Commutex**.

For more information please write or call:

#### PROTEC MICROSYSTEMES INC.

725 Decarie, Suite 202 St-Laurent, Que. H4L 3L4 Tel.: (514) 744-3367 TIX: 05-25134/PROTEC

Circle No. 6 on Reader Service Card

# A professional approach to computer Touch, look, listen.

Thousands of computer solutions under one roof. The Metro Toronto Convention Centre.

You could spend weeks or months going from vendor to vendor looking for the right computer equipment. Or you could spend a few hours at the third annual Computer Fair.

You'll see hundreds of booths. Hardware, software, peripherals, everything under the sun. You'll see new products and new applications from all the key companies in the industry. It doesn't take a computer to tell you that this is the best way to go shopping.

Want a hands-on demonstration? How about a seminar or workshop? Or maybe you just want to

talk and collect information. Whatever you're looking for, you will find more business solutions here than anywhere else. This is the time to take a few hours to accomplish what would usually take forever.

Easy to get to whether you're driving, riding, or walking.

What a place for a Fair! The Metro Toronto Convention Centre is steps from the TTC, Union Station, and all of the downtown business core. For out of town guests, there are thousands of hotel rooms within a 5 minute walk.

Wherever you are, if you can see the CN Tower, you know where to find Computer Fair.

#### HARDWARE, SOFTWARE, BUSINESSWARE.

Metro Toronto Convention Centre
255 Front Street West, Toronto, Ontario Registration - \$8.00
Wednesday Thursday Friday Saturday
May 8 May 9 May 10 May 11

#### A HUNTER NICHOLS PRESENTATION

721 Progress Avenue, Scarborough, Ontario, M1H 2W7 (416) 439-4140



Maxell Gold.

The floppy disk that packs more facts into Compaq, sets HP free, and takes IBM Portable where it's never gone before.

Maxell

It's great to have a portable computer. Especially when your data stays put. For error-free performance at home or abroad, trust Maxell. The Gold Standard in floppy disks. There's a Maxell disk for virtually every computer made. Each is backed by a lifetime warranty. Maxell. Accepted everywhere, without reservation.

